

QUICKCAR

2020



Since 1992, QuickCar Racing Products has grown to be one of the industry's premier motorsports equipment manufacturers by producing and distributing quality components and continually seeking better ways to serve customers. We are committed to bringing high quality, innovative new products to the market, products built with pride that will save time and money and improve the performance of every racecar.





Contents

Section	Page No.
New Products.....	2-5
Redline Gauge Panels.....	6-11
Digital Gauge Panels.....	12-15
Extreme Gauge Panels.....	16-19
Standard Gauge Panels.....	20-25
Tachometers	26-27
Digital Gauges.....	28
Gauge Panel Accessories	29-32
Wraparound Gauge Panels.....	33
Sprint Car Gauge Panels	34-37
Ignition Control Panels	38-48
Wiring Harnesses.....	49
Ignition Control Panel Accessories.....	50-51
Wiring Harnesses.....	52-53
Ignition System Accessories.....	54-55
Battery Cable Kits	56
Wiring Accessories.....	57-58
Electrical System Accessories	59-63
Wiring Kits.....	64-67
Tire Gauges	68-69
Chassis Components.....	70-71
Steering Wheels	72
Steering Wheel Accessories	73
Tire Management	74-75
Chassis Set-Up.....	76
Carburetor Accessories	77
Timing Systems.....	78
Spark Plug Wires	79
Brake System Accessories	80
Cooling System Accessories.....	81
Tools	82-83
Safety Equipment.....	84
QuickCar Extras	85
Product Index	86
Part No. Page Index.....	87-88



NEW PRODUCTS

12 Gauge In-Line ATC Fuse Holder

50-955

See Page 50




Pressure And Temperature Switches

61-751

61-752


See Page 29



3-Wheel Brake Panel

50-035

See Page 54



Spec Asphalt Late Model Harness

50-2053

See Page 53



HEI Wiring Harness For MSD Soft Touch

50-2039

See Page 53



NEW PRODUCTS



Sprint Panel 2" Gauge
61-2204
See Page 35



**Sprint Panel 2" Gauge
With Switch**
61-2205
See Page 35



**Sprint Car Gauge Panel
Replacement Gauge**
611-6204
See Page 35



**Sprint Car Gauge Panel
Replacement Gauge**
611-6205
See Page 35




NEW PRODUCTS

5 Switch Kit With Decal

50-7739

See Page 44



Top-Post Battery Master Disconnect

57-650

See Page 57



Three-Piece Rubber Grommet Set

50-008


See Page 54



HEI Distributor Lead

50-2009

See Page 54




Top-Mount Battery Terminals

57-627

57-630

57-640

See Page 60



NEW PRODUCTS



Buss Bar Kits With Covers

57-8022

57-8012


See Page 61



Black Terminal Buss Bar

57-802

See Page 61



Pass Through Posts

57-803

57-804

See Page 60



Remote Start Button

50-433


See Page 62



Weatherproof Alternator Wiring Kit

57-107

See Page 63



Long Handle Single-Pole Switch

50-508

See Page 50



REDLINE GAUGE PANELS

Redline Gauge Panels are lightweight, accurate, and fitted with reliable electric stepper motor gauges. Precision 2-5/8" diameter gauges feature a programmable warning function to quickly alert the driver in the event of a problem. Panels are sold completely pre-wired for easy installation and include all necessary senders.

2-Gauge Panel

69-2001

Basic panel includes gauges for oil pressure and water temperature. Panel is 7-1/4" wide x 4-1/2" high.



3-Gauge Panel

69-3011

Panel includes gauges for oil pressure, water temperature, and oil temperature. Panel is 10-1/2" wide x 4-1/2" high.



3-Gauge Panel

69-3012

Panel includes gauges for oil pressure, water temperature, and fuel pressure. Panel is 10-1/2" wide x 4-1/2" high.



3-Gauge Panel

69-3016

Panel includes gauges for oil pressure, water temperature, and water pressure. Panel is 10-1/2" wide x 4-1/2" high.



3-Gauge Panel

69-3017

Panel includes gauges for oil pressure, water temperature, and volt meter. Panel is 10-1/2" wide x 4-1/2" high.



Firewall Sensor Junctions

Sensor junction blocks connects lines to pressure transducers, a requirement of stepper motor gauges. Typically mounted to the firewall, junction blocks include 1/8" NPT threads to accept pressure transducers on the interior side of firewall, while pressure lines are then connected adjacently on the engine side. Manufactured from black anodized billet aluminum, blocks are offered with or without accessory wiring holes.

Part No.	Description
63-120	Two-Terminal Junction
63-121	Two-Terminal Junction with Single Accessory Hole
63-130	Three-Terminal Junction
63-132	Three-Terminal Junction with Two Accessory Holes



63-120



63-121



63-130



63-132

REDLINE GAUGE PANELS CONT.



4-Gauge Panel

69-4021

Panel includes gauges for oil pressure, water temperature, oil temperature, and fuel pressure. Panel is 13-5/8" wide x 4-1/2" high.



4-Gauge Panel

69-4026

Panel includes gauges for oil pressure, water temperature, fuel pressure, and water pressure. Panel is 13-5/8" wide x 4-1/2" high.



4-Gauge Panel

69-4027

Panel includes gauges for oil pressure, water temperature, oil temperature, and volt meter. Panel is 13-5/8" wide x 4-1/2" high.



5-Gauge Panel

69-5036

Panel includes gauges for oil pressure, water temperature, oil temperature, fuel pressure, and water pressure. Panel is 17" wide x 4-1/2" high.



5-Gauge Panel

69-5037

Panel includes gauges for oil pressure, water temperature, oil temperature, fuel pressure, and volt meter. Panel is 17" wide x 4-1/2" high.

2-5/8" Redline Gauges

May also be purchased separately. Senders and pressure lines not included.



69-000

Fuel Pressure
0-15 PSI



69-003

Oil Pressure
0-100 PSI



69-006

Water
Temperature
100°-280°F



69-007

Volt Meter
8-18 Volts



69-008

Water Pressure
0-60 PSI



69-009

Oil
Temperature
140°-320° F

Replacement Senders



Part No.	Description
63-225	2-Wire Temp. Sender
63-230	Oil Pressure/ Water Pressure Sender
63-240	Fuel Pressure Sender



REDLINE GAUGE TACH PANELS With Multi-Recall Tachometer

Panels combine advanced, electric stepper motor 2-5/8" diameter gauges with the benefits of a Redline 3" diameter multi-recall tachometer. Multi-recall, 10,000 RPM tachometer allows recalling the four highest (straight-away) and four lower (corner) RPM readings to help determine proper gearing. Panels are sold completely pre-wired for easy installation and include all necessary senders.

2-1 Gauge Panel

69-2031

Basic panel includes gauges for oil pressure and water temperature along with a Redline multi-recall tachometer. Panel is 10-3/4" wide x 4-1/2" high.



3-1 Gauge Panel

69-3041

Panel combines oil pressure, water temperature, and oil temperature gauges with a Redline multi-recall tachometer. Measures 13-7/8" wide x 4-1/2" high.



3-1 Gauge Panel

69-3042

Panel includes oil pressure, water temperature, and fuel pressure gauges, with a Redline multi-recall tachometer. Panel is 13-7/8" wide x 4-1/2" high.



3-1 Gauge Panel

69-3046

Panel includes oil pressure, water temperature, and water pressure gauges combined with a Redline multi-recall tachometer. Panel is 13-7/8" wide x 4-1/2" high.



REDLINE GAUGE TACH PANELS With Multi-Recall Tachometer (Cont.)



3-1 Gauge Panel

69-3047

Panel includes oil pressure, water temperature, and volt meter gauges, with a Redline multi-recall tachometer. Panel is 13-7/8" wide x 4-1/2" high.



4-1 Gauge Panel

69-4051

Panel includes oil pressure, water temperature, oil temperature, and fuel pressure gauges along with a Redline multi-recall tachometer. Panel is 17" wide x 4-1/2" high.



4-1 Gauge Panel

69-4056

Panel combines oil pressure, water temperature, fuel pressure and water pressure gauges with a Redline multi-recall tachometer. Panel is 17" wide x 4-1/2" high.



4-1 Gauge Panel

69-4057

Panel includes oil pressure, water temperature, oil temperature, and volt meter gauges, with a Redline multi-recall tachometer. Panel is 17" wide x 4-1/2" high.



REDLINE GAUGE TACH PANELS

With Recall Tachometer

Panels combine advanced, electric stepper motor 2-5/8" diameter gauges with the benefits of a Redline 2-5/8" single recall tachometer. Single recall, 10,000 RPM tachometer allows recalling the highest RPM of any given session to help determine proper gearing. Panels are sold completely pre-wired for easy installation and include all necessary senders.

2-1 Gauge Panel

69-2231

Panel is fitted with oil pressure, water temperature, and tachometer gauges. Panel is 10-1/2" wide x 4-1/2" high.



3-1 Gauge Panel

69-3241

Panel is fitted with oil pressure, water temperature, oil temperature, and tachometer gauges. Panel is 13-5/8" wide x 4-1/2" high.



3-1 Gauge Panel

69-3242

Panel is fitted with oil pressure, water temperature, fuel pressure, and tachometer gauges. Panel is 13-5/8" wide x 4-1/2" high.



3-1 Gauge Panel

69-3246

Panel is fitted with oil pressure, water temperature, water pressure, and tachometer gauges. Panel is 13-5/8" wide x 4-1/2" high.



REDLINE GAUGE TACH PANELS With Recall Tachometer (Cont.)



3-1 Gauge Panel

69-3247

Panel is fitted with oil pressure, water temperature, volt meter, and tachometer gauges. Panel is 13-5/8" wide x 4-1/2" high.



4-1 Gauge Panel

69-4251

Panel is fitted with oil pressure, water temperature, oil temperature, fuel pressure, and tachometer gauges. Panel is 17" wide x 4-1/2" high.



4-1 Gauge Panel

69-4256

Panel is fitted with oil pressure, water temperature, fuel pressure, water pressure, and tachometer gauges. Panel is 17" wide x 4-1/2" high.



4-1 Gauge Panel

69-4257

Panel is fitted with oil pressure, water temperature, oil temperature, volt meter, and tachometer gauges. Panel is 17" wide x 4-1/2" high.



DIGITAL GAUGE PANELS

Ultra-lightweight gauge panels are fit with precise 2-1/16" diameter digital electronic gauges. Gauges include a digital blue LED readout and graduated scale for increased readability. Built-in warning light functions are adjustable with the touch of a finger, causing the lighting to flash in the event of a problem, instantly alerting the driver. Panels are sold completely pre-wired for easy installation, and include all necessary transducers and senders.

2-Gauge Panel

67-2001

Basic digital panel includes oil pressure and water temperature gauges. Panel is 6-1/16" wide x 3-5/8" high.



3-Gauge Panel

67-3011

Assembled with oil pressure, water temperature, and oil temperature gauges, panel is 8-1/2" wide x 3-5/8" high.



3-Gauge Panel

67-3012

Panel includes gauges for oil pressure, water temperature, and fuel pressure. Panel is 8-1/2" wide x 3-5/8" high.



3-Gauge Panel

67-3016

Panel is fitted with oil pressure, water temperature, and water pressure gauges. Panel is 8-1/2" wide x 3-5/8" high.



3-Gauge Panel

67-3017

Fitted with gauges for oil pressure, water temperature, and volt meter, panel is 8-1/2" wide x 3-5/8" high.



4-Gauge Panel

67-4021

Panel includes oil pressure, water temperature, oil temperature, and fuel pressure gauges. Panel is 11" wide x 3-5/8" high.



DIGITAL GAUGE PANELS (CONT.)



4-Gauge Panel

67-4026

Panel is complete with oil pressure, water temperature, fuel pressure, and water pressure gauges. Panel is 11" wide x 3-5/8" high.



4-Gauge Panel

67-4027

Panel includes oil pressure, water temperature, oil temperature, and volt meter gauges. Panel is 11" wide x 3-5/8" high.



5-Gauge Panel

67-5036

Complete with gauges for oil pressure, water temperature, oil temperature, fuel pressure, and water pressure. Panel is 13-1/2" wide x 3-5/8" high.



5-Gauge Panel

67-5037

Panel includes oil pressure, water temperature, oil temperature, fuel pressure, and volt meter gauges. Panel is 13-1/2" wide x 3-5/8" high.

2-1/16" Digital Gauges

May also be purchased separately. Senders, transducers, and pressure lines not included.



67-000

Fuel Pressure
0-15 PSI



67-001

Tachometer
10000 RPM



67-003

Oil Pressure
0-100 PSI



67-006

Water Temperature
100°F - 280°F



67-007

Volt Meter
8-18 Volts



67-008


Water Pressure
0-100 PSI



67-009

Oil Temperature
100°F - 320°F

Replacement Senders



63-220

63-225



63-230

63-240

Part No.	Description
63-220	1-Wire Temp Sender
63-225	2-Wire Temp Sender
63-230	Oil Pressure/Water Pressure Sender
63-240	Fuel Pressure Sender



DIGITAL TACH PANELS

Ultra-lightweight gauge panels are fit with precision, 2-1/16" diameter digital electronic gauges. Gauges include a digital blue LED readout and graduated scale for increased readability. Built-in warning light functions are adjustable with the touch of a finger, causing the lighting to flash in the event of a problem, instantly alerting the driver. Panels are sold completely pre-wired for easy installation, and include all necessary transducers and senders.

2-1 Gauge Panel

67-2031

Basic digital panel includes oil pressure, water temperature, and tachometer gauges. Panel is 8-1/2" wide x 3-5/8" high.



3-1 Gauge Panel

67-3041

Assembled with oil pressure, water temperature, oil temperature, and tachometer gauges. Panel is 11" wide x 3-5/8" high.



3-1 Gauge Panel

67-3042

Panel includes gauges for oil pressure, water temperature, fuel pressure, and tachometer. Panel is 11" wide x 3-5/8" high.



3-1 Gauge Panel

67-3046

Panel is fitted with oil pressure, water temperature, water pressure, and tachometer gauges. Panel is 11" wide x 3-5/8" high.





3-1 Gauge Panel

67-3047

Basic digital panel includes oil pressure, water temperature, voltage meter, and tachometer gauges. Panel is 11" wide x 3-5/8" high.



4-1 Gauge Panel

67-4051

Assembled with oil pressure, water temperature, oil temperature, fuel pressure, and tachometer gauges. Panel is 13-1/2" wide x 3-5/8" high.



4-1 Gauge Panel

67-4056

Panel includes gauges for oil pressure, water temperature, fuel pressure, water pressure, and tachometer. Panel is 13-1/2" wide x 3-5/8" high.



4-1 Gauge Panel

67-4057

Panel is fitted with oil pressure, water temperature, oil temperature, voltage meter, and tachometer gauges. Panel is 13-1/2" wide x 3-5/8" high.



EXTREME GAUGE PANELS

Extreme Gauge Panels feature lightweight, 2-5/8" diameter white-face mechanical gauges with bright red pointers, mounted in gloss black-finished panels. Panels are pre-wired, ready to install, and include necessary senders. No external warning lights are needed; gauges use LED lights and switch automatically from white to designated color when a problem arises.

2-Gauge Panel

61-7001

Basic 7-1/4" wide x 4-1/2" high panel includes gauges for oil pressure and water temperature.



3-Gauge Panel

61-7011

Panel is 10-1/2" wide x 4-1/2" high and features oil pressure, water temperature, and oil temperature gauges.



3-Gauge Panel

61-7012

Panel is complete with oil pressure, water temperature, and fuel pressure gauges, and is 10-1/2" wide x 4-1/2" high.



3-Gauge Panel

61-7017

Panel is complete with oil pressure, water temperature, and volt meter gauges. Panel is 10-1/2" wide x 4-1/2" high.



4-Gauge Panel

61-7021

Panel is 13-5/8" wide x 4-1/2" high, and includes oil pressure, water temperature, oil temperature, and fuel pressure gauges.



4-Gauge Panel

61-7026

Panel is 13-5/8" wide x 4-1/2" high, and includes oil pressure, water temperature, fuel pressure, and water pressure gauges.



EXTREME GAUGE PANELS



Extreme Gauge Panels With LED Digital Tachometer

Panels feature the addition of the Extreme LED Digital Tachometer, designed for use as an RPM indicator or shift light. RPM settings are adjusted by simply touching the lens with a finger. Fully assembled and pre-wired, panels include all necessary senders. May be assembled with any combination of gauges; please call with specific requirements.



2-1 Gauge Panel 61-7031

2-1 gauge panel includes gauges for oil pressure and water temperature, and the Extreme LED Digital Tachometer. Panel is 10-1/2" wide x 4-1/2" high.



3-1 Gauge Panel 61-7041

3-1 gauge panel includes oil pressure, water temperature, and oil temperature gauges, and the Extreme LED Digital Tachometer. Panel is 13-5/8" wide x 4-1/2" high.



3-1 Gauge Panel 61-7042

3-1 gauge panel includes oil pressure, water temperature, and fuel pressure gauges, and the Extreme LED Digital Tachometer. Panel is 13-5/8" wide x 4-1/2" high.



4-1 Gauge Panel 61-7051

4-1 gauge panel includes oil pressure, water temperature, oil temperature, and fuel pressure gauges, and the Extreme LED Digital Tachometer. Panel is 17" wide x 4-1/2" high.

2-5/8" Extreme Gauges

May also be purchased separately. Sold complete with 12-volt lighting. Senders and pressure lines not included.



611-7000	611-7003	611-7006	611-7007	611-7008	611-7009	611-7010
Fuel Pressure 0-15 PSI	Oil Pressure 0-100 PSI	Water Temperature 100°F-280°F	Volt Meter 8-18 Volts	Water Pressure 0-100 PSI	Oil Temperature 100°F-320°F	Digital Tach 0-18000 RPM

Replacement Senders



Part No.	Description
61-730	Fuel Pressure Sender 4 PSI
61-735	Oil Pressure Sender 20 PSI
61-740	Water Temperature Switch 1/2 NPT
61-750	Oil Temperature Sender 280°F



EXTREME GAUGE PANELS

Extreme Gauge Panels With 5" Tachometer

Panels feature the addition of the 5" 10,000 RPM recall Tachometer, Fully assembled and pre-wired, panels include all necessary senders. May be assembled with any combination of gauges; please call with specific requirements.

2-1 Gauge Panel

61-7731

Panel includes a 5" QuickCar 10,000 RPM recall tachometer (611-6001), 2-5/8" mechanical oil pressure and water temperature gauges, along with internal warning lights. Panel measures 11-7/8" wide x 4-1/2" high.



3-1 Gauge Panel

61-7741

This panel features a 5" QuickCar 10,000 RPM recall tachometer (611-6001), 2-5/8" mechanical oil pressure, water temperature, and oil temperature gauges, along with internal warning lights. Panel measures 15-1/8" wide x 4-1/2" tall.



3-1 Gauge Panel

61-7742

This panel includes a 5" QuickCar 10,000 RPM recall tachometer (611-6001), 2-5/8" mechanical oil pressure, water temperature, and fuel pressure gauges, along with internal warning lights. Panel measures 15-1/8" wide x 4-1/2" tall.



4-1 Gauge Panel

61-7751

Panel includes a 5" QuickCar 10,000 RPM recall tachometer (611-6001), 2-5/8" mechanical oil pressure, water temperature, oil temperature, and fuel pressure gauges, along with internal warning lights. Panel measures 18-5/16" wide x 4-1/2" tall.



Extreme Gauge Panels With 3-3/8" Tachometer

Panels feature the addition of the 3-3/8" 10,000 RPM recall Tachometer Fully assembled and pre-wired, panels include all necessary senders. May be assembled with any combination of gauges; please call with specific requirements.



2-1 Gauge Panel 61-77313

Panel includes a 3-3/8" QuickCar 10,000 RPM recall tachometer (611-6002), 2-5/8" mechanical oil pressure and water temperature gauges, and internal warning lights. Panel measures 11-7/8" wide x 4-1/2" high.



3-1 Gauge Panel 61-77413

This panel features a 3-3/8" QuickCar 10,000 RPM recall tachometer (611-6002), 2-5/8" mechanical oil pressure, water temperature, and oil temperature gauges, along with internal warning lights. Panel measures 15-1/8" wide x 4-1/2" tall.



3-1 Gauge Panel 61-77423

This panel includes a 3-3/8" QuickCar 10,000 RPM recall tachometer (611-6002), 2-5/8" mechanical oil pressure, water temperature, and fuel pressure gauges, along with internal warning lights. Panel measures 15-1/8" wide x 4-1/2" tall.

4-1 Gauge Panel 61-77513

Panel includes a 3-3/8" QuickCar 10,000 RPM recall tachometer (611-6002), 2-5/8" mechanical oil pressure, water temperature, oil temperature, and fuel pressure gauges, along with internal warning lights. Panel measures 18-5/16" wide x 4-1/2" tall.





STANDARD GAUGE PANELS

Standard Gauge Panels

Standard gauge panels feature quality QuickCar 2-5/8" diameter mechanical gauges and accompanying warning lights. Panels are sold completely pre-wired for easy installation and include all necessary senders. All gauges in standard panels feature LED lighting.

2-Gauge Panel

61-6001

Basic panel includes gauges for oil pressure and water temperature, and accompanying warning lights. Panel is 7-1/4" wide x 4-1/2" high.



3-Gauge Panel

61-6011

Panel includes gauges for oil pressure, water temperature, and oil temperature, and accompanying warning lights. Panel is 10-1/2" wide x 4-1/2" high.



3-Gauge Panel

61-6012

Panel includes gauges for oil pressure, water temperature, and fuel pressure, and accompanying warning lights. Panel is 10-1/2" wide x 4-1/2" high.



4-Gauge Panel

61-6021

Panel features gauges for oil pressure, water temperature, oil temperature, and fuel pressure, and accompanying warning lights. Panel is 13-5/8" wide x 4-1/2" high.



Replacement Senders



Part No.	Description
61-730	Fuel Pressure Sender 4 PSI
61-735	Oil Pressure Sender 20 PSI
61-740	Water Temperature Switch 1/2 NPT
61-750	Oil Temperature Sender 280°F

STANDARD GAUGE PANELS



Standard Gauge Panels Cont. (Black)



2-Gauge Panel 61-6701

Basic panel includes gauges for oil pressure and water temperature, and accompanying warning lights. Panel is 7-1/4" wide x 4-1/2" high.



3-Gauge Panel 61-6711

Panel includes gauges for oil pressure, water temperature, and oil temperature, and accompanying warning lights. Panel is 10-1/2" wide x 4-1/2" high.



3-Gauge Panel 61-6712

Panel includes gauges for oil pressure, water temperature, and fuel pressure, and accompanying warning lights. Panel is 10-1/2" wide x 4-1/2" high.



3-Gauge Panel 61-6717

Panel is complete with oil pressure, water temperature, and volt meter gauges, and accompanying warning lights. Panel is 10-1/2" wide x 4-1/2" high.



4-Gauge Panel 61-6721

Panel features gauges for oil pressure, water temperature, oil temperature, and fuel pressure, and accompanying warning lights. Panel is 13-5/8" wide x 4-1/2" high.



611-6000
Fuel Pressure
0-15 PSI



611-6003
Oil Pressure
0-100 PSI



611-6006
Water Temperature
100°F - 280°F



611-6007
Volts
8-18 Volts



611-6009
Oil Temperature
100°F - 340°F

Standard 2-5/8" Gauges

May also be purchased separately. Sold complete with 12-volt LED lighting. Senders and pressure lines not included.



STANDARD GAUGE PANELS

Standard Gauge Panels With 5" Tachometer

2-1 Gauge Panel

61-6031

Basic 2-1 panel includes a 5" diameter QuickCar 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure and water temperature, and accompanying warning lights. Panel is 11-7/8" wide x 4-1/2" high.



3-1 Gauge Panel

61-6041

Panel incorporates a 5" diameter QuickCar 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, and oil temperature, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.



3-1 Gauge Panel

61-6042

Popular panel uses a 5" diameter QuickCar 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, and fuel pressure, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.



4-1 Gauge Panel

61-6051

Panel features QuickCar 5" diameter, 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, oil temperature, and fuel pressure, and accompanying warning lights. Panel is 18-3/8" wide x 4-1/2" high.



STANDARD GAUGE PANELS



Standard Gauge Panels With 5" Tachometer Cont. (Black)



2-1 Gauge Panel

61-6731

Basic 2-1 panel includes a 5" diameter QuickCar 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure and water temperature, and accompanying warning lights. Panel is 11-7/8" wide x 4-1/2" high.



3-1 Gauge Panel

61-6741

Panel incorporates a 5" diameter QuickCar 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, and oil temperature, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.



3-1 Gauge Panel

61-6742

Popular panel uses a 5" diameter QuickCar 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, and fuel pressure, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.

4-1 Gauge Panel

61-6751

Panel features QuickCar 5" diameter, 10,000 RPM recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, oil temperature, and fuel pressure, and accompanying warning lights. Panel is 18-3/8" wide x 4-1/2" high.





STANDARD GAUGE PANELS

Standard Gauge Panels With 3-3/8" Tachometers

2-1 Gauge Panel

61-60313

Basic panel includes a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure and water temperature, and accompanying warning lights. Panel is 11-7/8" wide x 4-1/2" high.



3-1 Gauge Panel

61-60413

Panel incorporates a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, and oil temperature, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.



3-1 Gauge Panel

61-60423

Panel features a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, and fuel pressure, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.



4-1 Gauge Panel

61-60513

Panel combines a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, oil temperature, and fuel pressure, and accompanying warning lights. Panel is 18-3/8" wide x 4-1/2" high.



STANDARD GAUGE PANELS



Standard Gauge Panels With 3-3/8" Tachometers Cont. (Black)



2-1 Gauge Panel

61-67313

Panel includes a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, and water temperature, and accompanying warning lights. Panel is 11-7/8" wide x 4-1/2" high.



3-1 Gauge Panel

61-67413

Panel incorporates a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, and oil temperature, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.



3-1 Gauge Panel

61-67423

Panel features a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, and fuel pressure, and accompanying warning lights. Panel is 15-1/8" wide x 4-1/2" high.

4-1 Gauge Panel

61-67513

Panel combines a QuickCar 3-3/8" diameter 10,000 RPM remote recall tachometer, 2-5/8" diameter mechanical gauges for oil pressure, water temperature, oil temperature, and fuel pressure, and accompanying warning lights. Panel is 18-3/8" wide x 4-1/2" high.





TACHOMETERS

QuickCar tachometers and speedometers are used in the assembly of our quality-built, ready-to-install panels, and are also offered separately.

Extreme LED Digital Tachometer

611-7010

Digital tachometer's compact, 2-5/8" diameter allows it to be installed into any Extreme gauge panel. Tachometer may be used simply as an RPM indicator, or as a shift light. RPM settings are adjusted by simply touching the lens with a finger. Unit also includes a recall feature, which retrieves the highest RPM attained during the race.



Shift Lights On

Tachometer With Memory

611-6001

A true American-made, 5" diameter tachometer that is affordable, dependable, and accurate. Tachometer has a silver dial face with bright red pointer, has a 0-10,000 RPM range, and popular memory that recalls the highest RPM attained during the last race. Unit is fully analog, with no microprocessor, making it legal in all sanctioning bodies. Now features bright white LED lighting.



Tachometer With Remote Recall

611-6002

Made in the USA, 3-3/8" diameter aluminum-cased tachometer includes a 0-10,000 RPM range. Designed for in-dash mounting, tachometer includes a silver dial face with bright red pointer, and includes a remote recall, which displays the highest RPM attained during the last race. Analog rather than microprocessor design allows legality in all sanctioning bodies. Now features bright white LED lighting.

Part No.	Description
611-096	Replacement Remote Recall Switch



611-096



Small Diameter Digital Tachometer

67-001

This lightweight 2-1/16" diameter tachometer features a bright blue, easy-to-read digital display. Designed with a 0-10,000 RPM range and high-RPM recall, tachometer is adaptable to numerous engine/cylinder configurations.



Redline Single-Recall 2-5/8" Tachometer

69-001

Compact 2-5/8" tachometer reads up to 10,000 RPM and has a single high-RPM recall. Small diameter makes it easy to install in tight locations. Tachometer also features an adjustable warning/shift light and will work with numerous engine/cylinder combinations.



TACHOMETERS & SPEEDOMETER



63-001



63-002

Redline Multi-Recall Tachometers

Precise 3" diameter tachometers combine accuracy and reliability with added multi-recall features. The built-in multi-recall function allows recalling the four highest (straightaway) and four lower (corner) RPM readings to help determine proper gearing, while the programmable shift light aids in performing timely shifts, when desired. Bright, LED-lit 0-10,000 RPM tachs are offered with black or white dial faces.

Part No.	Description
63-001	Multi-Recall Tachometer (White)
63-002	Multi-Recall Tachometer (Black)



611-099



611-100

QuickTach LCD Recall Tachometers

Compact, accurate QuickTach features a 1-3/4" wide x 3/4" high LCD digital display with engine RPM, and can recall the highest RPM attained during the last race. RPM recall is automatically displayed for up to 15 minutes once the engine is shut down, and clears when the engine is re-started. A reset button allows users to reset the unit during racing. Light-weight unit has a waterproof aluminum case and is powered by a 9-volt battery. Not for use with magneto.

Part No.	Description
611-099	QuickTach, White/Red With Checkered Flag
611-100	QuickTach, Black



Redline GPS Speedometer 63-300

This 3-3/8" diameter GPS speedometer features a black, easy-to-read 0-120 MPH analog face with digital LCD display odometer and compass.

The GPS receives satellite updates 10 times per second, assuring speed accuracy of +/- 3 MPH. Kit includes GPS receiver with a four-foot cable and all wiring needed for installation.



DIGITAL GAUGES

Quick Timer 67-107

GPS sensor-equipped 2-1/16" digital gauge measures if a completed lap was faster or slower than the previous lap. Faster? Green light and the time reduction is shown in the LED display. Slower? Red light, and the display shows just how much slower. The driver can experiment with different lines on the track and get immediate feedback on lap times. Great for road courses, circle track, or any kind of racing that crosses the same starting point each lap.



Multi-Recall Digital Tachometer 611-106

Innovative tachometer combines the benefits of a compact, 4" wide x 2-1/2" high size with an easy-to-read, digital backlit display and a programmable RPM warning/shift light. Once the engine is shut off, the tach displays the (10) highest and (10) lowest RPM readings from the previous race, aiding car set-up. An RPM graph allows scrolling, selecting, and replaying all RPM events as desired. Compatible with multiple engine cylinder configurations.



TIME		0'58"49		M.RPM		8100	
No.	HI	TIME	Lo	TIME			
1	8100	0'02"19	3290	0'03"53			
2	7300	0'04"61	3500	0'05"72			
3	7290	0'00"10	3500	0'01"44			
4	7340	0'00"73	1610	0'00"77			
5	7000	0'36"03	1600	0'37"18			
6	6990	0'06"72	3130	0'07"09			
7	6700	0'12"36	1000	0'13"47			
8	6690	0'14"60	2010	0'15"65			
9	6690	0'16"03	1660	0'17"90			
10	6600	0'35"45	2100	0'35"19			

Digital Brake Bias Gauge Kit with Senders 67-101

Ultra-lightweight digital 2-1/16" brake bias gauge kit includes (2) 1600 PSI senders for front and rear brake pressure. Gauge will display either PSI or percentage, and features a high-PSI recall function. Perfect for setting brake bias and determining how much brake pressure is being used.



Gauge Pod Not Included

Digital Brake Bias Gauge Replacement Parts:

Brake Bias Gauge Only
67-015

Replacement 1600 PSI Sender (each)
63-270



GAUGE PANEL ACCESSORIES



Brass 1/8" NPT Tee Fittings

Required when wiring in warning lights.

Part No.	Description
61-720	1/8" NPT "T"-Fitting, (2) Female Ports, (1) Male Port
61-721	1/8" NPT "T"-Fitting, (3) Female Ports

Temperature Adapters

Used to connect mechanical water or oil temperature gauges to engine.

Part No.	Description
611-900	1/2" NPT Brass Adapter
611-901	1/2" NPT Aluminum Adapter
611-902	3/8" NPT Aluminum Adapter
611-903*	3/8" NPT Extended Aluminum Adapter
611-904	1/8" NPT to 1/2" NPT Brass Adapter
611-905	1/8" NPT to 3/8" NPT Brass Adapter

* Note: For use on applications where the temperature probe contacts the inside of the cylinder head before tightening. Typically required for most aluminum heads.



Example of LED Red Light Strip, Gauge Panel Not Included

LED Red Light Strip 61-790

18" long red LED strip may be trimmed to length, and is typically mounted to the dashboard and wired to a warning light, quickly alerting the driver in the event of a problem. Sold complete with necessary wiring.

Pressure and Temperature Switches



Fuel Pressure Switch 61-730

Activates warning light when fuel pressure drops below 4 PSI. Switch has 1/8" NPT.



Oil Pressure Switches

Switches are offered to activate oil pressure warning light at 20 or 30 PSI. Switches have 1/8" NPT.

Part No.	Description
61-733	Oil Pressure Switch, Activates At 30 PSI
61-735	Oil Pressure Switch, Activates At 20 PSI



Water Temperature Switches

Activates warning light when water temperature rises to 235°F. Offered with 3/8" or 1/2" NPT.

Part No.	Description
61-740	Water Temperature Switch, 1/2" NPT
61-748	Water Temperature Switch, 3/8" NPT



Oil Temperature Switch 61-750

Activates warning light when oil temperature rises above 280°F. Has a 1/2" NPT thread.



3 Pack of Senders NEW! 61-751

Oil Pressure / Water Temperature / Fuel Pressure



4 Pack of Senders NEW! 61-752

Oil Pressure / Water Temperature / Fuel Pressure / Oil Temperature



GAUGE PANEL ACCESSORIES

Replacement Warning Lights

Replacement lights are designed for QuickCar panels and include snap-in design. Lights feature a more durable, non-brittle one-piece body.

Part No.	Description
61-701	Red
61-702	Blue
61-704	Amber
61-709	Green
61-706	4-Pc. Warning Light Kit Includes (1) red, (1) blue, (1) amber and (1) green warning light.



LED Bulbs

LED bulbs fit into the back lighting of standard QuickCar gauges, offering bright, reliable illumination for improved gauge readability, while using less power. Perfect for 16V applications.

Part No.	Description
61-698	White LED Bulbs, 4-Pack
61-699	White LED Bulb, Each
61-691	Red LED Bulbs, Pair
61-692	Blue LED Bulbs, Pair
61-693	Amber LED Bulbs, Pair
61-694	Green LED Bulbs, Pair



Fuel Pressure Isolator

61-300

Specialized isolator eliminates the hazards associated with driver's compartment-mounted fuel pressure gauges. Typically mounted to the engine side firewall, isolator is plumbed with the pressure source on the inlet side and an anti-freeze/water mix on the outlet, which connects to the gauge. Compatible with gasoline, alcohol, or methanol fuels, isolator is manufactured from black anodized, billet 6061-T6 aluminum for durability. Capable of monitoring pressures up to 80 PSI, unit is sold complete with -4AN adapter fittings, mounting bracket, and necessary hardware.



1" And 1-1/4" Hose Adapters

These adapters are designed to splice into radiator hose and allow a temp sender or bleeder valve to be installed where space is an issue.

Part No.	Description
61-756	1" Hose with 1/8" NPT port.
61-757	1-1/4" Hose with 1/2" NPT port.



GAUGE PANEL ACCESSORIES



611-9015



611-90100

Mini Fuel Pressure Gauges

Ideally mounted to fuel pressure regulators or fuel logs, mini 1-1/2" diameter fuel pressure gauges are liquid-filled for added durability.

Part No.	Description
611-9015	0-15 PSI
611-90100	0-100 PSI




Oil Temperature Manifold 61-755

Installed in-line to allow monitoring engine oil temperature, manifold is constructed from rigid billet aluminum and black anodized for corrosion resistance. Manifold includes -10AN O-ring boss inlet and outlet ports, and standard temperature gauge port.



Aluminum Tee Fitting 61-722

Fitting includes a 1/8" NPT port to -4AN with 1/8" NPT side port for oil pressure sensor.



61-710

61-7101

1/8" NPT Pressure Gauge Line Kits

Designed to connect mechanical pressure gauges, kits are offered with copper or nylon tubing. Each kit is complete with required fittings.

Part No.	Description
61-710	Nylon Gauge Line Kit
61-7101	Copper Gauge Line Kit



61-724



61-725

Pressure Gauge Line Kits

Each kit includes two 1/8" NPT to -4AN adapter fittings and -4AN stainless steel braided line to hook-up pressure gauges.

Part No.	Description
61-71012	12"
61-71024	24"
61-71036	36"
61-71048	48"
61-71060	60"
61-724	1/8" NPT Female To -4AN Male Gauge Adapter (Each)
61-725	1/8" NPT Male To -4AN Male Gauge Adapter (Each)



GAUGE PANEL ACCESSORIES


Quick-Lite Warning Light Kits

Warning light kits are designed to immediately alert the driver of any engine problems. Each kit is sold complete with warning light, sending switch, and wiring.

Oil Pressure Kit

61-711

Kit includes a red warning light, pressure sending unit that activates the warning light if oil pressure drops below 20 PSI, brass in-line tee for oil pressure line, and necessary pre-terminated wiring.



Water Temperature Kit

61-712

Kit includes a blue warning light, temperature sending unit that activates the warning light if water temperature exceeds 235°F, and necessary pre-terminated wiring.



Water Pressure Kit

61-713

Kit includes a blue warning light, pressure sending unit that activates the warning light if water pressure drops below 4 PSI, and necessary pre-terminated wiring. Kit provides instant notice of coolant pressure loss such as a blown hose, radiator, or head gasket leakage. Sending unit may be installed virtually anywhere in the cooling system.



Oil Temperature Kit

61-714

Kit includes an amber warning light, temperature sending unit that activates the warning light if oil temperature exceeds 280°F, and necessary pre-terminated wiring.



Fuel Pressure Kit

61-719

Kit includes a green warning light, pressure sending unit that activates the warning light if fuel pressure drops below 4 PSI, brass in-line tee, and necessary pre-terminated wiring.



Water Pressure Kit With 2-1/16" Dia. Gauge

61-716

Keep track of spikes or loss of cooling system pressure that can cause catastrophic engine failure if it goes unnoticed. Kit is similar to 61-713, but with the addition of a QuickCar 2-1/16" diameter mechanical 0-35 PSI water pressure gauge. Also includes blue warning light, pressure sending unit that activates the warning light if water pressure drops below 4 PSI, brass in-line tee, and necessary pre-terminated wiring.

Part No.	Description
61-697	Replacement LED Bulb
611-6008	Replacement Gauge, 0-35 PSI



WRAPAROUND GAUGE PANELS



Wraparound Gauge Panels

Innovative Wraparound Gauge Panels not only offer a professional appearance, but provide improved gauge placement. Offered in lightweight fiberglass or genuine carbon fiber, panels are 33" wide x 7" high x 13-1/2" deep, with a 1" lip. White or black gel-coated fiberglass panels include gauges for oil pressure, water temperature, oil temperature, and fuel pressure, and are completely pre-wired and ready for installation. Carbon fiber panel is sold less gauges to allow customization.



Wraparound Fiberglass Gauge Panel With Standard Gauges

61-6724 and 61-6024



Wraparound Fiberglass Gauge Panel With Extreme Gauges

61-7724 and 61-7024



Wraparound Genuine Carbon Fiber Gauge Panel

61-903



SPRINT CAR GAUGE PANELS

Deluxe Sprint Gauge Panels

Innovative two-gauge panels feature a self-contained low oil pressure warning system. Panels are fitted with QuickCar 2-5/8" diameter oil pressure and water temperature gauges, use a 9-volt battery for power, and install with quick fasteners. Choose from lightweight aluminum or ultra-light carbon fiber panels. Sold complete with required fasteners and battery.

Part No.	Description
61-6005	Aluminum Gauge Panel
61-6005-1	Aluminum Gauge Panel, Includes Magneto Switch
61-7005	Carbon Fiber Gauge Panel



Rear View



61-6005



61-7005

Pro Sprint Gauge Panels

Two-gauge panels weigh less than 1 lb., yet are very durable. Gauge panels are fitted with QuickCar 2-5/8" diameter oil pressure and water temperature gauges, and fasten to dash from engine bay using included quick fasteners. Choose from lightweight aluminum or ultra-light carbon fiber panels.

Part No.	Description
61-6004	Aluminum Gauge Panel
61-6006	Aluminum Gauge Panel, Vertical Mount
61-7004	Carbon Fiber Gauge Panel



Rear View



61-6004



61-7004

Replacement Gauges

Gauges include mounting grommet.

Part No.	Description
611-6004	Oil Pressure, 0-100 PSI
611-6005	Water Temperature, 100°F - 280°F



611-6004



611-6005

SPRINT CAR GAUGE PANELS



61-2204



61-2205

Open Wheel Gauge Panels **NEW!**

Two-gauge panels feature 2-1/16" short sweep gauges with white faces mounted in black aluminum panels. Gauges are lightweight, without any backlighting, and are specifically designed for use with open wheel racecars such as midgets and sprint cars.

Part No.	Description
61-2204	Open Wheel Panel 6-3/4" W. x 3" H.
61-2205	Open Wheel Panel with Switch 6-3/4" H. x 4-1/16" H.




Extended Bung

611-903

61-717



61-718



Oil Pressure Warning Kits

Self-contained kits, powered by a 9-volt battery, provide immediate warning of oil pressure loss. Completely pre-wired and ready to install, kit includes switch, tee fitting, oil pressure sending unit, and battery. Deluxe kit upgrades to an aluminum tee fitting, and a weatherproof switch.

Part No.	Description
61-717	Oil Pressure Warning Kit
61-718	Deluxe Oil Pressure Warning Kit



611-6204



611-6205

Replacement Gauges **NEW!**

Gauges include mounting bracket.

Part No.	Description
611-6204	2-1/16" Open Wheel Oil Pressure Gauge -4AN
611-6205	2-1/16" Open Wheel Water Temperature Gauge



SPRINT CAR GAUGE PANELS



67-2004



67-2005

Digital Open Wheel Gauge Panels

Lightweight aluminum panels have digital 2-1/16" dia. oil pressure and water temperature gauges with bright blue readout and graduated scale for increased readability. Built-in warning lights can be preset with the touch of a finger to cause the lighting to flash in the event of a problem. Weather-resistant, self-contained panels are powered by an included compact 12-volt rechargeable battery pack, and come with a charger. Also available for vehicles with existing 12-volt power.

Part No.	Description
67-2004	Open Wheel Gauge Panel, For Cars With 12-Volt Power, 6-3/4" W. x 3" H.
67-2005	Open Wheel Gauge Panel, Self-Contained, 6-3/4" W. x 4-1/16" H.



67-003



67-006



63-225



63-230



63-604



63-605

Digital Open Wheel Gauge Panels Replacement Parts

Part No.	Description
67-003	Oil Pressure Gauge
67-006	Water Temperature Gauge
63-225	Water Temperature Sender 2-Wire
63-230	Oil Pressure Sender
63-604	Replacement Battery Charger for 67-2005 Panel
63-605	Replacement Battery Pack for 67-2005 Panel

SPRINT CAR GAUGE PANELS



69-2004



69-2005

Redline Open Wheel Gauge Panels

Lightweight aluminum panels feature 2-5/8" oil pressure and water temperature Redline stepper gauges. Gauges are pre-programmed to change colors and flash when a problem arises. The warning levels are adjustable using the button on the gauge face. Panels are sold completely pre-wired for easy installation and include all necessary senders, and are also available in a self-contained format with 12-volt rechargeable battery and charger.

Part No.	Description
69-2004	Open Wheel Gauge Panel, for Cars with 12-Volt Power, 8-5/8" W. x 4-1/2" H.
69-2005	Open Wheel Gauge Panel, Self-Contained Battery, 8-5/8" W. x 4-1/2" H.



69-003



69-006

Open Wheel Gauge Panels Replacement Parts

Part No.	Description
69-003	Oil Pressure Gauge
69-006	Water Temperature Gauge
63-225	Water Temperature Sender, 2-Wire
63-230	Oil Pressure Sender
63-604	Replacement Battery Charger for 69-2005 Panel
63-605	Replacement Battery Pack for 69-2005 Panel



63-605



63-230



63-225



63-604



Offset Sprint Gauge Grommet 61-727

Special rubber grommet secures 2-5/8" diameter gauges into mounting panel, replacing traditional saddle brackets. Offsets gauges toward driver, while reducing gauge vibration for easier reading.



IGNITION CONTROL PANELS

Ignition Control Panels

QuickCar has become the industry leader in ignition control panels. Panels include bridged double-pole switches and large-gauge wiring with heavy-duty connectors for improved conductivity and reliability. Panels are pre-wired to connect directly to our wiring harnesses. Please refer to page 49 for the proper wiring harness.

Ignition Control Panel

50-020

Compact ignition panel includes push-to-start button, weatherproof ignition and an accessory switch. Panel is 4-5/8" wide x 2-1/2" high. Direct, plug-in installation using the 50-200 or 50-201 wiring harness.



Ignition Control Panels

Ignition control panels are 3-3/8" wide x 3-5/8" high. Panels have push-to-start button and ignition switch. Available with or without ignition switch flip cover. A direct plug-in installation using 50-200 or 50-201 wiring harness.

Part No.	Description
50-102	Ignition Control Panel
50-103	Ignition Control Panel w/Flip Switch Ignition Cover



50-102



50-103

Ignition Control Panels

Panels, which are 3-3/8" wide x 4-1/4" high, include ignition switch, push-to-start button, and pilot light. Choice of panels with or without ignition switch flip cover. A direct plug-in installation using 50-200 or 50-201 wiring harness.

Part No.	Description
50-052	Ignition Control Panel
50-053	Ignition Control Panel w/Flip Switch Ignition Cover



50-052



50-053

IGNITION CONTROL PANELS



Ignition Control Panels Cont. (Black)



Ignition Control Panel

50-820

Compact ignition panel includes push-to-start button, weatherproof ignition switch, and an accessory switch. Panel is 4-5/8" wide x 2-1/2" high. Direct, plug-in installation using the 50-200 or 50-201 wiring harness.



50-802



50-803

Ignition Control Panels

Ignition control panels are 3-3/8" wide x 3-5/8" high. Panels have push-to-start button and ignition switch. Available with or without ignition switch flip cover. A direct plug-in installation using 50-200 or 50-201 wiring harness.

Part No.	Description
50-802	Ignition Control Panel
50-803	Ignition Control Panel Ignition Switch Flip Cover



50-852



50-853

Ignition Control Panels

Panels are 3-3/8" wide x 4-1/4" high and include ignition switch, push-to-start button, and pilot light. Choice of panels with or without ignition switch flip cover. A direct plug-in installation using 50-200 or 50-201 wiring harness.

Part No.	Description
50-852	Ignition Control Panel
50-853	Ignition Control Panel Ignition Switch Flip Cover



IGNITION CONTROL PANELS

Ignition Control Panels With Single Accessory Switch

Panels include ignition switch, push-to-start button, accessory switch, and two pilot lights. Panels are 4-5/8" wide x 4-3/8" high. Choice of panels with or without ignition switch flip cover. A direct plug-in installation using 50-200 or 50-201 wiring harness.

Part No.	Description
50-022	Ignition Control Panel
50-023	Ignition Control Panel w/Ignition Switch Flip Cover



50-022



50-023

Ignition Control Panel With Two Accessory Switches

50-025

Panel includes ignition switch, push-to-start button, two accessory switches, and three pilot lights. Panel is 4-5/8" wide x 4-3/8" high. A direct plug-in installation using 50-200 or 50-201 wiring harness.



Basic Ignition Wiring Harnesses

Ready-to-install, basic wiring harness eases the car building process. Each harness is 5' long and includes four individually colored wires. Sold complete terminated into the direct plug-in connector.

Part No.	Description
50-200	Basic Wiring Harness
50-201	Basic Wiring Harness, HEI



IGNITION CONTROL PANELS



Ignition Control Panels With Single Accessory Switch

Panels include ignition switch, push-to-start button, accessory switch, and two pilot lights. Panels are 4-5/8" wide x 4-3/8" high. Choice of panels with or without switch flip cover. A direct plug-in installation using 50-200 or 50-201 wiring harness.

Part No.	Description
50-822	Ignition Control Panel
50-823	Ignition Control Panel w/Ignition Switch Flip Cover



50-822



50-823



Ignition Control Panel With Two Accessory Switches


50-825

Panel includes ignition switch, push-to-start button, two accessory switches, and three pilot lights. Panel is 4-5/8" wide x 4-3/8" high. A direct plug-in installation using 50-200 or 50-201 wiring harness.

Toggle Switch Extensions

Push-on switch extensions ease toggle switch activation, particularly when wearing driving gloves. Sold in pairs in choice of red or black.

Part No.	Description
50-524	Red, Two-Pack
50-526	Black, Two-Pack





IGNITION CONTROL PANELS

Ignition Control Panel

50-165

Compact ignition panel includes ignition switch, momentary start button, and five accessory switches. Panel is 6-7/8" wide x 2" high.



Fused Ignition Control Panel

50-163

Panel features fused ignition switch, momentary start button, and five fused accessory switches. Panel is 6-7/8" wide x 3-1/4" high.



Ignition Control Panel

50-166

Similar to the 50-165 ignition panel, but with the addition of six pilot lights. Panel is 6-7/8" wide x 3-1/4" high and , includes ignition switch, momentary starter button, five accessory switches, and six pilot lights.



Fused Ignition Control Panel

50-164


Similar to the 50-163 ignition panel, but slightly larger with the addition of six pilot lights. Includes fused ignition switch, momentary starter button, five fused accessory switches, and six pilot lights. Panel is 6-7/8" wide x 4-1/8" high.



Switch Panel Sticker Kits

Customize QuickCar ignition control panels quickly and easily, while keeping a professional appearance. Sticker kit includes labels for 16 common functions that may be activated with accessory switches.

Part No.	Description
50-003	Sticker Kit For QuickCar Panels With Six Or More Switches



IGNITION CONTROL PANELS



Ignition Control Panel

50-865

Compact ignition panel includes ignition switch, momentary start button, and five accessory switches. Panel is 6-7/8" wide x 2" high.



Fused Ignition Control Panel

50-863

Panel features fused ignition switch, momentary start button, and five fused accessory switches. Panel is 6-7/8" wide x 3-1/4" high.



Ignition Control Panel

50-866

Similar to the 50-865 ignition panel, but with the addition of six pilot lights. Panel is 6-7/8" wide x 3-1/4" high and includes ignition switch, momentary starter button, five accessory switches, and six pilot lights.



Fused Ignition Control Panel

50-864

Similar and a bit larger than the 50-863 ignition panel, but with the addition of six pilot lights. Includes fused ignition switch, momentary starter button, five fused accessory switches, and six pilot lights. Panel is 6-7/8" wide x 4-1/8" high. For weatherproof switches, use part no. 50-7164.



Roll Bar -To -Switch/Gauge Panel Mounting Brackets

Specialized brackets allow quick mounting gauge or switch panels to roll bar. Mounts virtually any height panel. Simply trim off any extra bracket length, if desired. Available to mount to 1-1/2", 1-5/8", or 1-3/4" dia. roll bar. Sold in pairs.

Part No.	Description
66-939	Switch Panel Mounting Bracket, 1-1/2" Roll Bar
66-940	Switch Panel Mounting Bracket, 1-3/4" Roll Bar
66-945	Switch Panel Mounting Bracket, 1-5/8" Roll Bar



IGNITION CONTROL PANELS

Weatherproof Ignition Control Panels

Weatherproof switch panels are 3-3/8" wide x 3-1/2" high and are a direct plug-in to the 50-200, 50-201, or *50-2031 wiring harness.

Part No.	Description
50-750	Ignition Control Panel, Use with 50-200 or 50-201 Harness
50-7531	Single Ignition Control Panel, Use with 50-2031 *Harness



50-750

Weatherproof Ignition Control Panels With Single Accessory Switch

Weatherproof panels include ignition, momentary starter, and single accessory switches. Panels are 4-5/8" wide x 2-1/2" high and are a direct, plug-in to the 50-200, 50-201, 50-2021 (dual ignition), or *50-2031 (single ignition) wiring harnesses.

Part No.	Description
50-720	Ignition Control Panel, Use 50-200 Or 50-201 Harness
50-711	Dual Ignition Control Panel, Use 50-2021 Harness
50-731	Single Ignition Control Panel, Use 50-2031 *Harness

50-720



Weatherproof Ignition Control Panels With Two Accessory Switches

Weatherproof panels with switches for momentary start, ignition, and two accessories. Panels are 4-1/8" wide x 3" high and are a direct plug-in to the 50-200, 50-201, 50-2021 (dual ignition), or *50-2031 (single ignition) wiring harnesses.

Part No.	Description
50-740	Ignition Control Panel, Use with 50-200 Or 50-201 Harness
50-7411	Dual Ignition Control Panel, Use 50-2021 Harness
50-7431	Single Ignition Control Panel, Use 50-2031 *Harness
50-7414	Single Ignition Control Panel with Dual Pick-Up Distributor, Use with 50-2034 Harness

50-740



Weatherproof Ignition Control Panels With Three Accessory Switches

Weatherproof panels include ignition, momentary starter, and three accessory switches. Panels are 4-1/8" wide x 3" high.


Black Part No.	Checkered Part No.	Description
50-7711	50-1711	Dual Ignition Control Panel, Use with 50-2021 Harness
50-7713	50-1713	Dual Ignition Control Panel w/3-Wheel Braking, Use with 50-2021 Harness
50-7714	50-1714	Single Ignition Control Panel with Dual Pickup Distributor, Use with 50-2034 Harness
50-7731	50-1731	Single Ignition Control Panel w/3-Wheel Braking, Use with 50-2031 * Harness
50-7739	—	5 Switch Kit With Decal 50-2031 *Harness

50-7731



5 Switch Kit With Decal **NEW!** 50-7739

Includes 1 momentary start switch, ignition switch, and 3 accessory weatherproof switches all pre-wired for use with the *50-2031 harness.



* Single Ignition Switch Panels That Fit Harness 50-2031 Will Also Fit With These Harnesses: 50-2039, 50-2032, 50-2033, 50-2035, 50-2051, 50-2053

IGNITION CONTROL PANELS



Weatherproof Fused Ignition Control Panel 50-7164

Ignition panel combines the benefits of weatherproof, precision micro-switches with built-in fuse access and a compact, 6-7/8" wide x 4-1/8" high size. Includes momentary start, ignition, and five accessory switches.



50-7611

Weatherproof Ignition Control Panels With Four Accessory Switches

Weatherproof switch panels measure 3-1/4" wide x 4-1/2" high, and are a direct plug-in to the *50-2031, 50-2021, or 50-2034 wiring harness. Includes ignition, momentary start, and 4 accessory switches.

Part No.	Description
50-7611	Ignition Control Panel, Use with 50-2021 Harness
50-7631	Ignition Control Panel, Use with 50-2031 *Harness
50-7614	Ignition Control Panel, Use with 50-2034 Harness



50-790

Weatherproof Ignition Control Panels With Single Accessory Switch

Weatherproof panels include ignition, momentary start, and single accessory switches. Panels are 2-1/2" wide x 4-5/8" high and are a direct, plug-in to the 50-200, 50-201, 50-2021 (dual ignition), or 50-2031* (single ignition) wiring harnesses.

Part No.	Description
50-790	Ignition Control Panel, Use 50-200 Or 50-201 Harness
50-7911	Dual Ignition Control Panel, Use 50-2021 Harness
50-7931	Single Ignition Control Panel, Use 50-2031 *Harness



50-031

Ignition Control Panels With Single Accessory Switch

Pre-wired switch panels include ignition switch, push-to-start button, and choice of single accessory or 3-wheel brake switch. Panels are 4-5/8" wide x 2-1/2" high. A direct plug-in installation using the *50-2031 wiring harness.


Part No.	Description
50-031	Single Ignition Control w/Accessory Switch
50-033	Single Ignition Control w/3-Wheel Brake Switch



Weatherproof Panels With Four Accessory Switches

Weatherproof black switch panel with four accessory switches. Panels measure 4-1/8" wide x 3" high and are available with and without lights.

Part No.	Description
50-718	Four switch panel, lighted
50-719	Four switch panel, non-lighted



Switch Panel Sticker Kits

Customize QuickCar ignition control panels quickly and easily, while keeping a professional appearance. Sticker kits includes labels for 16 common functions that may be activated with accessory switches.

Part No.	Description
50-004	Sticker Kit For QuickCar Panels With Five Or Fewer Switches

* Single Ignition Switch Panels That Fit Harness 50-2031 Will Also Fit With These Harnesses: 50-2039, 50-2032, 50-2033, 50-2035, 50-2051, 50-2053



IGNITION CONTROL PANELS

Ignition Control Panels With Accessory Rocker Switches

Similar in quality and construction to traditional QuickCar ICP's, but with premium rocker switches. Panels feature 25-amp capacity switches that are dust/water-resistant and include screw-on terminal connections. Offered in checkered flag or black, panels are completely pre-wired and ready to install. May be plugged directly into 50-200 or 50-201 wiring harnesses, if desired.

52-165 (Checkered Flag)

52-865 (Black)

Includes ignition switch, momentary starter switch, and three accessory switches. Measures 7" wide x 3" high.



52-165



52-865

52-166 (Checkered Flag)

52-866 (Black)

Similar to the above panels, but with rocker switches that illuminate upon activation. Includes illuminated ignition switch, momentary starter switch, and three illuminated accessory switches. Measures 7" wide x 3" high.



52-166



52-866

52-163 (Checkered Flag)

52-863 (Black)

Panel features the addition of fused rocker switches for added electrical system protection. Includes fused ignition switch, momentary starter switch, and three fused accessory switches. Measures 7" wide x 3-1/2" high.



52-163



52-863

IGNITION CONTROL PANELS



Ignition Control Panels With Accessory Rocker Switches Cont.



52-164

52-164 (Checkered Flag) 52-864 (Black)

Top-of-the-line panel incorporates rocker switches that are fused and illuminated. Includes illuminated and fused ignition switch, momentary starter switch, and three illuminated and fused accessory switches. Measures 7" wide x 3-1/2" high.



52-864



52-716

Accessory Rocker Panels

Black aluminum panel with four 25-amp capacity rocker switches. Panels measure 5-3/4" wide x 3" high and are available with and without lights.

Part No.	Description
52-716	Four Rocker Switch Panel, Non-lighted
52-717	Four Rocker Switch Panel, Lighted



52-717



52-500



52-601

Replacement/Accessory Rocker Switches

Part No.	Description
52-500	On/Off Rocker Switch
52-510	Momentary Start Rocker Switch
52-512	Momentary/On/Off Rocker Switch
52-601	Lighted On/Off Rocker Switch, Red
52-602	Lighted On/Off Rocker Switch, Blue
52-604	Lighted On/Off Rocker Switch, Amber
52-609	Lighted On/Off Rocker Switch, Green
52-615	Lighted On/Off/On Rocker Switch, Green



IGNITION CONTROL PANELS

Circuit Breaker Panels

Attractive, gloss black Ignition Control Panels include premium 20-amp circuit breakers for the ultimate in electrical system protection. Circuit breakers utilize an easily resettable design. Panels are completely pre-wired and ready to install.

50-868

Panel includes push-to-start button, ignition toggle switch, and five accessory toggle switches, complete with circuit breakers. Measures 6-7/8" wide x 4" tall.



50-869

Similar to the above panel, but 1" taller to accommodate the addition of six pilot lights. Measures 6-7/8" wide x 5" tall.



Replacement Resettable Circuit Breakers

Circuit breakers may be reset with the touch of a button. Offered in various amp ratings, heavy-duty design circuit breakers include screw connectors to ensure positive connections.

Part No.	Description
50-9715	15 Amp
50-9720	20 Amp
50-9725	25 Amp
50-9730	30 Amp



Clear Boot

50-700

Clear protective boot for resettable circuit breakers. Protects circuit breaker from dirt and moisture.




Wiring Harnesses

QuickCar offers a wide variety of wiring harnesses, each designed exclusively for use with their popular ignition control panels. Each harness includes the necessary terminations and a direct plug-in connector for easy installation. Simply refer to the "Switch Panel To Wiring Harness Chart" to select the proper harness.

Switch Panel To Wiring Harness Chart

The ignition switch panels listed below are designed as a direct plug-in installation to a specific wiring harness, significantly easing and speeding-up the car building process. The chart identifies the proper wiring harness for each ignition switch panel.



*Basic wiring harness 50-200 with
ignition control panel 50-720*

Ignition Switch Panel	Wiring Harness
50-020 / 50-820	50-200 (Basic) or 50-201 (HEI)
50-022 / 50-822	50-200 (Basic) or 50-201 (HEI)
50-023 / 50-823	50-200 (Basic) or 50-201 (HEI)
50-025 / 50-825	50-200 (Basic) or 50-201 (HEI)
50-031	*50-2031 (Single Ignition)
50-033	*50-2031 (Single Ignition)
50-052 / 50-852	50-200 (Basic) or 50-201 (HEI)
50-053 / 50-853	50-200 (Basic) or 50-201 (HEI)
50-102 / 50-802	50-200 (Basic) or 50-201 (HEI)
50-103 / 50-803	50-200 (Basic) or 50-201 (HEI)
50-163 / 50-863	No Harness Needed
50-164 / 50-864	No Harness Needed
50-165 / 50-865	No Harness Needed
50-166 / 50-866	No Harness Needed
50-1711 / 50-7711	50-2021 (Dual Ignition)
50-1713 / 50-7713	50-2021 (Dual Ignition)
50-1714 / 50-7714	50-2034 (Dual Pickup Ignition)
50-711	50-2021 (Dual Ignition)
50-7164	No Harness Needed


Ignition Switch Panel	Wiring Harness
50-720	50-200 (Basic) or 50-201 (HEI)
50-731	*50-2031 (Single Ignition)
50-740	50-200 (Basic) or 50-201 (HEI)
50-7411	50-2021 (Dual Ignition)
50-7414	50-2034 (Dual Pickup Ignition)
50-7431	*50-2031 (Single Ignition)
50-750	50-200 (Basic) or 50-201 (HEI)
50-7531	*50-2031 (Single Ignition)
50-7611	50-2021 (Dual Ignition)
50-7631	*50-2031 (Single Ignition)
50-7614	50-2034 (Dual Pickup Ignition)
50-7731	*50-2031 (Single Ignition)
50-7739	*50-2031 (Single Ignition)
50-790	50-200 (Basic) or 50-201 (HEI)
50-7911	50-2021 (Dual Ignition)
50-7931	*50-2031 (Single Ignition)
50-868	No Harness Needed
50-869	No Harness Needed
52 Series Rocker Switch Panels	50-200 (Basic) or 50-201 (HEI)

* Single Ignition Switch Panels That Fit Harness 50-2031 Will Also Fit These Harnesses: 50-2039, 50-2032, 50-2033, 50-2035, 50-2051, 50-2053

Replacement Components

Designed specifically for QuickCar ignition control panels.

Part No.	Description
50-500	Standard Single-Pole Switch
50-501	Aircraft Flip Switch Cover
50-503	Magneto Switch, 6-Post
50-504	3-Wheel Brake Switch w/Rubber Cover
50-505	Bridged Double-Pole Switch
50-506	Ignition w/Start Switch
50-508	Long Handle Single-Pole Switch NEW!
50-510	Push-To-Start Momentary Switch
50-512	Momentary Toggle Switch
50-601	Red Pilot Light
50-602	Blue Pilot Light
50-604	Amber Pilot Light
50-609	Green Pilot Light
50-610	Replacement Rubber Boot For Switch



50-500



50-501




50-503



50-504



50-505



50-506



50-508




50-510




50-512



50-610



50-601



50-602



50-609



50-604

ATC Fuses

Designed for use in QuickCar Switch Panels, fuses are offered in a variety of amp ratings. Sold in packs of 5.

Part No.	Description
50-905	5 Amp
50-910	10 Amp
50-915	15 Amp
50-920	20 Amp
50-925	25 Amp
50-930	30 Amp
50-960	Fuse Assortment, 5 of each fuse



50-920



50-925



50-930



50-905



50-910



50-915

12 Gauge In-Line ATC Fuse Holder **NEW!**

50-955

In-line fuse holder can be installed in a power wire to protect valuable electrical components. Includes 1 each: 5 amp, 10 amp, 15 amp, 20 amp, 25 amp, and 30 amp fuses.



Line Clamps


The professional method when securing fuel lines, electrical wiring, etc. to chassis. Rubber-coated clamps are in packs of 10.

Part No.	Description
66-850	1/4" Clamp
66-852	3/8" Clamp
66-854	1/2" Clamp
66-856	5/8" Clamp
66-858	3/4" Clamp
66-860	1" Clamp







50-400




50-401




50-402



50-410




50-415




50-417



50-424



50-502



50-420




50-422

Weatherproof Micro-Switches


QuickCar offers a wide variety of weatherproof micro-switches and circuit breakers. Well-suited for replacement purposes or when building custom switch panels.

Part No.	Description
50-400	Momentary Micro-Switch Starter Switch
50-401	Momentary-Off-Momentary Single-Pole Micro-Switch
50-402	Momentary-Off-Momentary Double-Pole Micro-Switch
50-410	On-Off Single Pole Micro-Switch
50-415	On-Off-On Micro-Switch
50-417	On-On Micro-Switch
50-420	On-On Double-Pole Crossover Micro-Switch
50-422	20-Amp Circuit Breaker
50-424	40-Amp Circuit Breaker
50-502	Weatherproof Magneto Micro-Switch



HD Switch With Flip-Up Switch Cover 50-520

Heavy-duty switch includes an aircraft-type, flip-up switch cover.



HD Switch With Black Switch Cover 50-522

Heavy-duty switch includes a weatherproof black switch cover.



WIRING HARNESSES

Basic Ignition Wiring Harnesses

Ready-to-install basic wiring harnesses ease the car building process. Each harness is 5' long and includes four individually labeled wires complete with plug-in connector.

Part No.	Description
50-200	Basic Wiring Harness
50-201	Basic Wiring Harness, HEI



50-200

Modified Ignition Wiring Harness Kit

Universal harness for UMP/IMCA modified will connect all ignition components. Includes switch panel with weatherproof switches.

Part No.	Description
50-2030	Wiring Harness Kit With Checkered Panel
50-2033	Wiring Harness Only
50-2037	Wiring Harness Kit with Black Panel



50-2030

Single Ignition Wiring Harness

50-2031

A universal Weatherpack harness for race cars utilizing a single-box ignition system. Wiring harness connects the following items: ignition box, coil, distributor, starter solenoid, tachometer, switch panel.



Dual Ignition Wiring Harness

50-2021

A universal Weatherpack harness for race cars using a dual-box ignition system. Wiring harness connects the following items: 2 ignition boxes, 2 coils, 2 distributor pickups, starter solenoid, tachometer, switch panel.



WIRING HARNESSES



HEI Ignition Wiring Harness

50-2032

Universal wiring harness is designed for applications using an HEI ignition system. Wiring harness connects the following items: HEI distributor power and tach, switch panel, starter solenoid, tachometer.



Crane/Fast HI-6RC Harness

50-2051

Specialized wiring harness is designed for cars a single Crane/FAST HI-6RC Ignition system. Sold complete with wiring and connectors. For use with any ignition panel that fits the 50-2031. Wiring harness connects the following items: ignition box, coil distributor, starter solenoid, tachometer, switch panel.



Spec Asphalt Late Model Harness

NEW!

50-2053


Legal for asphalt racing series such as the SRL Southwest Tour and Northwest Super Late Model Series, QuickCar's spec harness is a plug-n-play option for the FAST 6700-6701 ignition box. Constructed of TXL, Mil-Spec wiring, gold plated ring terminals for power (+) / ground (-), and WeatherPack connectors; harness comes with serial number and hooks up: ignition box, coil, distributor, tach, solenoid, and directly plugs into several of QuickCar's switch panels. Comes standard with a 3-pin deutsch connector for the distributor lead.



Dual Pickup Distributor Ignition Wiring Harness

50-2034

Universal Weatherpack wiring harness is designed for cars using a single ignition box and dual magnetic pickup distributor, or crank trigger/distributor combination. Wiring harness connects the following items: ignition box, coil, 2 distributor pickups, starter solenoid, tachometer, and switch panel.



Single Ignition Harness With 3-Wheel Brake

50-2035

A Universal Weatherpack harness for dirt cars utilizing a single-box ignition system with a 3-wheel brake solenoid. Wiring harness hooks the following items together: ignition box, coil, distributor, starter solenoid, 3-wheel brake solenoid, tachometer, switch panel.



HEI Wiring Harness For MSD Soft Touch **NEW!**

50-2039

Wiring harness designed for cars using the MSD 8727CT digital Soft Touch Rev Control Limiter. Wiring harness hooks the rev limiter to a QuickCar switch panel, tachometer, and starter solenoid. For use with any switch panel that fits the 50-2031 wiring harness.



IGNITION SYSTEM ACCESSORIES

Ignition System Accessories

QuickCar ignition wiring systems are used by many chassis builders and comply with specifications set by most sanctioning bodies.

Three-Piece Rubber Grommet Set **NEW!**

50-008

Set includes 3 different sized triangle shaped grommets for a 3/4", 1-1/8", and 1-5/8" holes. Grommets protect wires when routing through sheet metal, while also keeping dirt out of the cockpit.



Deutsch Weatherpack Adapter

50-2007


Eases the installation of MSD HVC ignitions, adapting the Deutsch square 6-pin connector to a 6-pin flat male Weatherpack connector.



MSD Magnetic Pickup To Weatherpack Adapter

50-207


Specialized adapter eliminates the need to cut MSD magnetic pickup wires when converting primary ignition wiring to Weatherpack connectors.



Crane Ignition Distributor Adapter

50-2008


Special wiring harness adapts Crane Ignition distributors that use a 3-pin Deutsch connector to a 2-pin Weatherpack connector.



HEI Distributor Lead **NEW!**

50-2009

Four-foot-long lead easily connects your HEI distributor to ignition switched power and to your tachometer signal wire.



3-Wheel Brake Panel **NEW!**

50-035

3-wheel brake panel allows dirt racers to isolate their 3-wheel brake switch for ease of activation during the race. Panel includes a light to let the driver know when the 3 wheel brake solenoid is activated




3-Wheel Brake Harness

50-034

Wiring harness with Weatherpack connector is used to supply power from the 3-wheel brake switch to the solenoid.



IGNITION SYSTEM ACCESSORIES



Digital MSD Adapter

50-2006


Pigtail harness adapts an MSD Digital 6-ignition connector to a standard 6-pin flat male Weatherpack connector.



Crank Trigger Wiring Harness Extension

50-206

Wiring harness is used to extend the common MSD purple/green wires 2-1/2 ft. for connection to the crank trigger on the front of the engine.



7AL-2 Plus Adapter

50-7222


Adapts the wiring connector of the popular MSD 7AL-2 Plus Ignition to a 6-pin Weatherpack connector.



LED Light Strips

LED light strips can be placed virtually anywhere where lighting is desired: inside the driver's compartment, under the hood, etc. Offered in a variety of colors.

Part No.	Description
61-791	Yellow LED Strip
61-792	Blue LED Strip
61-793	Green LED Strip
61-794	Purple LED Strip
61-9790	Red LED Strip
61-9795	White LED Strip



LED Under-Car Light Kit

61-795

Perfect for dark pit areas when an urgent under-car repair is required. Bright white, 18" long LED light strip. Installs easily under car or in any dark area.

Part No.	Description
61-9795	Replacement LED Strip With Connectors



BATTERY CABLE KITS

Battery Cable Kits

QuickCar Battery Cable Kits include 15 feet of red power cable, 2 feet of black ground cable, one pair of nickel-plated marine-style battery terminals, eight gold-plated power ring terminals, and heat-shrink tubing. All battery cables are made from copper.

Part No.	Description
57-008	4-Gauge, Side Mount
57-009	4-Gauge, Top Post Mount
57-010	2-Gauge, Top Post Mount
57-011	2-Gauge, Side Mount
57-014	4-Gauge, Top Post Mount, Includes Master Disconnect Switch

Drag Kit

57-012

QuickCar Drag Race Kit contains all you need to wire a dual-battery system. The kit includes 25 feet of 2-gauge red power cable, 8 feet of 2-gauge black ground cable, 2 pair of nickel-plated brass marine-type battery terminals, 14 gold-plated power ring terminals, and heat-shrink tubing.

Battery Ground Cables

Pre-terminated with gold-plated copper terminals for maximum conductivity, ground cables are 18" in length. Choose from 2- or 4-gauge.

Part No.	Description
57-1809	4-Gauge
57-1810	2-Gauge

Race Wire

Used by many racing teams and chassis builders. Constructed with very fine stranded rope-lay copper wire for high flexibility and superior power flow with insulation capable of withstanding extreme temperatures.


Description	1'	5'	10'	15'	125' Roll
2-Gauge					
Red, Per Ft.	57-101	57-321	—	57-1521	57-102
Black, Per Ft.	57-103	57-323	—	57-1523	57-104
4-Gauge					
Red, Per Ft.	57-091	57-341	—	57-1541	57-092
Black, Per Ft.	57-093	57-343	—	57-1543	57-094
8-Gauge					
Red, Per Ft.	57-240	—	57-2401	—	—
Black, Per Ft.	57-250	—	57-2501	—	—
14-Gauge					
Red, Per Ft.	57-201	—	57-2011	—	—
Black, Per Ft.	57-203	—	57-2031	—	—
White, Per Ft.	57-236	—	57-2361	—	—

Battery Cable Ends

Heavy-duty, gold-plated copper ring terminals are sold in pairs with heat-shrink tubing.

Part No.	Description	Part No.	Description
2-Gauge			
57-540	5/16"	57-520	5/16"
57-550	3/8"	57-525	1/4"
57-560	1/2"	57-530	3/8"
		57-535	1/2"





Ring & Spade Terminals

Ideal for custom wiring tasks, ring, and spade terminals are available in a variety of sizes. Terminals are complete with heat-shrink. Sold in pairs.

Part No.	Description	Wire Range (Gauge)	Stud Size	Tab Width
57-450	Ring Terminal (Pair) with Heat-Shrink	#12-10	#6 (.148")	—
57-470	Ring Terminal (Pair) with Heat-Shrink	#12-10	#10 (.200")	—
57-471	Ring Terminal (Pair) with Heat-Shrink	#16-14	#8 (.174")	—
57-472	Ring Terminal (Pair) with Heat-Shrink	#16-14	#10 (.200")	—
57-473	Ring Terminal (Pair) with Heat-Shrink	#16-14	3/8"	—
57-474	Ring Terminal (Pair) with Heat-Shrink	#10-8	3/8"	—
57-475	Ring Terminal (Pair) with Heat-Shrink	#10-8	#10 (.200")	—
57-476	Ring Terminal (Pair) with Heat-Shrink	#22-16	#6 (.148")	—
57-477	Ring Terminal (Pair) with Heat-Shrink	#22-16	#10 (.200")	—
57-478	Ring Terminal (Pair) with Heat-Shrink	#16-14	1/4"	—
57-479	Ring Terminal (Pair) with Heat-Shrink	#16-14	5/16"	—
57-481	Ring Terminal (Pair) with Heat-Shrink	#8	1/4"	—
57-490	Ring Terminal (Pair) with Heat-Shrink	#8	5/16"	—
57-942	Female Spade (Pair) with Heat-Shrink	#16-14	—	.259"
57-943	Male Spade (Pair) with Heat-Shrink	#12-10	—	.250"
57-944	Female Spade (Pair) with Heat-Shrink	#12-10	—	.259"
57-945	Male Spade (Pair) with Heat-Shrink	#16-14	—	.250"



Impact Crimper

64-020

Excellent for crimping standard power rings onto battery cables for permanent termination.



Shielded Distributor Wire

57-200


Specially shielded, three-wire harness protects the trigger signal from the distributor from EMI (Electro Magnetic Interference). Sold per foot.



Gator Clamps

50-435

Heavy-duty gator clamps are ideal for repairing or customizing battery charger connectors, remote starters, etc. Sold in pairs, (1) red and (1) black rubber-coated.



Top-Post Battery Master Disconnect **NEW!**


57-650

Solid brass terminal connects to the negative post for easy installation and quick power disconnection. Simply loosen knob to disconnect power, tighten to reconnect. Rated for 125 amps on standard 12VDC systems.

Weatherpack Terminals

A secure, virtually bulletproof wire termination with a waterproof cable seal for connecting ignition or accessories throughout the race car. One through six male and female connectors are available. Rated up to 20A at 12-volts DC. All connectors include pins and seals. Sold individually.


Part No.	Description
50-300	Female Pin
50-301	Male Pin
50-302	Green Cable Seal, 14, 16, 18 AWG Wire
50-303	Blue Cable Seal, 10 AWG Wire
50-304	Red Cable Seal, 20 AWG Wire
50-310	Female Connector, 1-Pin
50-311	Male Connector, 1-Pin
50-312	1-Pin Connector Kit, Male And Female
50-320	Female Connector, 2-Pin
50-321	Male Connector, 2-Pin
50-322	2-Pin Connector Kit, Male And Female
50-330	Female Connector, 3-Pin
50-331	Male Connector, 3-Pin
50-332	3-Pin Connector Kit, Male And Female
50-340	Female Connector, 4-Pin
50-341	Male Connector, 4-Pin
50-342	4-Pin Connector Kit, Male And Female
50-360	Female Connector, 6-Pin
50-361	Male Connector, 6-Pin
50-362	6-Pin Connector Kit, Male And Female



Weatherpack Kit

50-380

230-piece Weatherpack kit includes a wide variety of connectors, housing cable seals and contact pins. Sold in plastic carrying case.



Pin Tool Remover

50-399

Required to remove contact pins from Weatherpack housing.



ELECTRICAL SYSTEM ACCESSORIES



Ignition/Start Switch With Harness 50-507

Includes a 50-506 ignition switch, along with 50-200 basic wiring harness and 50-501 switch flip cover. Kit is pre-wired, and includes the starter switch and ignition switch, all in one.



Remote Start Button 50-434

Handy when performing valve lash adjustments. Includes heavy-duty leads with gator clamps that connect to the starter solenoid, allowing the engine to be easily turned over.




Heavy Duty Automatic Wire Stripper Pliers 50-393

Heavy-duty, 6" pliers allow quickly strip 8-18 gauge wires for termination. A bolt-on depth adjustment guide provides consistent, reliable strip length.



Ratcheting Crimper Pliers 50-395

Perform consistent, professional quality crimps to a wide variety of electrical terminals including insulated, non-insulated, Weatherpack, small gauge, or spark plug wire. Unique design allows quick jaw changes without the need for tools. Rigid, heavy-duty pliers also have an adjustment for crimping pressure.



Deutsch Connectors

Durable, precision connectors include plastic male and female housing ends with indexed locks to securely lock, while sealing out dirt and moisture. Kits are sold complete with terminals, silicone rubber seals and strong crimp tabs for 12-18 gauge wires.

Part No.	Description
71-322	Deutsch Connector Kit, 2-Pin
71-332	Deutsch Connector Kit, 3-Pin
71-342	Deutsch Connector Kit, 4-Pin
71-362	Deutsch Connector Kit, 6-Pin

Top-Mount Battery Terminals

Made from solid brass and 24k gold or nickel-plated for optimum conductivity, terminals allow attaching battery cables to top-mount batteries. The 57-620 has two extra ports for accessory wires. Sold in pairs.

Part No.	Description
57-607	Battery Terminal Covers
57-610	Brass/Nickel-Plated Terminals
57-620	Brass/Gold-Plated Terminals
57-627	Battery Terminal Covers NEW!
57-630	Brass/Nickel-Plated Bolt-On Terminals 2-or 4-Gauge NEW!
57-640	Brass/Nickel-Plated Solder Terminals 4-Gauge NEW!



Remote Jumper Posts

Provides remote access to the battery. Terminals have insulated covers to prevent accidental contact from parts with opposing polarity.

Part No.	Description
57-701	Red
57-702	Black
57-703	Red And Black, Pair



Charging Post Mounting Brackets

Charging post brackets allow 57-703 remote charging posts to be professionally mounted. Machined aluminum brackets are black anodized and offered either flat, for mounting to a flat surface, or bent, for mounting on firewall or inside of trunk. Brackets have two holes to accept red and black remote charging posts. Brackets may also be purchased complete with charging posts.

Part No.	Description
57-708	Flat Mounting Bracket
57-709	Bent Mounting Bracket
57-718	Flat Mounting Bracket With Charging Posts
57-719	Bent Mounting Bracket With Charging Posts



Side-Mount Battery Terminals

57-660

Battery terminals are 24k gold-plated for optimum conductivity. Side-mount terminals allow you to attach cables to GM-style side-mount batteries. Comes with nut and lock washers for 5/16" studs. Long stud allows use of multiple or thick power ring connectors. Sold in pairs.



Battery Cable Boots

57-604

May be used for covering battery terminals on small terminal batteries or starter solenoid connections. Boots may be used with up to 2-gauge cable. Sold as a pair, (1) red and (1) black.



Pass Through Post **NEW!**

Pass through post allows running electrical wires neatly through firewalls or other metal. Posts have nickel-plated 3/8" studs and a 250 amp max rating.

Part No.	Description
57-803	Red Pass Through Post
57-804	Black Pass Through Post



ELECTRICAL SYSTEM ACCESSORIES



Terminal Buss Bar

Glass-filled nylon Buss Bar with 12 connection terminals, each able to handle up to 15 amps continuously. 1/4" stainless steel terminal post and (12) #8-32 stainless steel attaching screws.

Part No.	Description
57-801	Red Buss Bar
57-802	Black Buss Bar
57-8012	Red Terminal Buss Bar With Covers NEW!
57-8022	Black Terminal Buss Bar With Covers NEW!



8-Terminal Power Distribution Post

180 amp maximum with 20 amps per connection max. Glass-filled nylon base with nickel-plated copper connection plate. 5/16" stainless steel connection post and (8) #8-32 stainless steel screws. Available in black or red.

Part No.	Description
57-805	Red Eight-Point Power Post
57-806	Black Eight-Point Power Post

Power Distribution Stud

57-807

Connect two or more voltage cables together. Glass-filled nylon base with 3/8" stud. 160 amps maximum.



Master Disconnects

Most sanctioning bodies require these for an emergency cut-off switch. Our master disconnect switches come complete with a red epoxy-coated handle and mounting plate. Mounting plate is 2-1/2" x 2-1/2".

Part No.	Description
55-001	Switch Only
55-002	Switch Only, Cars w/Alternator
55-005	Switch Only For Use With High-Current Alternators
55-006	Replacement Red Handle For 55-030
55-008	Switch With Flag Mounting Plate, Cars With High-Current Alternators
55-009	Switch With Flag Mounting Plate
55-010	Switch With Black Mounting Plate
55-011	Switch With Black Mounting Plate, Cars w/Alternator
55-012	Switch With Flag Mounting Plate, Cars w/Alternator
55-013	Switch With Black Mounting Plate, Cars With High-Current Alternators
55-021	Switch With Silver Mounting Plate
55-022	Switch With Silver Mounting Plate, Cars w/Alternator
55-023	Switch With Silver Mounting Plate, Cars With High-Current Alternators
55-030	Weatherproof Switch With Black Plate, Red Handle, 3-Post
55-031	Weatherproof Switch With Black Plate, Silver Handle, 3-Post
55-55	Replacement Red Switch Handle With Screw
55-120	Jumper Wire, 3" Long Wire For Use With 55-011, 55-012, or 55-022
55-121	Jumper Wire, 3" Long Wire For Use With 55-008, 55-013, or 55-023





ELECTRICAL SYSTEM ACCESSORIES

Battery Disconnect Boots

Protects battery disconnect terminals from being accidentally shorted.

Part No.	Description
57-601	Red, Pair
57-602	Black, Pair



57-602

Plastic Master Disconnect Switch w/Removable Key

55-003

Removable key adds a measure of safety and security, while limiting switch access.

Part No.	Description
55-004	Replacement Key



Remote Start Button **NEW!**

50-433

Remote-mounted button gives the ability to mount a starter button in the engine compartment to roll the engine over when setting valve lash, without reaching into the cockpit. The wiring is included to hook to the starter solenoid, making installation very simple.



Stud Feed-Through

57-700

Designed for use where a 12-volt power source must pass through a panel (i.e. firewall).



Heavy-Duty Starter Solenoid

50-430

Durable solenoid is impervious to dirt, heat, and vibration. Will still function when others fail.



Starter Jumper Wires

Starter jumper wire is used when a remote solenoid is also being used. Wire jumps power from the solenoid to the starter when starter is engaged. Choose from wires with spade or ring-style terminal ends.

Part No.	Description
50-2001	Spade-Type Jumper Wire, Allstar Performance Or Tilton Starters
50-2002	Ring Terminal Jumper Wire, Bert Or Brinn Starters



50-2002



50-2001

Battery Quick Disconnects

The battery cable quick disconnect enables you to change out a battery fast. Also used for battery charging and anywhere a quick disconnect is helpful. Sold individually, complete with required connectors. Three are generally used; (1) for the battery end, (1) for the car end, and (1) for a spare battery or battery charger.

Part No.	Description
57-707	Black Cover for 57-704 Connector
57-705	2 AWG
57-706	4 AWG
57-704	8 AWG
50-513	6-AWG Connector Holster
50-514	6-AWG Connector Pin



57-705



57-706



57-704



57-707



50-513



50-514

ELECTRICAL SYSTEM ACCESSORIES



Remote Outlet Kits

Remote outlet attaches to the chassis or runs through a body panel, and provides quick, plug-in access for battery chargers or oil pre-heaters. Kits are sold complete with 5' long wiring harness and necessary terminals. Choose from kits with or without outlet cover.

Part No.	Description
57-711	Remote Outlet For Oil Heater Or Battery Charger
57-723	Remote Outlet For Oil Heater Or Battery Charger, Includes Female Connector And Outlet Cover



Alternator Wire Kit With Quick Disconnect **57-105**

Universal alternator wire kit includes 9 ft. of 8-gauge wire, ring terminals, boot, and quick disconnects for easy installation/disassembly.

Alternator Wire Kit **57-106**

Universal alternator wire kit includes 9 ft. of 8-gauge wire, ring terminals, and boot.

Alternator Wiring Kit With Weatherproof Quick Disconnect **NEW!** **57-107**

Universal alternator wire kit includes 9 ft. of 8-gauge wire, ring terminals, boot, and waterproof 1-pin Deutsch connectors for easy installation/disassembly.



Alternator Wire Boot **57-605**

Designed to work with 8-gauge wire. Sold individually



Male Recessed Outlet **57-710**

Often used for remote access to battery or oil heater.



57-810

57-820

57-830

Firewall Grommets

Mounts securely to the firewall and locks onto the wire that passes through the bushing. Provides a waterproof seal and a vibration proof feed-through.

Part No.	Description
57-810	8-12 AWG
57-820	2-4 AWG
57-830	1/0 AWG



WIRING KITS

QuickCar Racing Products has set the performance racing industry standard for battery cables and wiring. Our fine-stranded, rope-lay copper construction wire offers the absolute best in current carrying capabilities, while the 220°F + insulation can withstand the high temperatures and fluids common to racing. QuickCar offers a complete line of battery cable kits and wiring accessories that are reliable, durable, and affordable.

Premium 4-Gauge Wiring Kit

50-232

Premium 4-gauge wiring kit includes the 50-020 ignition control panel, 4-AWG battery cable, wiring harness, 55-009 master disconnect switch, solenoid, top-mount battery terminals, ring terminals, heat-shrink tubing, and wire clamps.



Premium 4-Gauge Wiring Kit

50-832

With black switch panel/master disconnect.



4-Gauge Wiring Kit

50-231

QuickCar's 4-gauge wiring kit is sold with the 50-022 ignition control panel, 4-AWG battery cable, wiring harness, 55-009 master disconnect switch, solenoid, top-mount battery terminals, ring terminals, heat-shrink tubing, and wire clamps.



WIRING KITS



4-Gauge Wiring Kit 50-831

With Black Switch Panel/Master Disconnect.



2-Gauge Wiring Kit 50-230

Heavy-duty, 2-gauge wiring kit includes the 50-053 ignition control panel, 2-AWG battery cable, wiring harness, 55-009 master disconnect switch, solenoid, top-mount battery terminals, ring terminals, heat-shrink tubing and wire clamps.



2-Gauge Wiring Kit 50-830

With Black Switch Panel/Master-Disconnect.

4-Gauge Wiring Kit 50-235

QuickCar's 4-gauge wiring kit is sold with the 50-102 ignition control panel, 4-AWG battery cable, wiring harness, 55-009 master disconnect switch, solenoid, top-mount battery terminals, ring terminals, heat-shrink tubing, and wire clamps.



4-Gauge Wiring Kit 50-835

With Black Switch Panel/Master Disconnect.



2-Gauge Wiring Kit Less Master Disconnect 50-234

Heavy-duty, 2-gauge wiring kit includes standard 50-102 switch panel, 50-200 wiring harness, solenoid, top-mount battery terminals, ring terminals, heat-shrink tubing, and wire clamps. Master disconnect sold separately.



WIRING KITS



2-Gauge Wiring Kit 50-834

With Black Switch Panel/Less Master Disconnect.



4-Gauge Wiring Kit Less Master Disconnect 50-236

Four-gauge wiring kit is sold with standard 50-102 ignition control panel, 4-gauge battery cable, wiring harness, solenoid, top-mount battery terminals, ring terminals, heat-shrink tubing, and wire clamps. Master disconnect sold separately.



4-Gauge Wiring Kit 50-836

With Black Switch Panel/Less Master Disconnect.



TIRE GAUGES

Tire Pressure Gauges

The QuickCar 2-1/2" diameter tire pressure gauge is regarded as the most reliable in the industry. Offered with a choice of Dry, Glow, or Liquid-Filled face. High-quality gauges feature pressure-relief valves, rubber shock rings, 14" long hoses with strain reliefs on each end and a 45° air chuck.

Dry Gauges

Part No.	Description
56-020	0-20 PSI
56-040	0-40 PSI
56-060	0-60 PSI



56-020



56-040



56-060

Glow Gauges

Part No.	Description
56-022	0-20 PSI
56-042	0-40 PSI
56-062	0-60 PSI



56-022



56-042



56-062

Liquid-Filled Gauges

Part No.	Description
56-021	0-20 PSI
56-041	0-40 PSI
56-061	0-60 PSI



56-021



56-041



56-061

Economy Digital Tire Pressure Gauge

56-070

Economically-priced digital tire pressure gauge, gauge measures 0-100 PSI in 1/2 lb. increments and uses an auto-off feature for extended battery life. More shock-resistant than analog-style gauges, gauge includes a 14" long hose with 45° air chuck and bleeder for quick pressure adjustments.

Digital Tire Pressure Gauge

56-085

The most accurate tire pressure gauge currently offered by QuickCar is calibrated to .5% accuracy. Gauge reads in PSI, Bar, KG, or KPA, incorporates an easy-to-read backlit screen, auto shut-off for extended battery life, and a premium, 14" long hose with a 45° angled air chuck. 0-60 lb. gauge.



TIRE GAUGES



Tire Inflators

Check tire pressures while inflating or deflating tires. Precision tire inflators include air-release buttons, stainless steel braided air hoses, chrome-plated angle chucks, and choice of Dry, Glow, or Liquid-Filled gauge heads in 0-20 PSI, 0-40 PSI, and 0-60 PSI versions. Digital Tire Inflators are also available, incorporating easy-to-read backlit screens, auto shut-off feature for extended battery life.



Dry Heads

Part No.	Description
56-220	0-20 PSI
56-240	0-40 PSI
56-260	0-60 PSI

Glow Heads

Part No.	Description
56-222	0-20 PSI
56-242	0-40 PSI
56-262	0-60 PSI

Liquid Filled Heads

Part No.	Description
56-221	0-20 PSI
56-241	0-40 PSI
56-261	0-60 PSI

Digital Heads

Part No.	Description
56-270	0-100 PSI
56-285	0-60 PSI

Tire Pressure Gauge Replacement Parts

Part No.	Description
56-001	14" Flex Hose With Pressure Relief
56-002	Gauge Head, Dry 0-20 PSI
56-004	Gauge Head, Dry 0-40 PSI
56-006	Gauge Head, Dry 0-60 PSI

Part No.	Description
56-0022	Gauge Head, Glow 0-20 PSI
56-0042	Gauge Head, Glow 0-40 PSI
56-0062	Gauge Head, Glow 0-60 PSI
56-0021	Gauge Head, Liquid-Filled 0-20 PSI

Part No.	Description
56-0041	Gauge Head, Liquid-Filled 0-40 PSI
56-0061	Gauge Head, Liquid-Filled 0-60 PSI
56-003	Rubber Shock Ring



Angle Style Air Chuck 56-9001

Angle style 45° air chuck fits into hard-to-reach areas, easing tire pressure adjustments. Air chuck has 1/4" NPT threads.



Ball Style Air Chuck 56-9002

Compact 90° air chuck fits into the tightest, hard-to-reach areas, easing tire pressure adjustments. Air chuck has 1/4" NPT threads.



CHASSIS COMPONENTS

Aluminum Suspension Tubes

Manufactured in the USA from rigid 6061 aluminum, QuickCar Suspension Tubes are up to 35% stronger than traditional hex or round units. Suspension tubes include precision-machined ends, corrosion-resistant black anodized finish, and identification on the left-hand threaded end. Unique design allows adjustment by hand or with a wrench. Choose from 21/32" O.D. with 5/16-24, threads, 8mm-1.25 or 3/8"-24 threads, 1-1/8" O.D. with 5/8"-18 threads, or 1-1/4" O.D. with 3/4"-16 threads.



Scan for more information



Length	21/32" O.D. 5/16"-24 Thread	21/32" O.D. 8mm-1.25 Thread	21/32" O.D. 3/8"-24 Thread	1-1/8" O.D. 5/8"-18 Thread	1-1/4" O.D. 3/4"-16 Thread	Length	21/32" O.D. 5/16"-24 Thread	21/32" O.D. 8mm-1.25 Thread	21/32" O.D. 3/8"-24 Thread	1-1/8" O.D. 5/8"-18 Thread	1-1/4" O.D. 3/4"-16 Thread
6"	31-060	—	—	—	—	23.5"	31-235	—	—	62-235	75-235
6.5"	31-065	—	—	—	—	24"	31-240	—	38-240	62-240	75-240
7"	31-070	—	—	62-070	75-070	24.5"	31-245	—	—	62-245	—
7.5"	31-075	—	—	62-075	75-075	25"	31-250	—	38-250	62-250	75-250
8"	31-080	08-080	38-080	62-080	75-080	25.5"	31-255	—	—	—	—
8.5"	31-085	08-085	38-085	62-085	75-085	26"	31-260	—	38-260	—	75-260
9"	31-090	08-090	38-090	62-090	75-090	27"	—	—	38-270	62-270	75-270
9.5"	31-095	08-095	38-095	62-095	75-095	28"	—	—	38-280	62-280	75-280
10"	31-100	08-100	38-100	62-100	75-100	29"	—	—	—	—	75-290
10.5"	31-105	08-105	38-105	62-105	75-105	30"	—	—	—	—	75-300
11"	31-110	08-110	38-110	62-110	75-110	31"	—	—	—	62-310	75-310
11.5"	31-115	08-115	38-115	62-115	75-115	32"	—	—	—	—	75-320
12"	31-120	08-120	38-120	62-120	75-120	33"	—	—	—	—	75-330
12.5"	31-125	08-125	38-125	62-125	75-125	34"	—	—	—	—	75-340
13"	31-130	08-130	38-130	62-130	75-130	35"	—	—	—	—	75-350
13.5"	31-135	08-135	38-135	62-135	75-135	36"	—	—	—	—	75-360
14"	31-140	08-140	38-140	62-140	75-140	37"	—	—	—	—	75-370
14.5"	31-145	08-145	38-145	62-145	75-145	38"	—	—	—	—	75-380
15"	31-150	08-150	38-150	62-150	75-150	39"	—	—	—	62-390	75-390
15.5"	31-155	08-155	38-155	62-155	75-155	40"	—	—	—	62-400	75-400
16"	31-160	08-160	38-160	62-160	75-160	41"	—	—	—	—	75-410
16.5"	31-165	08-165	38-165	62-165	75-165	42"	—	—	—	—	75-420
17"	31-170	08-170	38-170	62-170	75-170	43"	—	—	—	—	75-430
17.5"	31-175	08-175	38-175	62-175	75-175	44"	—	—	—	—	75-440
18"	31-180	08-180	38-180	62-180	75-180	45.7"	—	—	—	62-457	—
18.5"	31-185	08-185	38-185	62-185	75-185	46.5"	—	—	—	62-465	—
19"	31-190	08-190	38-190	62-190	75-190	47.7"	—	—	—	62-477	—
19.5"	31-195	08-195	38-195	62-195	75-195	48"	—	—	—	62-480	—
20"	31-200	08-200	38-200	62-200	75-200	48.7"	—	—	—	62-487	—
20.5"	31-205	—	—	62-205	75-205	49"	—	—	—	62-490	—
21"	31-210	—	38-210	62-210	75-210	50"	—	—	—	62-500	—
22"	31-220	—	38-220	62-220	75-220	51"	—	—	—	62-510	—
22.5"	31-225	—	—	62-225	75-225	72"	—	—	—	62-600	75-600
23"	31-230	—	38-230	62-230	75-230						

Double-Ended Suspension Tube Wrench

66-6275

Heavy-duty steel, double-ended wrench allows performing quick adjustments to QuickCar 5/8" or 3/4" threaded suspension tubing.




Suspension Tube Ruler

66-100

Measure nearly any suspension component fitted with rod ends, including suspension tubes, tie rods, etc., quickly and precisely. Black powder coated ruler includes a locking thumb screw and provides precise measurements up to 36". Sold complete with aluminum adapters to measure components with 1/2", 5/8", or 3/4" rod ends. Optional adapters allow measuring parts with 1/4", 5/16", or 3/8" rod ends.

Part No.	Description
66-105	Ruler Adapters, Allows Measuring Components With 1/4", 5/16", Or 3/8" Rod Ends
66-106	Ruler Adapters, Allows Measuring Components With 1/2", 5/8", Or 3/4" Rod Ends (Included With 66-100)





Torque Absorbers

Track-proven to increase forward bite out of the turns with sustained traction down the straightaway, QuickCar's torque absorbers are IMCA-legal, and are lighter than spring-style units. CNC-machined units feature internal brass bushing and grease fittings to eliminate any possibility of bind, while the specially-threaded cap allows easy biscuit changes. Offered in three versions: Standard, uses two interior biscuits and is 13-1/2" long; Intermediate, uses three interior biscuits and is 14-1/2" long; and Long, uses four interior biscuits and is 17" long. Softer or harder durometer biscuits may be purchased separately for tuning purposes.

Part No.	Description
66-500	Standard Torque Absorber, 13-1/2" Long
66-400	Intermediate Torque Absorber, 14-1/2" Long
66-499	Long Torque Absorber, 17" Long



Torque Absorber Biscuits

QuickCar torque absorber biscuits come in a variety of hardnesses to tune for different track conditions. Biscuits are sold individually, or in the kit 66-508 which includes 2 blue, 2 yellow, 2 red, and 2 black.

Part No.	Description
66-501	Extra Soft Blue Biscuit, Each
66-509	Extra Soft/Soft Green Biscuit, Each
66-502	Soft Yellow Biscuit, Each
66-503	Medium/Soft Orange Biscuit, Each
66-504	Medium Red Biscuit, Each
66-506	Hard Black Biscuit, Each
66-508	KIT Includes Blue (2), Yellow (2), Red (2), Black (2)



Travel Indicator 66-512

Specialized tool fits QuickCar and other small O.D. torque absorbers, and is used to determine travel of the unit during acceleration and braking. Installs easily. Sold complete with indicator rod, two indicator mounting brackets, and required hardware.



Torque Absorber Covers

Durable nylon covers keep dirt and debris out of QuickCar torque absorbers, while also preventing prying eyes from viewing biscuit colors and combinations. Covers may be easily installed or removed, and secure with Velcro.

Part No.	Description
66-520	Cover For 66-500, Standard 12-1/2" Long Torque Absorber
66-530	Cover For 66-499, Long 14" Long Torque Absorber



Outlaw Torque Absorber Biscuits

Choose from four different rates. Biscuits are 3" diameter.

Part No.	Description
66-551	Extra-Soft Blue Biscuit (Each)
66-552	Soft Yellow Biscuit (Each)
66-554	Medium Red Biscuit (Each)
66-556	Hard Black Biscuit (Each)



STEERING WHEELS

Steering Wheels

Quality dished aluminum or steel spoked steering wheels are offered with a choice of smooth red, blue, or black grips. Choose from 15" or 17" diameter.


15"

Steel		Aluminum	
68-003	Black	68-001	Black
68-0031	Red	68-0011	Red
68-0032	Blue	68-0012	Blue



17"


Steel		Aluminum	
68-004	Black	68-002	Black
68-0041	Red	68-0021	Red
68-0042	Blue	68-0022	Blue



Lightweight Steering Wheels

Lightweight, 15" diameter aluminum steering wheels are drilled and shot-peened to reduce weight and increase grip. Steering wheels weigh less than 1 lb. and include a 1-1/2" dish. Choose from natural or black powder coated.

Part No.	Description
68-005	Natural Finish Steering Wheel
68-006	Black Finish Steering Wheel



STEERING WHEEL ACCESSORIES



Molded Steering Wheel Pad

58-244

Molded black pad fits flat or dished three-spoke steering wheels. Secures with Velcro.



Steering Wheel Kill Switch

50-190

Designed for steering wheel mounting, provides driver the ability to quickly disable ignition system in the event of a crash.



Steering Wheel Pad

58-245

Black vinyl-covered foam pad attaches to most three-spoke racing steering wheels and offers added protection to the driver in the event of a crash. Pad is 5-3/4" diameter x 2" thick and attaches directly with three hook/loop straps.

Steering Wheel Disconnects

Lightweight, anodized aluminum disconnects allow quick removal or replacement of the steering wheel, often required to allow driver entry or exit. Designed for use with popular 3-bolt steering wheels and 3/4" diameter steering shafts, disconnects are sold complete with weld-on steel hub adapter.



Hex Hub 360 Degree Aluminum Disconnect

68-012

Comes complete with hardware and fasteners.



Hex-Hub Button Style Aluminum Disconnect

68-010

Hex-hub button-style aluminum disconnect.



Fine Spline Hub 360 Degree Aluminum Disconnect

68-015

Comes complete with hardware and fasteners.



68-0109

68-0129

68-0159

Weld-On Hub Steel Adapters

Also available separately, adapters are specifically made for QuickCar disconnects. Welds to 3/4" O.D. steering shaft.

Part No.	Description
68-0109	Fits Hex-Hub Button-Style (68-010)
68-0129	Fits Hex-Hub 360° Style (68-012)
68-0159	Fits Fine Spline-Hub 360° Style (68-015)



TIRE MANAGEMENT

Tire prep and selection are key to winning races and QuickCar offers a variety of tools to closely monitor them.

Chrome Valve Stems

Premium chrome valve stems are sold individually or in four packs.

Part No.	Description
56-115	Chrome Valve Stem, Each
56-116	Chrome Valve Stems, Four Pack



Aluminum Valve Core Tool

56-100


Pocket-sized tool allows quick removal or replacement of valve cores. Tool is manufactured from durable billet aluminum and red anodized finished for corrosion resistance.



Valve Core Remover

56-119

Compact, convenient tool allows quick valve core replacement and valve stem repair.



Aluminum Toe Plates

64-704

Simple, yet accurate. Simply lean against each front tire and measure the distance between the two. Includes (2) 12' tape measures.

Part No.	Description
64-703	Replacement Tape Measure



Tire Marker Kit

64-401

Perfect for marking sizes, circumferences, and locations, kit includes a silver tire pen and white tire marker.

Part No.	Description
64-400	White Tire Marker
64-403	Silver Tire Pen



Aluminum Tire Caliper

64-706

Lightweight aluminum tire caliper measures circumference quickly and accurately, from 65" to 115".



TIRE MANAGEMENT



Tire Management Kit

56-105

All-in-one kit includes deluxe tire durometer (56-155), tire tread depth gauge (56-104), and tire tape (56-110), all in a foam-lined plastic storage case.



Tire Tread Depth Gauge

56-104

Monitor tire wear and ensure that your complete tire patch has maximum track contact. Durable, aluminum-housed gauge includes professional scale graphics and allows measuring tread depth in 1/32" increments. Sold complete with carrying pouch.



Deluxe Tire Durometer

56-155

Determine tire hardness effectively and accurately. Gauge has a range of 0-100 durometer and is sold with carrying pouch.



Digital Tire Tread Depth Gauge

56-102

Determine tread depth quickly and effectively. Precision gauge includes a digital display in decimals or fractions, while the non-rocking, billet aluminum base helps ensure accurate measurements.



Tire Tape

Hawk tip tire tape grabs onto the edge of virtually any surface, allowing easy measurements by just one person. Tape has a magnetic back and measures up to 10'.

Part No.	Description
56-110	Hawk Tip Tire Tape
56-111	Hawk Tip Tire Tape, Carded
56-112	Hawk Tip Tire Tape, (6) Carded



CHASSIS SET-UP

Deluxe QuickAngle Tray

A replacement for the Smart Tray, the Deluxe QuickAngle Tray has added features including legs that attach directly to trailing arms, tie rods, or chassis tubing, while the two-step base plate accepts the Smart Tool or other similar digital angle finders. Deluxe QuickAngle Tray offers digital, hands-free accuracy and is a great aid when determining angles, or while bending chassis tubing. Four versions are available to fit 1", 1.25", 1.50", or 1.75" dia. tubing. Legs may be changed to adapt tray to use with different size tubing.

Part No.	Description
56-167	Fits 1.25" O.D. Tubing
56-168	Fits 1.50" O.D. Tubing
56-169	Fits 1.75" O.D. Tubing
56-170	Fits 1.00" O.D. Tubing

Replacement Legs

Part No.	Description
56-9141	1.25" Leg, Each
56-9143	1.00" Leg, Each
56-9144	1.50" Leg, Each
56-9145	1.75" Leg, Each



QuickAngle Kit

Kit includes both the Smart Tool and the Deluxe QuickAngle Tray in a handy foam-lined carrying case. Provides digital, hands free, accuracy when determining the angles of chassis tubing, driveshafts, etc. Available with trays to fit either 1.25" or 1.00" chassis tubing.

Part No.	Description
56-161	Fits 1.25" O.D. Tubing
56-162	Fits 1.00" O.D. Tubing



Smart Tool Digital Level

56-163

Ensure that chassis tubing, driveshaft angles, and suspension components are level and plumb. Particularly useful during chassis fabrication. Tool emits an audible beep at level and plumb, and shuts off automatically.



A-Arm Shim Kit

56-124

Kit includes one each of 1/16", 1/8", 1/4", and 1/2" aluminum upper A-arm shims with 6" centers and installation tabs. Shims are also available separately.

Kit Includes

Part No.	Description
56-120	1/16" Shim
56-121	1/8" Shim
56-122	1/4" Shim
56-123	1/2" Shim



Caster/Camber Gauge

Precision-calibrated, Caster/Camber gauge is made from fully CNC-machined billet aluminum. Assembled on a 360° level bench, gauge measures up to 8° of camber and up to -4° to 12° of caster.

Caster/Camber Gauge Kits

Part No.	Description
56-830	Caster/Camber Gauge with Magnetic Adapter
56-831	Caster/Camber Gauge, No Adapter
56-833	Caster/Camber Gauge with Wide 5 Adapter
56-834	Caster/Camber Gauge with Kart Adapter
56-835	Caster/Camber Gauge with GM Adapter
56-836	Caster/Camber Gauge with Small Ford Adapter
56-837	Magnetic Adapter Only
56-838	GM Adapter Only, 3/4"-20
56-839	Ford Adapter Only, 13/16"-20
56-842	Legends Adapter Only, 19mm-1.5
56-843	Small Ford Adapter Only, 3/4"-16
56-844	Wide 5 Adapter Only, 1.813"-16
56-845	Kart Adapter Only, 5/8"-18



CARBURETOR ACCESSORIES



Throttle Stop Brackets

Offered for popular Holley carburetors, rigid fully CNC-machined black anodized aluminum bracket includes adjustable throttle stop.

Part No.	Description
64-157	For Holley 4bbl.
64-158	For Holley 2bbl.



Throttle Return Spring Kit

65-096

Includes carb mount bracket, (4) return springs, and required hardware.



Tall Aluminum Carburetor Nut With O-Ring Seal

Carb nut includes 5/16" threads. Choose from red anodized or natural finish.

Part No.	Description
64-148	Red
64-149	Aluminum



Aluminum Carburetor Hat

64-146

Durable machined aluminum carb hat protects engine from dirt and debris when air cleaner has been removed.



Throttle Return Springs

64-169

Includes (2) throttle return springs.



TIMING SYSTEMS

Timing Systems

Timing systems include clipboard, choice of two stop watches, (5) qualifying sheets, and (5) lap chart sheets, and choice of acrylic or aluminum clipboard. QuickCar acrylic or aluminum clipboard timing systems are visually unique, comfortable to hold, and durable.

Dual Timing Systems

Dual timing systems are complete with (2) Robic SC505 stop watches, acrylic clipboard, (5) qualifying sheets, and (5) lap chart sheets. Choose from systems with red, black, yellow, white, or aluminum clipboards.

Part No.	Description
51-051	Red
51-052	Black
51-053	Yellow
51-054	White
51-070	Aluminum



Replacement Parts

Robic SC505 Stop Watches

The SC505 series includes a 12-lap memory and auto lap counter. Choose from red, black, yellow, or blue.

Part No.	Description
51-037	Red
51-038	Black
51-039	Yellow
51-040	Blue



Clipboards

Our clipboards are so easy to hold, practical, and attractive that everyone at the track will want one. Choose from acrylic units in red, black, yellow, or white, or a satin aluminum model.

Part No.	Description
51-041	Red Acrylic
51-043	Black Acrylic
51-044	Yellow Acrylic
51-046	White Acrylic
51-048	Aluminum



51-041

51-043

51-044


51-046

51-048

Lap Chart Pads

Lap charts are used to record lap times for practice, heat races, and feature events. Each pad includes 50 sheets.

Part No.	Description
51-201	Chassis Set-Up
51-210	Before Race
51-215	After Race
51-230	50-Lap
51-235	100-Lap
51-236	Qualifying Organizer
51-237	Race Day Check List



51-201

51-210

51-215

51-230

51-235

51-236



51-237

SPARK PLUG WIRES



Sleeved Race Spark Plug Wire

Premium-quality spark plug wire offers quick energy transfer, less than 40 ohms/ft. of resistance, and high EMI (Electro Magnetic Interference) and RFI (Radio Frequency Interference) suppression. Flexible, high-strength wire is constructed using a Kevlar core and nickel-copper alloy-wound conductor that is covered with two full layers of silicone, resulting in a 11.5mm O.D., while the impregnated fiberglass insulation provides up to 1,400°F of heat resistance. High-temperature silicone boots resist temperatures up to 600°F, with posi-snap terminals to provide a secure connection. Cylinder numbers are labeled on both ends. Compatible with most ignition systems.



Part No.	Description
40-100	SB Chevy Wire Set, Red, 24" Coil Wire
40-300	SB Chevy Wire Set, Black, 24" Coil Wire
40-150	SB Chevy Wire Set, Red, Without Coil Wire
40-350	SB Chevy Wire Set, Black, Without Coil Wire
40-121	Red Coil Wire, 12" HEI/HEI
40-123	Black Coil Wire, 12" HEI/HEI
40-125	Red Coil Wire, 12" HEI/Socket
40-127	Black Coil Wire, 12" HEI/Socket
40-181	Red Coil Wire, 18" HEI/HEI
40-183	Black Coil Wire, 18" HEI/HEI
40-185	Red Coil Wire, 18" HEI/Socket
40-187	Black Coil Wire, 18" HEI/Socket
40-241	Red Coil Wire, 24" HEI/HEI
40-243	Black Coil Wire, 24" HEI/HEI
40-245	Red Coil Wire, 24" HEI/Socket
40-247	Black Coil Wire, 24" HEI/Socket
40-361	Red Coil Wire, 36" HEI/HEI
40-363	Black Coil Wire, 36" HEI/HEI
40-365	Red Coil Wire, 36" HEI/Socket
40-367	Black Coil Wire, 36" HEI/Socket
40-421	Red Coil Wire, 42" HEI/HEI
40-423	Black Coil Wire, 42" HEI/HEI
40-425	Red Coil Wire, 42" HEI/Socket
40-427	Black Coil Wire, 42" HEI/Socket
40-481	Red Coil Wire, 48" HEI/HEI
40-483	Black Coil Wire, 48" HEI/HEI
40-485	Red Coil Wire, 48" HEI/Socket
40-487	Black Coil Wire, 48" HEI/Socket
40-601	Red Coil Wire, 60" HEI/HEI
40-603	Black Coil Wire, 60" HEI/HEI
40-605	Red Coil Wire, 60" HEI/Socket
40-607	Black Coil Wire, 60" HEI/Socket



BRAKE SYSTEM ACCESSORIES

Brake Bias Gauge Panels

Brake bias gauge panels are fitted with two 1-1/2" diameter, liquid-filled pressure gauges that read from 0-1,500 PSI, allowing driver to track pressure at both the front and rear calipers. Panels include bleeders to evacuate air from the system.

Vertical Mini Brake Bias Gauge

61-101

Vertical design panel is 2-3/4" wide x 4-1/2" high.

Horizontal Mini Brake Bias Gauge

61-103

Horizontal design panel is 4-1/2" wide x 2-3/4" high.

Vertical Mini Brake Bias Gauge

61-105

Vertical design panel is 2-3/4" wide x 4-1/2" high. Black.



Replacement Gauge 611-90



Brake Bleeder Bottle

66-700

Eliminates messy brake bleeding. Bleeder bottle has a high-grade surgical hose for a secure seal on bleeders and includes an extra nipple to put your hose on once bleeding is complete. Steel lanyard allows hanging bottle on chassis during bleeding process.



Brake Caliper Pressure Test Kits

Brake system troubleshooting tool allows checking brake pressure at the caliper, quickly and accurately. Each kit is packed in a neat, foam-lined case.

Part No.	Description
64-510	1/8" NPT, Most Aftermarket Calipers
64-511	10mm-1.50, GM Metric Calipers



COOLING SYSTEM ACCESSORIES



Electric Fan Relay Kit

60-039

Kit includes 40-amp relay, water temperature sender switch, and wiring harness.



200° Temperature Sender

60-040

Single-wire water temperature sender switch is preset to turn on at 200°F. Sender has 1/2"NPT threads.



60-000



60-003



60-010

NACA Ducts

Designed specifically for ducting air into the car, providing air flow to cool the driver, brakes, rear end cooler, etc. Ducts may be mounted to virtually any flat surface and accept a 3" diameter hose.

Part No.	Description
60-000	Single Clear
60-003	Single Black
60-010	Dual Clear



60-008



60-009



60-005

Bumper Ducts

Bumper ducts direct air flow to brakes, preventing overheating and prolonging brake life. Durable and easy to install.

Part No.	Description
60-008	Single
60-009	Dual
60-005	Headlight Duct



60-020



60-030

NACA Duct Hose

Wire reinforced 3" diameter duct hose will not collapse and is used to deliver continuous air flow to high-temperature areas.

Part No.	Description
60-020	Neoprene Hose For Standard Temperatures, 10' Long
60-030	Silicone Hose For Extreme Temperatures, 11' Long



TOOLS

Brunnhoezl Aluminum Jack

64-086

Deluxe, lightweight billet aluminum 3-pump jack is manufactured in the USA. Hand-assembled and tested prior to shipment. Completely rebuildable.

Aluminum 6-Pump Pit Jack

64-087

Lightweight, high-quality aluminum 6-pump jack features a 3,000 lb. capacity. Low-profile jack rolls under the lowest slung race chassis, with a maximum lifting height of 17-1/2".

Dirt Wing

64-088

Provides a sturdy platform when using the 64-087 pit jack on soft or uneven surfaces.

Oil Filter Cutter

64-730

Quickly open oil filters to check for potential engine problems. Heavy-duty billet aluminum tool features a razor-sharp, hardened cutter for an extended life.

Pit Sockets

The same steel 1/2" drive sockets used by many top racing teams.

Part No.	Description
64-076	1" Socket, 3-1/4" Long
64-077	Pro 1" Socket, 3-1/4" Long
64-078	Pro 1" Socket, 2-1/4" Long



Cleco Fasteners

Pin-style fasteners provide quick, easy installation of sheet metal during initial fitting. May be used with material up to 1/4" thick.

Part No.	Description
64-175	1/8" Clecos, 25 Pack
64-176	3/16" Clecos, 25 Pack

Cleco Pliers

64-180

Specialized tool is used to install or remove Cleco fasteners.

Ratcheting Crimper Pliers

50-395

Crimps to a wide variety of electrical terminals including insulated, non-insulated, Weatherpack, small gauge, or spark plug wire. Unique design allows quick jaw changes without the need for tools. Rigid, heavy-duty pliers also have an adjustment for crimping pressure.

Weatherpack Terminal Tool

50-399

Tool is used to remove male and female pin terminals from Weatherpack connectors.

Valve Core Tool

56-100

Convenient, pocket-sized tool allows quick removal and replacement of valve cores. Tool is manufactured from durable billet aluminum with a red anodized finish for corrosion resistance.



TOOLS



Heavy-Duty Automatic Wire Stripper Pliers

50-393

Heavy-duty 6" pliers quickly strip 8-18 gauge wires for termination. A bolt-on depth-adjustment guide provides consistent, reliable strip length.



Impact Crimper

64-020

Tool is designed for crimping standard power rings onto battery cables for a permanent termination.



56-110

Tire Tape

Hawk tip design securely grabs onto virtually any surface and won't pull loose. Includes a magnetic back and measures up to 10'.

Part No.	Description
56-110	Tire Tape
56-111	Tire Tape, Carded
56-112	Hawk Tip Tire Tape, (6) Carded



Safety Wire

64-015

Includes 1 lb. of .032" diameter safety wire.



Ride Height Gauge Checker

56-108

Back by popular demand. Place the pocket-sized ride height gauge under the frame and press the button; an etched stem pops out to show the ride height. Measures ride heights from 3-1/2" to 6".



Safety Wire Pliers

64-010

Rugged pliers include an end bearing for smoother, faster twisting, particularly in tight areas where a second pull is needed.



AN Aluminum Angle Head Wrench Set

64-709

Aluminum AN wrenches feature an angle head design for improved fitting access. Five-piece set includes -6AN, -8AN, -10AN, -12AN, and -16AN.



AN Aluminum Wrench Set

64-708

Five-piece aluminum wrench set includes -6AN, -8AN, -10AN, -12AN, and -16AN.

Roll Bar Padding

Closed-cell foam progressively absorbs shock and increases density as it is compressed. Offset inside diameter allows installing thicker padding toward driver for added protection. Sold in 3' lengths.

Part No.	Description
58-231	Red
58-221	Red, Case Of 12
58-232	Blue
58-222	Blue, Case Of 12
58-233	Black
58-223	Black, Case Of 12
58-234	Yellow
58-224	Yellow, Case Of 12
58-235	Orange
58-225	Orange, Case Of 12



SFI-Approved Roll Bar Padding

Fire-resistant roll bar padding meets SFI 45.1 specifications, won't melt in the event of a fire, and offers 180° coverage to roll bar tubing. Sold in 3' lengths. Offered in black only.

Part No.	Description
58-211	1-5/8" To 2" O.D. Roll Bar Padding
58-212	1-1/4" To 1-3/4" O.D. Roll Bar Padding



Nylon Wire Ties

Secure roll bar padding, electrical wiring, gauge lines, etc. Heavy-duty, 14" long wire ties are sold in bags of 100.

Part No.	Description
58-237	Black
58-238	Red
58-239	Blue
58-240	Yellow



Premium Black Cable Ties

58-250

Black 15" long cable ties are made from weather-resistant nylon and include metal locking barbs in head to provide a reliable locking force. Domed-top ties include smooth edges and a high-strength, low-thread force. Sold in packs of 50.



Carburetor Box

64-140

Protect expensive carburetors from dirt and debris. Ideal for storage or transport, container accepts popular Holley 4150/4160 4bbl. carburetors and includes a locking lid.



Plastic Carburetor Tray

64-150

Tray sets directly atop carburetor, protecting engine when air cleaner has been removed, while providing a convenient spot for tools or components when servicing engine.





Radio Boxes

Aluminum radio box has a padded insert to absorb vibration. Accepts most racing radios and clamps directly to roll bar tubing.

Part No.	Description
66-923	1.75" Tube Mount
66-931	1.50" Tube Mount



Helmet Hook

Lightweight anodized aluminum hooks clamp directly to roll bar, and provides an anchor for helmet strap.

Part No.	Description
66-920	1-3/4" Tube Mount
66-936	1-1/2" Tube Mount

66-925



Aluminum Coil Clamps

Anodized aluminum bracket allows mounting of ignition coil directly to firewall or chassis tubing.


Part No.	Description
66-925	Firewall Mount
66-927	1-3/4" Tube Mount
66-929	1-1/2" Tube Mount



Vent Clamps

Clamp-on breather, ideal for use with transmissions, rear ends, etc. clamps directly to chassis tubing.

Part No.	Description
66-937	1-3/4"
66-938	1-1/2"
66-9381	Replacement Element



66-754

Convex Mirrors

Special convex mirrors provide a wide rear view of the competition. Choose from 14" or 17" wide mirrors.

Part No.	Description
66-754	14" Wide Mirror Only
66-757	17" Wide Mirror Only



Roll Bar Clamp Reducer

66-908

Lightweight aluminum reducer is used to adapt existing radio boxes, drink bottle holders, etc. from 1-3/4" to 1-1/2" diameter tubing.



MSD Box Quick Release

50-442

Raised platform mounting plate accepts popular MSD 6000-series ignition and may be mounted to any flat surface. Sold complete with quick-fasteners to allow fast ignition unit changes in the event of a failure.



PRODUCT INDEX

A

A-Arm Shim Kit	76
Air Ducts	81
Alternator Wire Boot	63
Aluminum Jack	82
Dirt Wing	82
AN Wrenches	83

B

Battery Cable	56
Crimper	57, 83
Ends	56
Ground	56
Kits	56
Quick Disconnect	62
Stud Feed-Thru	62
Terminals	60
Battery Charging Posts	60
Mounting Bracket	60
Battery Disconnect	61, 62
Boots	60, 62
Distribution Block	62
Jumper Wire	62
Brake	
Bias Gauges/Panels	80
Bleeder Bottle	80
Caliper Pressure Kit	80
Brake/Bumper Duct	81
Hose	81
Buss Bar	61

C

Cable Tie	84
Carbon Fiber Panel	33, 34
Carburetor	
Box	85
Hat	77
Nut	77
Return Spring	77
Throttle Stop	77
Tray	85
Caster/Camber Gauge	76
Adapters	76
Charging Posts	60
Mounting Bracket	60
Chassis Height Gauge	83
Check Lists	78
Circuit Breaker	48, 51
Clear Boot	48
Clamps, Gator	57
Clamps, Line	50
Cleco Fastener	82
Pliers	82
Clipboard	78
Coil, Ignition	
Clamp	85
Wire	79
Control Arm Shim Kit	76

D

Deutsch Connector	54, 59
Dirt Wing	82
Disconnect, Master	61
Distributor Adapter	54
Distributor Wire	57

E

Electric Fan Relay Kit	81
Electrical Outlet	63

E Cont.

Electrical Wire	56
Terminals	56-58
Stripper	59, 83
Extreme	
Gauge/Panel	16-19, 33
LED Digital Tachometer	26

F

Fan Relay Kit	81
Firewall	
Grommet	63
Sensor Junction	6
Fittings, AN/NPT	29, 31
Fuel Pressure Isolator	30
Fuses	50

G

Gator Clamp	57
Gauges	
Alignment	76
Brake Bias	28, 80
Digital Panel	12-15, 36
Extreme Panel	16-19
Mini	80
Open Wheel Panel 3, 35-37	
Redline Panel	6-11, 37
Replacement	7, 13, 17, 21,
32, 34, 35, 36, 37, 80	
Standard Panel	20-25
Sprint	34-37
Tire	68, 69
Grommets	4, 37, 63
Ground Cables	56

H

Helmet Hook	85
Hose Adapter	30
Hub Adapter	73
Hydraulic Jack	82

I

Ignition Box Mounting Plate	85
Ignition Control Panel	38-48
Mounting Bracket	43
Wiring Harness	40, 49, 52, 53
Ignition Switch	50-51
Switch Boot	50
Start Switch	50, 51
Start Switch w/Harness	59
Switch Extensions	41
Ignition Wiring Adapter	54, 55
Impact Crimper	57, 83

J

Jack, Hydraulic	82
Dirt Wing	82

L

LED Light/Bulb	30
Strips	29, 55
Lights, Warning	30
Line Clamp	50

M

Manifold, Oil Temperature	31
Master Disconnect	61, 62
Boots	60, 62
Jumper Wire	62
Mirror	85
MSD Box Quick Release	85

N

NACA Duct	81
Nylon Ties	84

O

Oil Filter Cutter	82
Oil Temperature Manifold	31

P

Pilot Light	50
Pit Jack	82
Pit Socket	82
Power Distribution Post	61
Pressure Line Kit	31

Q

Qualifying Organizer	78
QuickAngle Tray	76
Quick Release, Steering	73

R

Race Wire	56
Radio Box	85
Rear View Mirror	85
Remote Electrical Outlets	63
Remote Start Button	5, 59, 63
Replacement Gauges	
Digital	13
Extreme	17
Redline	7
Sprint	34-37
Standard	21
Resettable Circuit Breaker	48
Ride Height Gauge	83
Roll Bar Padding	84
Roll Bar Clamp Reducer	85

S

Safety Wire	83
Pliers	83
Senders, Pressure/Temperature	
Mechanical	17, 20, 29
Electric	7, 13, 36, 37
Smart Tool	76
Spark Plug Wire Sets	79
Starter Solenoid	62
Jumper Wires	62
Steering Wheel	72
Disconnect	73
Kill Switch	73
Pads	73
Sticker Kits	42, 45
Stop Watch	78
Stud Feed-Through	60, 62
Suspension Tubes	70
Ruler	70
Wrench	60
Switches	
Pressure	29
Rocker	47
Temperature	29
Toggle	50, 51

T

Tachometers	26-28
Tape Measure	74, 75, 83
Temperature Adapters	29
Terminals, Electrical	56-59
Throttle Return Springs	77
Throttle Stop	77
Timing Systems	78

T Cont.

Tire	
Caliper	74
Chucks	69
Durometer	75
Gauges	68-69
Replacement Parts	69
Inflators	69
Management Kit	75
Markers	74
Tape	75, 83
Toe Plates 7	4
Toggle Switch	50, 51
Aircraft Cover	50
Boot	50
Extension	41
Tools	
AN Wrenches	83
Crimper Pliers	59, 82
Impact Crimper	57, 83
Oil Filter Cutter	82
Pit Sockets	82
Safety Wire Pliers	83
Valve Core Tool	74, 82
Weatherpack	58, 82
Wire Strippers	59, 83
Wrenches, AN	83
Torque Absorbers	71
Biscuits	71
Covers	71
Travel Indicator	71
Tread Depth Gauge	75

U

Under-Car Light Kit	55
---------------------------	----

V

Valve Stems	74
Core Remover	74, 82
Vent Clamps	85

W

Warning Lights	30
Kits	30, 32, 35
Water Pressure Gauge	7, 13, 17, 32
Weatherpack Connectors	58
Crimper	59, 82
Kit	58
Removal Tool	58, 82
Weatherproof Switch	51
Wire, Electrical	56
Wiring Harnesses	40, 49, 52, 53
Wiring Kits	64-67
Wraparound Panels	33
Wrenches	
AN	83
Suspension Tube	70

Z

Zip Ties	84
----------------	----

PART NUMBER / PAGE INDEX



08-080.....70	38-110.....70	50-102.....38	50-434.....59	50-915.....50	56-0022.....69	56-9145.....76
08-085.....70	38-115.....70	50-103.....38	50-435.....57	50-920.....50	56-003.....69	57-008.....56
08-090.....70	38-120.....70	50-163.....42	50-442.....85	50-925.....50	56-004.....69	57-009.....56
08-095.....70	38-125.....70	50-164.....42	50-500.....50	50-930.....50	56-0041.....69	57-010.....56
08-100.....70	38-130.....70	50-165.....42	50-501.....50	50-955.....2, 50	56-0042.....69	57-011.....56
08-105.....70	38-135.....70	50-166.....42	50-502.....51	50-960.....50	56-006.....69	57-012.....56
08-110.....70	38-140.....70	50-1711.....44	50-503.....50	50-9715.....48	56-0061.....69	57-014.....56
08-115.....70	38-145.....70	50-1713.....44	50-504.....50	50-9720.....48	56-0062.....69	57-091.....56
08-120.....70	38-150.....70	50-1714.....44	50-505.....50	50-9725.....48	56-020.....68	57-092.....56
08-125.....70	38-155.....70	50-190.....73	50-506.....50	50-9730.....48	56-021.....68	57-093.....56
08-130.....70	38-160.....70	50-200.....40, 52	50-507.....59	51-037.....78	56-022.....68	57-094.....56
08-135.....70	38-165.....70	50-2001.....62	50-508.....5, 50	51-038.....78	56-040.....68	57-101.....56
08-140.....70	38-170.....70	50-2002.....62	50-510.....50	51-039.....78	56-041.....68	57-102.....56
08-145.....70	38-175.....70	50-2006.....55	50-512.....50	51-040.....78	56-042.....68	57-103.....56
08-150.....70	38-180.....70	50-2007.....54	50-513.....62	51-041.....78	56-060.....68	57-104.....56
08-155.....70	38-185.....70	50-2008.....54	50-514.....62	51-043.....78	56-061.....68	57-105.....63
08-160.....70	38-190.....70	50-2009.....4, 54	50-520.....51	51-044.....78	56-062.....68	57-106.....63
08-165.....70	38-195.....70	50-201.....40, 52	50-522.....51	51-046.....78	56-070.....68	57-107.....5, 63
08-170.....70	38-200.....70	50-2021.....52	50-524.....41	51-048.....78	56-085.....68	57-1521.....56
08-175.....70	38-210.....70	50-2030.....52	50-526.....41	51-051.....78	56-100.....74, 82	57-1523.....56
08-180.....70	38-220.....70	50-2031.....52	50-601.....50	51-052.....78	56-102.....75	57-1541.....56
08-185.....70	38-230.....70	50-2032.....53	50-602.....50	51-053.....78	56-104.....75	57-1543.....56
08-190.....70	38-240.....70	50-2033.....52	50-604.....50	51-054.....78	56-105.....75	57-1809.....56
08-195.....70	38-250.....70	50-2034.....53	50-609.....50	51-070.....78	56-108.....83	57-1810.....56
08-200.....70	38-260.....70	50-2035.....53	50-610.....50	51-201.....78	56-110.....75, 83	57-200.....57
31-060.....70	38-270.....70	50-2037.....52	50-700.....48	51-210.....78	56-111.....75, 83	57-201.....56
31-065.....70	38-280.....70	50-2039.....2, 53	50-711.....44	51-215.....78	56-112.....75, 83	57-2011.....56
31-070.....70	40-100.....79	50-2051.....53	50-7164.....45	51-230.....78	56-115.....74	57-203.....56
31-075.....70	40-121.....79	50-2053.....2, 53	50-718.....45	51-235.....78	56-116.....74	57-2031.....56
31-080.....70	40-123.....79	50-206.....55	50-719.....45	51-236.....78	56-119.....74	57-236.....56
31-085.....70	40-125.....79	50-207.....54	50-720.....44	51-237.....78	56-120.....76	57-2361.....56
31-090.....70	40-127.....79	50-230.....65	50-7222.....55	52-163.....46	56-121.....76	57-240.....56
31-095.....70	40-150.....79	50-231.....64	50-731.....44	52-164.....47	56-122.....76	57-2401.....56
31-100.....70	40-181.....79	50-232.....64	50-740.....44	52-165.....46	56-123.....76	57-321.....56
31-105.....70	40-183.....79	50-234.....66	50-7411.....44	52-166.....46	56-124.....76	57-323.....56
31-110.....70	40-185.....79	50-235.....66	50-7414.....44	52-500.....47	56-155.....75	57-341.....56
31-115.....70	40-187.....79	50-236.....67	50-7431.....44	52-510.....47	56-161.....76	57-343.....56
31-120.....70	40-241.....79	50-300.....58	50-750.....44	52-512.....47	56-162.....76	57-450.....57
31-125.....70	40-243.....79	50-301.....58	50-7531.....44	52-601.....47	56-163.....76	57-470.....57
31-130.....70	40-245.....79	50-302.....58	50-7611.....45	52-602.....47	56-167.....76	57-471.....57
31-135.....70	40-247.....79	50-303.....58	50-7414.....45	52-604.....47	56-168.....76	57-472.....57
31-140.....70	40-300.....79	50-304.....58	50-7631.....45	52-609.....47	56-169.....76	57-473.....57
31-145.....70	40-350.....79	50-310.....58	50-7711.....44	52-615.....47	56-170.....76	57-474.....57
31-150.....70	40-361.....79	50-311.....58	50-7713.....44	52-716.....47	56-220.....69	57-475.....57
31-155.....70	40-363.....79	50-312.....58	50-7714.....44	52-717.....47	56-221.....69	57-476.....57
31-160.....70	40-365.....79	50-320.....58	50-7731.....44	52-863.....46	56-222.....69	57-477.....57
31-165.....70	40-367.....79	50-321.....58	50-7739.....4, 44	52-864.....47	56-240.....69	57-478.....57
31-170.....70	40-421.....79	50-322.....58	50-790.....45	52-865.....46	56-241.....69	57-479.....57
31-175.....70	40-423.....79	50-330.....58	50-7911.....45	52-866.....46	56-242.....69	57-481.....57
31-180.....70	40-425.....79	50-331.....58	50-7931.....45	55-001.....61	56-260.....69	57-490.....57
31-185.....70	40-427.....79	50-332.....58	50-802.....39	55-002.....61	56-261.....69	57-520.....56
31-190.....70	40-481.....79	50-340.....58	50-803.....39	55-003.....62	56-262.....69	57-525.....56
31-195.....70	40-483.....79	50-341.....58	50-820.....39	55-004.....62	56-270.....69	57-530.....56
31-200.....70	40-485.....79	50-342.....58	50-822.....41	55-005.....61	56-285.....69	57-535.....56
31-205.....70	40-487.....79	50-360.....58	50-823.....41	55-006.....61	56-830.....76	57-540.....56
31-210.....70	40-601.....79	50-361.....58	50-825.....41	55-008.....61	56-831.....76	57-550.....56
31-215.....70	40-603.....79	50-362.....58	50-830.....65	55-009.....61	56-833.....76	57-560.....56
31-220.....70	40-605.....79	50-380.....58	50-831.....65	55-010.....61	56-834.....76	57-601.....62
31-225.....70	40-607.....79	50-393.....59, 83	50-832.....64	55-011.....61	56-835.....76	57-602.....62
31-230.....70	50-003.....42	50-395.....59, 82	50-834.....67	55-012.....61	56-836.....76	57-604.....60
31-235.....70	50-004.....45	50-399.....58, 82	50-835.....66	55-013.....61	56-837.....76	57-605.....63
31-240.....70	50-008.....4, 54	50-400.....51	50-836.....67	55-021.....61	56-838.....76	57-607.....60
31-245.....70	50-020.....38	50-401.....51	50-852.....39	55-022.....61	56-839.....76	57-610.....60
31-250.....70	50-022.....40	50-402.....51	50-853.....39	55-023.....61	56-842.....76	57-620.....60
31-255.....70	50-023.....40	50-410.....51	50-863.....43	55-030.....61	56-843.....76	57-627.....4, 60
31-260.....70	50-025.....40	50-415.....51	50-864.....43	55-031.....61	56-844.....76	57-630.....4, 60
38-080.....70	50-031.....45	50-417.....51	50-865.....43	55-120.....61	56-845.....76	57-640.....4, 60
38-085.....70	50-033.....45	50-420.....51	50-866.....43	55-121.....61	56-9001.....69	57-650.....4, 57
38-090.....70	50-034.....54	50-422.....51	50-868.....48	55-55.....61	56-9002.....69	57-660.....60
38-095.....70	50-035.....2, 54	50-424.....51	50-869.....48	56-001.....69	56-9141.....76	57-700.....62
38-100.....70	50-052.....38	50-430.....62	50-905.....50	56-002.....69	56-9143.....76	57-701.....60
38-105.....70	50-053.....38	50-433.....5, 62	50-910.....50	56-0021.....69	56-9144.....76	57-702.....60



PART NUMBER / PAGE INDEX

57-703.....60	611-6204.....3, 35	61-7024.....33	62-135.....70	64-400.....74	67-3041.....14	75-070.....70
57-704.....62	611-6205.....3, 35	61-7026.....16	62-140.....70	64-401.....74	67-3042.....14	75-075.....70
57-705.....62	611-7000.....17	61-7031.....17	62-145.....70	64-403.....74	67-3046.....14	75-080.....70
57-706.....62	611-7003.....17	61-704.....30	62-150.....70	64-510.....80	67-3047.....15	75-085.....70
57-707.....62	611-7006.....17	61-7041.....17	62-155.....70	64-511.....80	67-4021.....12	75-090.....70
57-708.....60	611-7007.....17	61-7042.....17	62-160.....70	64-703.....74	67-4026.....13	75-100.....70
57-709.....60	611-7008.....17	61-7051.....17	62-165.....70	64-704.....74	67-4027.....13	75-105.....70
57-710.....63	611-7009.....17	61-706.....30	62-170.....70	64-706.....74	67-4051.....15	75-110.....70
57-711.....63	611-7010.....26	61-709.....30	62-175.....70	64-708.....83	67-4056.....15	75-115.....70
57-718.....60	611-90.....80	61-710.....31	62-180.....70	64-709.....83	67-4057.....15	75-120.....70
57-719.....60	611-900.....29	61-7101.....31	62-185.....70	64-730.....82	67-5036.....13	75-125.....70
57-723.....63	611-901.....29	61-71012.....31	62-190.....70	65-096.....77	67-5037.....13	75-130.....70
57-801.....61	611-902.....29	61-71024.....31	62-195.....70	66-400.....71	68-001.....72	75-135.....70
57-8012.....5, 61	611-903.....29	61-71036.....31	62-200.....70	66-499.....71	68-0011.....72	75-140.....70
57-802.....5, 61	611-904.....29	61-71048.....31	62-205.....70	66-500.....71	68-0012.....72	75-145.....70
57-8022.....5, 61	611-905.....29	61-71060.....31	62-210.....70	66-501.....71	68-002.....72	75-150.....70
57-803.....5, 60	611-9015.....31	61-711.....32	62-215.....70	66-502.....71	68-0021.....72	75-155.....70
57-804.....5, 60	611-90100.....31	61-712.....32	62-220.....70	66-503.....71	68-0022.....72	75-160.....70
57-805.....61	61-101.....80	61-713.....32	62-225.....70	66-504.....71	68-003.....72	75-165.....70
57-806.....61	61-103.....80	61-714.....32	62-230.....70	66-506.....71	68-0031.....72	75-170.....70
57-807.....61	61-105.....80	61-716.....32	62-235.....70	66-508.....71	68-0032.....72	75-175.....70
57-810.....63	61-300.....30	61-717.....35	62-240.....70	66-509.....71	68-004.....72	75-180.....70
57-820.....63	61-2204.....3, 35	61-718.....35	62-245.....70	66-512.....71	68-0041.....72	75-185.....70
57-830.....63	61-2205.....3, 35	61-719.....32	62-250.....70	66-520.....71	68-0042.....72	75-190.....70
57-942.....57	61-6001.....20	61-720.....29	62-270.....70	66-530.....71	68-005.....72	75-195.....70
57-943.....57	61-6004.....34	61-721.....29	62-280.....70	66-551.....71	68-006.....72	75-200.....70
57-944.....57	61-6005.....34	61-722.....31	62-310.....70	66-552.....71	68-010.....73	75-205.....70
57-945.....57	61-6005-1.....34	61-724.....31	62-390.....70	66-554.....71	68-0109.....73	75-210.....70
58-211.....84	61-6006.....34	61-725.....31	62-400.....70	66-556.....71	68-012.....73	75-215.....70
58-212.....84	61-6011.....20	61-727.....37	62-457.....70	66-6275.....70	68-0129.....73	75-220.....70
58-221.....84	61-6012.....20	61-730.....29	62-465.....70	66-700.....80	68-015.....73	75-225.....70
58-222.....84	61-6021.....20	61-733.....29	62-477.....70	66-754.....85	68-0159.....73	75-230.....70
58-223.....84	61-6024.....33	61-735.....29	62-480.....70	66-757.....85	69-000.....7	75-235.....70
58-224.....84	61-6031.....22	61-740.....29	62-487.....70	66-850.....50	69-001.....26	75-240.....70
58-225.....84	61-60313.....24	61-748.....29	62-490.....70	66-852.....50	69-003.....7	75-250.....70
58-231.....84	61-6041.....22	61-750.....29	62-500.....70	66-854.....50	69-006.....7	75-260.....70
58-232.....84	61-60413.....24	61-751.....2, 29	62-510.....70	66-856.....50	69-007.....7	75-270.....70
58-233.....84	61-6042.....22	61-752.....2, 29	62-600.....70	66-858.....50	69-008.....7	75-280.....70
58-234.....84	61-60423.....24	61-755.....31	63-001.....27	66-860.....50	69-009.....7	75-290.....70
58-235.....84	61-6051.....22	61-756.....30	63-002.....27	66-908.....85	69-2001.....6	75-300.....70
58-237.....84	61-60513.....24	61-757.....30	63-120.....6	66-920.....85	69-2004.....37	75-310.....70
58-238.....84	61-6701.....21	61-7724.....33	63-121.....6	66-923.....85	69-2005.....37	75-320.....70
58-239.....84	61-6711.....21	61-7731.....18	63-130.....6	66-925.....85	69-2031.....8	75-330.....70
58-240.....84	61-6712.....21	61-77313.....19	63-132.....6	66-927.....85	69-2231.....10	75-340.....70
58-244.....73	61-6717.....21	61-7741.....18	63-220.....13	66-929.....85	69-3011.....6	75-350.....70
58-245.....73	61-6721.....21	61-77413.....19	63-225.....7, 13, 36, 37	66-931.....85	69-3012.....6	75-360.....70
58-250.....84	61-6724.....33	61-7742.....18	63-230.....7, 13, 36, 37	66-936.....85	69-3016.....6	75-370.....70
60-000.....81	61-6731.....23	61-77423.....19	63-240.....7, 13	66-937.....85	69-3017.....6	75-380.....70
60-003.....81	61-67313.....25	61-7751.....18	63-300.....27	66-938.....85	69-3041.....8	75-390.....70
60-005.....81	61-6741.....23	61-77513.....19	63-604.....36, 37	66-9381.....85	69-3042.....8	75-400.....70
60-008.....81	61-67413.....25	61-790.....29	63-605.....36, 37	66-939.....43	69-3046.....8	75-410.....70
60-009.....81	61-6742.....23	61-791.....55	64-010.....83	66-940.....43	69-3047.....9	75-420.....70
60-010.....81	61-67423.....25	61-792.....55	64-015.....83	66-945.....43	69-3241.....10	75-430.....70
60-020.....81	61-6751.....23	61-793.....55	64-020.....83	67-000.....13	69-3242.....10	75-440.....70
60-030.....81	61-67513.....25	61-794.....55	64-076.....82	67-001.....13, 26	69-3246.....10	75-600.....70
60-039.....81	61-691.....30	61-795.....55	64-077.....82	67-003.....13, 36	69-3247.....10	
60-040.....81	61-692.....30	61-903.....29, 35	64-078.....82	67-006.....13, 36	69-4021.....7	
611-096.....26	61-693.....30	61-9795.....55	64-086.....82	67-007.....13	69-4026.....7	
611-099.....27	61-694.....30	62-070.....70	64-087.....82	67-008.....13	69-4027.....7	
611-100.....27	61-697.....32	62-075.....70	64-088.....82	67-009.....13	69-4051.....9	
611-106.....28	61-698.....30	62-080.....70	64-140.....84	67-015.....28	69-4056.....9	
611-6000.....21	61-699.....30	62-085.....70	64-146.....77	67-101.....28	69-4057.....9	
611-6001.....26	61-7001.....16	62-090.....70	64-148.....77	67-107.....28	69-4251.....10	
611-6002.....26	61-7004.....34	62-095.....70	64-149.....77	67-2001.....12	69-4256.....10	
611-6003.....21	61-7005.....34	62-100.....70	64-150.....84	67-2004.....36	69-4257.....10	
611-6004.....34	61-701.....30	62-105.....70	64-157.....77	67-2005.....36	69-5036.....7	
611-6005.....34	61-7011.....16	62-110.....70	64-158.....77	67-2031.....14	69-5037.....7	
611-6006.....21	61-7012.....16	62-115.....70	64-169.....77	67-3011.....12	71-322.....59	
611-6007.....21	61-7017.....16	62-120.....70	64-175.....82	67-3012.....12	71-332.....59	
611-6008.....21	61-702.....30	62-125.....70	64-176.....82	67-3016.....12	71-342.....59	
611-6009.....21	61-7021.....16	62-130.....70	64-180.....82	67-3017.....12	71-362.....59	

Terms and Conditions

Returns

To make sure that the item(s) get quickly processed, please follow these simple steps.

1. Call and request an RMA (Returned Merchandise Authorization) number for the merchandise you wish to return. All products must be returned in an unaltered / unchanged state from its original condition. Products must be no older than one year old, or two years old for scales. New parts returned for credit must be completely unaltered, and in new condition. Warranty parts will be inspected to see if failure was caused by misuse of the part, and possibly deemed not returnable.
2. Include your contact information, and the problem with the part in a note inside the box. Please write RMA number on the outside of the box.
3. Custom parts are not returnable for credit, but can sometimes be repaired.

Printing Disclaimer...

QuickCar Racing Products reserves the right to update, change or modify any product or policy deemed necessary without notice. Every effort has been made to avoid printing errors, in this catalog and previous versions. We disclaim any responsibility for application or specifications.

Disclaimer of Warranty

QuickCar Racing Products makes no warranties...

QuickCar Racing Products makes no written, oral, expressed, or implied statement of warranty or guarantee on any product sold, other than for defects in materials or workmanship as stated previously. QuickCar Racing Products will not assume liability for personal or property damage resulting from the use or misuse of any product we manufacture or sell, whether on the street or on the race track. Purchase and/or use of these products implies recognition and acceptance of this entire warranty and disclaimer by customer.

Warranty

Parts are backed by a full one year warranty against factory defects in workmanship and materials. All warranty parts will be inspected upon arrival for misuse. Scales are backed by a two year warranty against factory defects in workmanship and materials. QuickCar Racing Products reserves the right to decline any warranty items if it appears that the item has failed due to misuse, or lack of care taken while the product was in use.

ORDERING INFORMATION:

To Order By Phone: Monday Through Friday
8:00 To 5:00 Central Time
800-99-Speed (800-997-7333) Or 615-453-2120
By Fax 24 Hours A Day: 615-453-2130
By E-Mail: Sales@Quickcar.com
Web: www.quickcar.com
To Locate A Dealer Near You Please Call 800-99-Speed

SHIPPING OPTIONS:

- UPS Ground (1-6 working Days)
- UPS Blue (2 Working Days)
- UPS Red (1 Working Day)

Please Note that products cannot be shipped by UPS to a P.O. Box. Freight charges are FOB Lebanon, TN.



WARNING! Cancer and Reproductive Harm. www.p65warnings.ca.gov/

Some products in this catalog contain materials listed under California Proposition 65.

For additional details on specific products, visit the QuickCar website at www.quickcar.com

For additional information on Proposition 65, visit www.p65warnings.ca.gov/



QRP100



170 BUSINESS PARK DRIVE, LEBANON TN 37090

1-800-99-SPEED

WWW.QUICKCAR.COM