QUICKCAR®



30th EDITION

QUICKCAR®



QuickCar has been proudly American owned and operated for over 30 years, serving as a leader in the performance industry since 1992. Our reputation is built on high-quality innovative products designed to simplify installation, maximize reliability, and provide a winning advantage on the street and on the track. We offer a wide range of products, focused primarily on the High Performance and Racing Markets. Our diverse product line offers both individual components and complete, ready-to-go kits for a wide range of products.

Contents

003-016 New Product

017-023 Digital Series
- 017-020 Digital Series Gauges
- 021-023 Digital Gauge Panels

025-040 Redline Series
- 025-028 Redline Series Gauges
- 031-033 Redline Gauge Panels
- 034 Redline Dash Panels
- 035-036 Redline 2-1/16" Gauges
- 037-040 Redline 2-1/16" Panels

041-048 Extreme Series
- 041-043 Extreme Series Gauges
- 044-046 Extreme Gauge Panels
- 047-048 Extreme Dash Panels

049-056 Legend Series
- 049-052 Legend Series Gauges
- 053-056 Legend Gauge Panels

057-064 Gauge Panel Accessories

065-068 Tachometers

069-076 Specialty Components
- 069-075 Open Wheel / Sprint Car Components
- 076 Northeast Modified Dash Panels

077-088 Switch Panels
- 079-081 Switch Panels
- 082 Fused Switch Panels
- 083-085 Weatherproof Switch Panels
- 086 Rocker Switch Panels
- 088 Ignition Panels with Battery Switch

089-092 Switch Panel Accessories

093-118 Wiring System
- 095-104 Plug-N-Play Wiring Harnesses
- 105-108 Ignition System Accessories
- 109-114 Wiring Accessories
- 115-116 Wiring Kits
- 117-118 Coil Wires

119-138 Battery & Electrical
- 119-130 Electrical System Accessories
- 131-134 Battery Cables & Terminals
- 135-138 Battery Cable Kits

139-154 Chassis Components
- 139-140 Suspension Tubes
- 141-143 Chassis Set-up
- 144-146 Tire Management
- 147-149 Tire Gauges / Inflators
- 150 Carburetor Accessories
- 151-153 Brakes & Cooling
- 154 Timing Systems

155-156 Safety Equipment

157-158 Steering

159-161 Tools

162-163 QuickCar Extras

GAUGE KEY:
OP - Oil Pressure / WT - Water Temp / OT - Oil Temp
FP - Fuel Pressure / WP - Water Pressure / VT - Battery Voltage

NEW! DIGITAL SERIES GAUGE PANELS

DIGITAL 3-GAUGE PANELS

Part No.	Gauges Included
67-3018	OP/WT/FP100





DIGITAL 4-GAUGE PANELS



67-4022

Part No.	Gauges Included
67-3048	OP/WT/FP100/TACH
67-4022	OP/WT/OT/FP100
67-4023	OP/WT/OT/WP
67-4028	OP/WT/FP100/WP

NEW PRODUCT!

DIGITAL 5-GAUGE PANELS



67-5032

Part No.	Gauges Included
67-4052	OP/WT/OT/FP100/Tach
67-4058	OP/WT/FP100/WP/Tach
67-5032	OP/WT/OT/FP100/WP
67-5038	OP/WT/FP100/WP/VT

NEW! REDLINE SERIES GAUGES

REDLINE 2-5/8" FUEL PRESSURE 100-PSI GAUGE
69-005



NEW! REDLINE SERIES GAUGE PANELS

REDLINE 3-GAUGE PANELS



Part No.	Gauges Included
69-3018	OP/WT/FP100

REDLINE 4-GAUGE PANELS



69-4022

Part No.	Gauges Included
69-4022	OP/WT/OT/FP100
69-4023	OP/WT/OT/WP
69-4028	OP/WT/FP100/WP
69-3048	OP/WT/FP100/Multi-Recall Tach
69-3248	OP/WT/FP100/Tach

REDLINE 5-GAUGE PANELS



69-4052

Part No.	Gauges Included
69-4052	OP/WT/Multi-Recall Tach/OT/FP100
69-4252	OP/WT/OT/FP100/Tach
69-4058	OP/WT/Multi-Recall Tach/FP100/WP
69-4258	OP/WT/FP100/WP/Tach
69-5038	OP/WT/FP100/WP/VT

NEW! REDLINE 2-1/16" GAUGES

2 1/16

Part No.	Gauges Included
65-000	Fuel Pressure 15-PSI Gauge
65-003	Oil Pressure Gauge
65-005	Fuel Pressure 100-PSI Gauge
65-006	Water Temperature Gauge
65-007	Voltmeter
65-008	Water Pressure Gauge
65-009	Oil Temperature Gauge
65-012	Boost/Vacuum Gauge -30/30 PSI



65-000



65-012

NEW! REDLINE 2-1/16" GAUGE PANELS

65-3011



Part No.	Gauges Included
65-2031	OP/Tach/WT
65-3011	OP/WT/OT
65-3012	OP/WT/FP15
65-3016	OP/WT/WP
65-3017	OP/WT/VT
65-3018	OP/WT/FP100



Part No.	Gauges Included
65-2001	OP/WT

NEW! REDLINE 2-1/16" GAUGE PANELS



65-4021

Part No.	Gauges Included
65-3041	OP/WT/OT/Tach
65-3042	OP/WT/FP15/Tach
65-3046	OP/WT/WP/Tach
65-3047	OP/WT/VT/Tach
65-3048	OP/WT/FP100/Tach
65-4021	OP/WT/OT/FP15
65-4022	OP/WT/OT/FP100
65-4023	OP/WT/OT/WP
65-4026	OP/WT/FP15/WP
65-4027	OP/WT/OT/VT
65-4028	OP/WT/FP100/WP



65-5036

Part No.	Gauges Included
65-4051	OP/WT/Tach/OT/FP15
65-4052	OP/WT/Tach/OT/FP100
65-4056	OP/WTTach/FP15/WP
65-4057	OP/WT/Tach/OT/VT
65-4058	OP/WT/Tach/FP100/WP
65-5032	OP/WT/OT/FP100/WP
65-5036	OP/WT/OT/FP15/WP
65-5037	OP/WT/OT/FP15/VT
65-5038	OP/WT/WP/FP100/VT



REDLINE 2-1/16" BOOST GAUGE SENSOR
63-280

NEW! EXTREME SERIES GAUGE PANELS

EXTREME 5-GAUGE PANELS



61-7756

Part No.	Gauges Included
61-7067	OP/WT/OT/FP/VT
61-7756	OP/WT/5" Tach/FP/WP
61-77563	OP/WT/3-3/8" Tach/FP/WP
61-7757	OP/WT/5" Tach/OT/VT
61-77573	OP/WT/3-3/8" Tach/OT/VT

EXTREME 4-GAUGE PANELS W/ TACH




61-7046

Part No.	Gauges Included
61-7046	OP/WT/WP/Tach
61-7047	OP/WT/VT/Tach

NEW! EXTREME GAUGE PANELS

EXTREME 5-GAUGE PANELS W/ TACH



61-7057

Part No.	Gauges Included
61-7052	OP/WT/FP/WP/Tach
61-7057	OP/WT/OT/VT/Tach

EXTREME 3-GAUGE PANELS W/ REDLINE MULTI-RECALL TACH



61-7331

Part No.	Gauges Included
61-7331	OP/Redline Tach/WT

EXTREME 4-GAUGE PANELS W/ REDLINE MULTI-RECALL TACH



61-7346

Part No.	Gauges Included
61-7341	OP/WT/OT/Redline Tach
61-7342	OP/WT/FP/Redline Tach
61-7346	OP/WT/WP/Redline Tach
61-7347	OP/WT/VT/Redline Tach

EXTREME 5-GAUGE PANELS W/ REDLINE MULTI-RECALL TACH



61-7351

Part No.	Gauges Included
61-7351	OP/WT/Redline Tach/OT/FP
61-7356	OP/WT/Redline Tach/FP/WP
61-7357	OP/WT/Redline Tach/OT/VT

NEW! LEGEND SERIES GAUGES

611-6018



NEW! LEGEND SERIES GAUGE PANELS



61-6716

Part No.	Panel Design and Gauges Included
61-6016	Flag Panel OP/WT/WP
61-6716	Black Panel OP/WT/WP



61-6723

Part No.	Panel Design and Gauges Included
61-6723	Black Panel OP/WT/OT/WP
61-6726	Black Panel OP/WT/FP/WP
61-6727	Black Panel OP/WT/OT/VT
61-6746	Black Panel OP/WT/WP/5" Tach
61-67463	Black Panel OP/WT/WP/3-3/8" Tach
61-6747	Black Panel OP/WT/VT/5" Tach
61-67473	Black Panel OP/WT/VT/3-3/8" Tach



61-67563

Part No.	Panel Design and Gauges Included
61-6756	Black Panel OP/WT/5" Tach/FP/WP
61-67563	Black Panel OP/WT/3-3/8" Tach/FP/WP
61-6757	Black Panel OP/WT/5" Tach/OT/VT
61-67573	Black Panel OP/WT/3-3/8" Tach/OT/VT
61-6766	Black Panel OP/WT/OT/FP/WP
61-6767	Black Panel OP/WT/OT/FP/VT

NEW! EXTREME GAUGE SERIES ACCESSORIES

Part No.	Description
61-611	Oil Pressure Warning Kit 20PSI
61-615	Oil Pressure Warning Kit 30PSI
61-614	Oil Temperature Warning Kit 280°F
61-617	Water Temperature Warning Kit 200°F
61-612	Water Temperature Warning Kit 235°F
61-613	Water Pressure Warning Kit 4PSI
61-619	Fuel Pressure Warning Kit 4PSI

61-611





61-612

NEW! GAUGE SERIES ACCESSORIES

GAUGE VISORS

Part No.	Description
61-216	2-1/16" Gauge Visor
61-258	2-5/8" Gauge Visor





LONG 1/2" NPT TEMPERATURE GAUGE ADAPTER
611-908

NEW! OPEN WHEEL / SPRINT CAR 2-1/16" REDLINE GAUGE PANELS

REDLINE 2-1/16" MICRO/MIDGET 2-GAUGE PANEL OP/WT
65-2004





REDLINE 2-1/16" SPRINT CAR 2-GAUGE PANEL OP/WT
65-2005

NEW! SWITCH PANELS



(ON)-OFF-(ON) ROCKER SWITCH W/ RED LIGHT
52-402



ROCKER SWITCH W/ WINCH CONTROL
52-870

NEW! IGNITION SYSTEM ACCESSORIES

DIGITAL MSD TO WEATHERPACK HARNESS ADAPTER
50-2004





PLUG FOR MSD DISTRIBUTOR W/ PINS
50-222

RECEPTACLE FOR MSD DISTRIBUTOR W/ PINS
50-223



NEW! WIRING ACCESSORIES

20-PACKS WEATHERPACK PINS/SEALS

Part No.	Description
50-300-20	Female Weatherpack Pins, 20-Pack
50-301-20	Male Weatherpack Pins; 20-Pack
50-302-20	Green Weatherpack Seals; 20-Pack
50-303-20	Blue Weatherpack Seals; 20-Pack
50-304-20	Red Weatherpack Seals; 20-Pack
50-305-20	Green Cavity Plugs; 20-Pack



NEW! ELECTRICAL SYSTEM ACCESSORIES





DEUTSCH DT TERMINAL KIT
71-306

NEW! BATTERY CABLES AND TERMINALS

6-GAUGE BATTERY CABLE

Part No.	Description
57-260	6-Gauge Red Battery Cable
57-2601	6-Gauge Red Battery Cable - 10 Feet
57-270	6-Gauge Black Battery Cable
57-2701	6-Gauge Black Battery Cable - 10 Feet





6-GAUGE RING TERMINALS

Part No.	Description
57-580	Ring Terminal - 1/4" Eyelet, 6-Gauge Barrel, pair
57-580-20	Ring Terminal - 1/4" Eyelet, 6-Gauge Barrel, 20-Pack
57-581	Ring Terminal - 5/16" Eyelet, 6-Gauge Barrel, pair
57-581-20	Ring Terminal - 5/16" Eyelet, 6-Gauge Barrel, 20-Pack
57-582	Ring Terminal - 3/8" Eyelet, 6-Gauge Barrel, pair
57-582-20	Ring Terminal - 3/8" Eyelet, 6-Gauge Barrel, 20-Pack
57-583	Ring Terminal - 1/2" Eyelet, 6-Gauge Barrel, pair
57-583-20	Ring Terminal - 1/2" Eyelet, 6-Gauge Barrel, 20-Pack




QUICKCAR
RACING PRODUCTS


DIGITAL

DIGITAL

GAUGES SERIES BY QUICKCAR



QUICKCAR DIGITAL SERIES

Introduced in 2017, QuickCar's Digital Series quickly set a new standard for electronic gauges, becoming the first of their kind to light up on asphalt and dirt in both sprint cars and late models.

QuickCar Digital Series Gauges made an unforgettable debut when prototypes of the gauges were first tested in Keith Kunz cars during the 2017 Chili Bowl. Out of the gate, QuickCar Digital Series Gauges passed the ultimate tests of Quality and Performance as Kyle Larson caught the berm and went flipping out of the battle for the lead in Tuesday night's A Feature. From the stands, you could see our signature bright-blue LED Digital Series gauges, clearly visible as the yellow #71K tumbled through turns 3 and 4. After this incident, he fought back, nearly making the B-Main through alphabet soup on Saturday. Quality. That same year, Christopher Bell took the Digital Gauges to Victory Lane for his first Chili Bowl win. During Bell's victory celebration, you can see the gauges clearly displayed. Performance.

The signature bright-blue glow continues to stand out in spectacular moments.

(our digital gauges)



BENEFITS OF DIGITAL SERIES GAUGES:

- *Highly accurate and built to last.*
- *Easy to read bright LED display.*
- *Mounting hardware included.*
- *Compact design.*
- *Weatherproof.*





DIGITAL

Senders, transducers, and pressure lines not included. Find these and other options in electronic gauge panel accessories section on page 57.

2-1/16" Diameter (TO SCALE)



67-000 | FP 0-15 PSI



67-003 | OP 0-100 PSI



67-006 | WT 100°F - 280°F



67-008 | WP 0-100 PSI



67-001 | 10,000 RPM TACH



67-005 | FP 0-100 PSI



67-007 | Voltmeter 8-18 Volts



67-009 | OT 100°F - 320°F

GAUGE KEY:
OP - Oil Pressure / WT - Water Temp / OT - Oil Temp
FP - Fuel Pressure / WP - Water Pressure / VT - Battery Voltage

DIGITAL



67-107
QUICK TIMER

- *GPS sensor-equipped 2-1/16" digital gauge.*
- *Measures if a completed lap was faster or slower than the previous lap.*
- *Green light and LED display show time reduction for a faster lap.*
- *Red light and display indicate how much slower a lap was if the time increased.*
- *Provides immediate feedback for drivers to experiment with different lines on the track.*
- *Ideal for any racing that crosses the same starting point each lap.*



611-9017
BLUE LED VOLTMETER

- *Ideal solution for monitoring battery voltage.*
- *Incredibly lightweight, just 0.5 oz.*
- *Comes with gold-plated spade terminals, heat shrink, and mounting hardware.*
- *Designed to be inserted through a 1-1/8" hole.*



67-101
DIGITAL BRAKE BIAS GAUGE KIT W/ SENDERS

DIGITAL SERIES BY QUICKCAR

2 GAUGE PANELS

Part Number	OP	WT	Width	Height
67-2001	X	X	6-1/16"	3-5/8"



3 GAUGE PANELS



67-2031

Part Number	OP	WT	OT	FP15	FP100	WP	VT	Tach	Width	Height
67-2031	X	X						X	8-1/2"	3-5/8"
67-3011	X	X	X						8-1/2"	3-5/8"
67-3012	X	X		X					8-1/2"	3-5/8"
67-3016	X	X				X			8-1/2"	3-5/8"
67-3017	X	X					X		8-1/2"	3-5/8"
67-3018 **NEW!**	X	X			X				8-1/2"	3-5/8"

DIGITAL GAUGE PANELS

- *Fitted with precise 2-1/16" diameter digital electronic gauges.*
- *Gauges feature a digital blue LED readout and graduated scale for enhanced readability.*
- *Built-in warning light functions adjustable with a touch.*
- *Lights flash in the event of a problem, instantly alerts driver to issues.*
- *Panels are sold completely pre-wired for easy installation.*
- *Includes all necessary transducers and senders.*



DIGITAL

4 GAUGE PANELS

67-3041



Part Number	OP	WT	OT	FP15	FP100	WP	VT	Tach	Width	Height
67-3041	X	X	X					X	11"	3-5/8"
67-3042	X	X		X				X	11"	3-5/8"
67-3046	X	X				X		X	11"	3-5/8"
67-3047	X	X					X	X	11"	3-5/8"
67-3048 **NEW!**	X	X			X			X	11"	3-5/8"
67-4021	X	X	X	X					11"	3-5/8"
67-4022 **NEW!**	X	X	X		X				11"	3-5/8"
67-4023 **NEW!**	X	X	X			X			11"	3-5/8"
67-4026	X	X		X		X			11"	3-5/8"
67-4027	X	X	X				X		11"	3-5/8"
67-4028 **NEW!**	X	X			X	X			11"	3-5/8"

5 GAUGE PANELS

DIGITAL



67-4051

Part Number	OP	WT	OT	FP15	FP100	WP	VT	Tach	Width	Height
67-4051	X	X	X	X				X	13-1/2"	3-5/8"
67-4052 NEW!	X	X	X		X			X	13-1/2"	3-5/8"
67-4056	X	X		X		X		X	13-1/2"	3-5/8"
67-4057	X	X	X				X	X	13-1/2"	3-5/8"
67-4058 NEW!	X	X			X	X		X	13-1/2"	3-5/8"
67-5032 NEW!	X	X	X		X	X			13-1/2"	3-5/8"
67-5036	X	X	X	X		X			13-1/2"	3-5/8"
67-5037	X	X	X	X			X		13-1/2"	3-5/8"
67-5038 NEW!	X	X			X	X	X		13-1/2"	3-5/8"





TECH TIP:
Remotely mounting Pressure Sending units away from the engine greatly improves their longevity and is HIGHLY recommended.


REFINE

REDLINE GAUGES SERIES BY QUICKCAR

REDLINE SERIES

QUICKCAR REDLINE SERIES GAUGES
SLEEK / QUALITY / HIGH-PERFORMANCE

Similar to Digital Gauges, Redline Series Gauges are regarded as the "Snap-On" of electronic gauges. Combining exceptional quality with affordability, Redline Series Gauges are some of the best electronic gauges that you will find. The cameraman in the pits at Eldora is often shooting these gauges as they're turning on, watching them sweep in the car. It's an impressive sight!

Redline Series Gauges were the first to be available in multiple sizes, and they have been continually refined over time. You'll find these gauges installed in cars driven by some of the biggest names in racing.



REDLINE SERIES FEATURES

- *High quality and affordable.*
- *Available in multiple sizes.*
- *Multi-color LED backlighting.*
- *Lightweight plastic casing.*
- *Weatherproof.*



REDLINE
QUICKCAR

Redline series 2-5/8" and 2-1/16" diameter waterproof electronic stepper motor gauges have built-in-adjustable warning lights with white LED-lit numbers. The button on the face of the gauge is used to easily adjust the warning levels for the gauges, which then flash a designated color in order to alert drivers to problems. Redline gauges also feature adjustable brightness to accommodate for different drivers' preferences. Electronic gauges eliminate the need to run oil or fuel into the cockpit, making them a safer option than traditional mechanical gauges. Redline series gauges are available individually or in pre-wired panels that include all the wiring and sending units.





69-000 | FP 0-15 PSI

REDLINE

Senders, transducers, and pressure lines not included. Find these and other options in the Electronic Gauge Panel Accessories section on page 57.



69-003 | OP 0-100 PSI



69-005 | FP 0-100 PSI ***NEW!***

69-009 | OT 140°F - 320°F



69-006 | WT 100°F - 280°F



2-5/8" Diameter
(TO SCALE)



69-007 | Voltmeter 8-18 Volts



69-008 | WP 0-60 PSI


GAUGE KEY:
OP - Oil Pressure / WT - Water Temp / OT - Oil Temp
FP - Fuel Pressure / WP - Water Pressure / VT - Battery Voltage

REDLINE
SERIES BY QUICKCAR

REDLINE RECALL TACH VS. REDLINE MULTI-RECALL TACH

RECALL TACH 69-001

QuickCar's 2-5/8" Redline Tach is a single recall tach that features several cylinder settings, a shift light, and dimmable lighting. It can recall the single highest RPM of a run, reading from 0-10,000 RPM's in 100 RPM increments. Sold individually, it comes with mounting hardware for easy installation.



MULTI-RECALL TACH 63-002

QuickCar's 3-1/8" diameter Redline Multi-Recall Tachometer offers stepper motor accuracy and dependability for your racecar. The built-in multi-recall function allows recalling the 4 highest (straightaway) and corresponding 4 lower (corner) RPM's to help determine proper gearing. A programable shift light aids in performing timely shifts when desired. Bright LED 0-10,000 RPM range tach comes with black face and illuminated red pointer needle.

(ALSO AVAILABLE IN WHITE)




QUICKCAR
RED LINE

2 GAUGE PANELS

Part Number	OP		Width	Height
69-2001	X	X	7-1/4"	4-1/2"



3 GAUGE PANELS

69-3011



Part Number	OP	WT	OT	FP15	FP100	WP	VT	Recall Tach	Multi-Recall Tach	Width	Height
69-2031	X	X							X	10-3/4"	4-1/2"
69-2231	X	X						X		10-1/2"	4-1/2"
69-3011	X	X	X							10-1/2"	4-1/2"
69-3012	X	X		X						10-1/2"	4-1/2"
69-3016	X	X				X				10-1/2"	4-1/2"
69-3017	X	X					X			10-1/2"	4-1/2"
69-3018 **NEW!**	X	X			X					10-1/2"	4-1/2"

69-2031



REDLINE

4 GAUGE PANELS



69-4021

Part Number	OP	WT	OT	FP15	FP100	WP	VT	Recall Tach	Multi-Recall Tach	Width	Height
69-3041	X	X	X						X	13-7/8"	4-1/2"
69-3042	X	X		X					X	13-7/8"	4-1/2"
69-3046	X	X				X			X	13-7/8"	4-1/2"
69-3047	X	X					X		X	13-7/8"	4-1/2"
69-3048 **NEW!**	X	X			X				X	13-7/8"	4-1/2"
69-3241	X	X	X					X		13-5/8"	4-1/2"
69-3242	X	X		X				X		13-5/8"	4-1/2"
69-3246	X	X				X		X		13-5/8"	4-1/2"
69-3247	X	X					X	X		13-5/8"	4-1/2"
69-3248 **NEW!**	X	X			X			X		13-5/8"	4-1/2"
69-4021	X	X	X	X						13-5/8"	4-1/2"
69-4022 **NEW!**	X	X	X		X					13-5/8"	4-1/2"
69-4023 **NEW!**	X	X	X			X				13-5/8"	4-1/2"
69-4026	X	X		X		X				13-5/8"	4-1/2"
69-4027	X	X	X				X			13-5/8"	4-1/2"
69-4028 **NEW!**	X	X			X	X				13-5/8"	4-1/2"



69-3041

5 GAUGE PANELS

69-5037



Part Number	OP	WT	OT	FP15	FP100	WP	VT	Recall Tach	Multi-Recall Tach	Width	Height
69-4051	X	X	X	X					X	17"	4-1/2"
69-4052 NEW!	X	X	X		X				X	17"	4-1/2"
69-4056	X	X		X		X			X	17"	4-1/2"
69-4057	X	X	X				X		X	17"	4-1/2"
69-4058 NEW!	X	X			X	X			X	17"	4-1/2"
69-4251	X	X	X	X				X		17"	4-1/2"
69-4252 NEW!	X	X	X		X			X		17"	4-1/2"
69-4256	X	X		X		X		X		17"	4-1/2"
69-4257	X	X	X				X	X		17"	4-1/2"
69-4258 NEW!	X	X			X	X		X		17"	4-1/2"
69-5032	X	X	X		X	X				17"	4-1/2"
69-5036	X	X	X	X		X				17"	4-1/2"
69-5037	X	X	X	X			X			17"	4-1/2"
69-5038 NEW!	X	X			X	X	X			17"	4-1/2"



69-4051

REDLINE DASH PANELS




69-821-031

RACE-READY DASH PANELS WITH REDLINE GAUGES AND QUICKCAR SWITCHES.

Part No.	Usage	Gauges Included	Wiring Harness (Purchased Separately)
69-821-031	Single Ignition Box	OP/WT/OT/FP	50-2031 (Page 98)
69-823-031		OP/WT/OT/WP	
69-826-031		OP/WT/FP/WP	
69-821-011	Dual Ignition Boxes	OP/WT/OT/FP	50-2021 (Page 104)
69-823-011		OP/WT/OT/WP	
69-826-011		OP/WT/FP/WP	
69-821-034	Single Ignition Box, Dual Magnetic Pick-up	OP/WT/OT/FP	50-2034 (Page 103)
69-823-034		OP/WT/OT/WP	
69-826-034		OP/WT/FP/WP	


REDLINE NORTHEAST MOD DASH PANEL (69-812-038) OFFERED IN THE SPECIALTY COMPONENTS SECTION.



REDLINE 2 1/16

NEW! REDLINE 2-1/16" GAUGES

SERIES BY QUICKCAR



Introducing the all-new Redline Series 2-1/16" Gauges. The next generation of gauges contains the same high-quality visual display, and an even lighter weight construction than our already lightweight Redline Series gauges.

- *Compact design.*
- *Multi-color LED backlighting.*
- *Lightweight plastic casing.*
- *Weatherproof.*





2 1/16

(TO SCALE)

Part No.	Gauges Included
65-000	Fuel Pressure 15-PSI Gauge
65-003	Oil Pressure Gauge
65-005	Fuel Pressure 100-PSI Gauge
65-006	Water Temperature Gauge
65-007	Voltmeter
65-008	Water Pressure Gauge
65-009	Oil Temperature Gauge
65-012	Boost/Vacuum Gauge -30/30 PSI





65-000



65-003



65-005



65-006



65-007



65-008



65-009



65-012

Senders, transducers, and pressure lines not included. Find these and other options in the Electronic Gauge Panel Accessories section on page 57.

REDLINE SERIES BY QUICKCAR

NEW! REDLINE 2-1/16" GAUGE PANELS

2 GAUGE PANELS

Part Number	Gauge Size	OP	WT	Width	Height
65-2001	2-1/16"	X	X	6-1/16"	3-5/8"





65-3011

3 GAUGE PANELS

Part Number	Gauge Size	Tach Size	OP	WT	OT	FP15	FP100	WP	VT	Recall Tach	Width	Height
65-2031	2-1/16"	2-5/8"	X	X						X	8-3/4"	4-1/2"
65-3011	2-1/16"		X	X	X						7-5/8"	4-1/2"
65-3012	2-1/16"		X	X		X					7-5/8"	4-1/2"
65-3016	2-1/16"		X	X				X			7-5/8"	4-1/2"
65-3017	2-1/16"		X	X					X		7-5/8"	4-1/2"
65-3018	2-1/16"		X	X			X				7-5/8"	4-1/2"

2 1/16

4 GAUGE PANELS



65-4021

Part Number	Gauge Size	Tach Size	OP	WT	OT	FP15	FP100	WP	VT	Recall Tach	Width	Height
65-3041	2-1/16"	2-5/8"	X	X	X					X	10-1/2"	4-1/2"
65-3042	2-1/16"	2-5/8"	X	X		X				X	10-1/2"	4-1/2"
65-3046	2-1/16"	2-5/8"	X	X				X		X	10-1/2"	4-1/2"
65-3047	2-1/16"	2-5/8"	X	X					X	X	10-1/2"	4-1/2"
65-3048	2-1/16"	2-5/8"	X	X			X			X	10-1/2"	4-1/2"
65-4021	2-1/16"		X	X	X	X					10-1/8"	4-1/2"
65-4022	2-1/16"		X	X	X		X				10-1/8"	4-1/2"
65-4023	2-1/16"		X	X	X			X			10-1/8"	4-1/2"
65-4026	2-1/16"		X	X		X		X			10-1/8"	4-1/2"
65-4027	2-1/16"		X	X	X				X		10-1/8"	4-1/2"
65-4028	2-1/16"		X	X			X	X			10-1/8"	4-1/2"

REDLINE 2 1/16 SERIES BY QUICKCAR

NEW! REDLINE 2-1/16" GAUGE PANELS

5 GAUGE PANELS



65-5036

Part Number	Gauge Size	Tach Size	OP	WT	OT	FP15	FP100	WP	VT	Recall Tach	Width	Height
65-4051	2-1/16"	2-5/8"	X	X	X	X				X	13-5/8"	4-1/2"
65-4052	2-1/16"	2-5/8"	X	X	X		X			X	13-5/8"	4-1/2"
65-4056	2-1/16"	2-5/8"	X	X		X		X		X	13-5/8"	4-1/2"
65-4057	2-1/16"	2-5/8"	X	X	X				X	X	13-5/8"	4-1/2"
65-4058	2-1/16"	2-5/8"	X	X			X	X		X	13-5/8"	4-1/2"
65-5032	2-1/16"		X	X	X		X	X			13-5/8"	4-1/2"
65-5036	2-1/16"		X	X	X	X		X			13-5/8"	4-1/2"
65-5037	2-1/16"		X	X	X	X			X		13-5/8"	4-1/2"
65-5038	2-1/16"		X	X			X	X	X		13-5/8"	4-1/2"



TECH TIP:
Bundling the excess wire on a gauge can lead to electromagnetic interference, QuickCar can cut electric gauge leads to length to avoid this potential problem.


EXTREME
210
180
QUICKCAR
140
260
280
WATER
TEMP
°F
QUICKCAR

EXTREME

SERIES BY QUICKCAR

QUICKCAR
EXTREME SERIES

*Referred to as the **'Sherman Tank'** of gauges, QuickCar's Extreme Series is known for rugged durability and heavy-duty construction, designed to outlast the lifespan of your race car without needing replacement parts.*

Extreme Series Gauges revolutionized mechanical instrumentation with built-in warning lights and daylight-bright LED lighting with multi-colored displays. Visible even from the stands, they are easily recognizable compared to competitors' dim, yellow displays. Extreme Series Gauges combine classic technology with innovative reliability.

BENEFITS OF EXTREME SERIES GAUGES:

- *Top-of-the-line mechanical gauges with exceptional durability.*
- *Internal warning light system triggers multi-colored LED warning light displays.*
- *Features full-face illumination.*



TECH TIP:
Water systems can have small air pockets that can find their way into the temperature probe adapter. This can cause the air pockets to produce steam during engine operation and lead to high water temperature readings.



Warning light kits and pressure lines not included with Extreme Gauges.
Find these and more options in Gauge Panel Accessories on page 60.

611-7000 | FP 0-15 PSI

611-7003 | OP 0-100 PSI





611-7006 | WT 100°F - 280°F



611-7007 | Voltmeter 8-18 VOLTS

611-7008 | WP 0-100 PSI





611-7009 | OT 100°F - 320°F





GAUGE KEY:
OP - Oil Pressure / WT - Water Temp
OT - Oil Temp / FP - Fuel Pressure
WP - Water Pressure / VT - Battery Voltage

CHECK OUT OUR SELECTION OF TACHOMETERS ON PAGE 66-68.

2 GAUGE PANELS



Part Number	OP	WT	Width	Height
61-7001	X	X	7-1/4"	4-1/2"

3 GAUGE PANELS

61-7011





61-7731

Part Number	OP	WT	OT	FP15	WP	VT	Extreme Digital Tach	5" Tach	3-3/8" Tach	Redline Multi-Recall Tach	Width	Height
61-7011	X	X	X								10-1/2"	4-1/2"
61-7012	X	X		X							10-1/2"	4-1/2"
61-7016	X	X			X						10-1/2"	4-1/2"
61-7017	X	X				X					10-1/2"	4-1/2"
61-7031	X	X					X				10-1/2"	4-1/2"
61-7331 **NEW!**	X	X								X	10-3/4"	4-1/2"
61-7731	X	X						X			11-7/8"	4-1/2"
61-77313	X	X							X		11-7/8"	4-1/2"

4 GAUGE PANELS

61-7021






61-7741

Part Number	OP	WT	OT	FP	WP	VT	Extreme Digital Tach	5" Tach	3-3/8" Tach	Redline Multi-Recall Tach	Width	Height
61-7021	X	X	X	X							13-5/8"	4-1/2"
61-7023	X	X	X		X						13-5/8"	4-1/2"
61-7026	X	X		X	X						13-5/8"	4-1/2"
61-7027	X	X	X			X					13-5/8"	4-1/2"
61-7041	X	X	X				X				13-5/8"	4-1/2"
61-7042	X	X		X			X				13-5/8"	4-1/2"
61-7046 NEW!	X	X			X		X				13-5/8"	4-1/2"
61-7047 NEW!	X	X				X	X				13-5/8"	4-1/2"
61-7341 NEW!	X	X	X							X	13-7/8"	4-1/2"
61-7342 NEW!	X	X		X						X	13-7/8"	4-1/2"
61-7346 NEW!	X	X			X					X	13-7/8"	4-1/2"
61-7347 NEW!	X	X				X				X	13-7/8"	4-1/2"
61-7741	X	X	X					X			15-1/8"	4-1/2"
61-77413	X	X	X						X		15-1/8"	4-1/2"
61-7742	X	X		X				X			15-1/8"	4-1/2"
61-77423	X	X		X					X		15-1/8"	4-1/2"
61-7746	X	X			X			X			15-1/8"	4-1/2"
61-77463	X	X			X				X		15-1/8"	4-1/2"
61-7747	X	X				X		X			15-1/8"	4-1/2"
61-77473	X	X				X			X		15-1/8"	4-1/2"

5 GAUGE PANELS

EXTREME



61-7056

Part Number	OP	WT	OT	FP15	WP	VT	Extreme Digital Tach	5" Tach	3-3/8" Tach	Redline Multi-Recall Tach	Width	Height
61-7051	X	X	X	X			X				17"	4-1/2"
61-7052 NEW!	X	X		X	X		X				17"	4-1/2"
61-7056	X	X	X	X	X						17"	4-1/2"
61-7057 NEW!	X	X	X			X	X				17"	4-1/2"
61-7067 NEW!	X	X	X	X		X					17"	4-1/2"
61-7351 NEW!	X	X	X	X						X	17"	4-1/2"
61-7356 NEW!	X	X		X	X					X	17"	4-1/2"
61-7357 NEW!	X	X	X			X				X	17"	4-1/2"
61-7751	X	X	X	X				X			17"	4-1/2"
61-77513	X	X	X	X					X		18-3/8"	4-1/2"
61-7756 NEW!	X	X		X	X			X			18-3/8"	4-1/2"
61-77563 NEW!	X	X		X	X				X		18-3/8"	4-1/2"
61-7757 NEW!	X	X	X			X		X			18-3/8"	4-1/2"
61-77573 NEW!	X	X	X			X			X		18-3/8"	4-1/2"

61-7751



EXTREME DASH PANELS



61-821-031

RACE-READY DASH PANELS WITH EXTREME GAUGES AND QUICKCAR SWITCHES.


Part No.	Usage	Gauges Included	Wiring Harness (Purchased Separately)
61-821-031	Single Ignition Box	OP/WT/OT/FP	50-2031 (Page 98)
61-823-031		OP/WT/OT/WP	
61-826-031		OP/WT/FP/WP	
61-821-011	Dual Ignition Boxes	OP/WT/OT/FP	50-2021 (Page 104)
61-823-011		OP/WT/OT/WP	
61-826-011		OP/WT/FP/WP	
61-821-034	Single Ignition Box, Dual Magnetic Pick-up	OP/WT/OT/FP	50-2034 (Page 103
61-823-034		OP/WT/OT/WP	
61-826-034		OP/WT/FP/WP	

EXTREME NORTHEAST MOD DASH PANEL (61-812-038) OFFERED IN THE SPECIALTY COMPONENTS SECTION.





TECH TIP:
Support and secure the lines that come out of the pressure gauges. This keeps the weight of the lines from bouncing and potentially damaging the gauges.


LEGEND
6
7
8
9
10
CLEAR
240
200
180
140
280
QUICKCAR
WATER
TEMP
°F

LEGEND

QUICKCAR LEGEND SERIES

The Legend Series is the original QuickCar gauge series. These gauges set the industry standard for years until they were outdone by the Extreme Series Gauges. Even so, our Legend Series remains a popular choice to this day. They were also the first gauges to be integrated into a dedicated gauge panel, offering a polished, professional look right out of the box – and a better option than cutting holes and hoping for the best.

Long-time customers trust Legend Series Gauges for their consistent performance, affordability, and dependability. With cleaner, improved wiring and updated LED lighting, the Legend Series continues to live up to the standards we set for a complete gauge panel package, blending the best of its trusted heritage with modern innovation.

BENEFITS OF LEGEND SERIES GAUGES:

- *Trusted Industry Standard.*
- *Polished, professional look.*
- *Clean and innovative wiring.*
- *Updated with LED lighting.*
- *Easy installation.*



LEGEND

Warning light kits and pressure lines not included with Legend Gauges.
Find these and more options in Gauge Panel Accessories on page 61-63.



611-6000 | FP 0-15 PSI



611-6003 | OP 0-100 PSI



611-6006 | WT 100°F - 280°F



611-6007 | Voltmeter 8-18 Volts



611-6009 | OT 100°F - 340°F




611-6018 | WP 0-60 PSI ***NEW!***



CHECK OUT OUR SELECTION OF
TACHOMETERS ON PAGE 66-68.

GAUGE KEY:
OP - Oil Pressure / WT - Water Temp
OT - Oil Temp / FP - Fuel Pressure
WP - Water Pressure / VT - Battery Voltage



TECH TIP:
When mounting gauges in composite materials (fiberglass, carbon fiber, etc.) a ground strap from the mounting stud will be needed to make the gauge lights operate.

LEGEND

SERIES BY QUICKCAR

61-6001





61-6701

2 GAUGE PANELS

Part Number	Pattern	OP	WT	Width	Height
61-6001	Checkered	X	X	7-1/4"	4-1/2"
61-6701	Black	X	X	7-1/4"	4-1/2"

3 GAUGE PANELS



61-6011



61-6731

Part Number	Pattern	OP	WT	OT	FP15	WP	VT	5" Tach	3-3/8" Tach	Width	Height
61-6011	Checkered	X	X	X						10-1/2"	4-1/2"
61-6012	Checkered	X	X		X					10-1/2"	4-1/2"
61-6016 **NEW!**	Checkered	X	X			X				10-1/2"	4-1/2"
61-6031	Checkered	X	X					X		11-7/8"	4-1/2"
61-60313	Checkered	X	X						X	11-7/8"	4-1/2"
61-6711	Black	X	X	X						10-1/2"	4-1/2"
61-6712	Black	X	X		X					10-1/2"	4-1/2"
61-6716 **NEW!**	Black	X	X			X				10-1/2"	4-1/2"
61-6717	Black	X	X				X			10-1/2"	4-1/2"
61-6731	Black	X	X					X		11-7/8"	4-1/2"
61-67313	Black	X	X						X	11-7/8"	4-1/2"

LEGEND

4 GAUGE PANELS



61-60423



61-6721

Part Number	Pattern	OP	WT	OT	FP15	WP	VT	5" Tach	3-3/8" Tach	Width	Height
61-6021	Checkered	X	X	X	X					13-5/8"	4-1/2"
61-6041	Checkered	X	X	X				X		15-1/8"	4-1/2"
61-60413	Checkered	X	X	X					X	15-1/8"	4-1/2"
61-6042	Checkered	X	X		X			X		15-1/8"	4-1/2"
61-60423	Checkered	X	X		X				X	15-1/8"	4-1/2"
61-6721	Black	X	X	X	X					13-5/8"	4-1/2"
61-6723 **NEW!**	Black	X	X	X		X				13-5/8"	4-1/2"
61-6726 **NEW!**	Black	X	X		X	X				13-5/8"	4-1/2"
61-6727 **NEW!**	Black	X	X	X			X			13-5/8"	4-1/2"
61-6741	Black	X	X	X				X		15-1/8"	4-1/2"
61-67413	Black	X	X	X					X	15-1/8"	4-1/2"
61-6742	Black	X	X		X			X		15-1/8"	4-1/2"
61-67423	Black	X	X		X				X	15-1/8"	4-1/2"
61-6746 **NEW!**	Black	X	X			X		X		15-1/8"	4-1/2"
61-67463 **NEW!**	Black	X	X			X			X	15-1/8"	4-1/2"
61-6747 **NEW!**	Black	X	X				X	X		15-1/8"	4-1/2"
61-67473 **NEW!**	Black	X	X				X		X	15-1/8"	4-1/2"

5 GAUGE PANELS

LEGEND

61-6051



61-67513



Part Number	Pattern	OP	WT	OT	FP15	WP	VT	5" Tach	3-3/8" Tach	Width	Height
61-6051	Checkered	X	X	X	X			X		18-3/8"	4-1/2"
61-60513	Checkered	X	X	X	X				X	18-3/8"	4-1/2"
61-6751	Black	X	X	X	X			X		18-3/8"	4-1/2"
61-67513	Black	X	X	X	X				X	18-3/8"	4-1/2"
61-6756 **NEW!**	Black	X	X		X	X		X		18-3/8"	4-1/2"
61-67563 **NEW!**	Black	X	X		X	X			X	18-3/8"	4-1/2"
61-6757 **NEW!**	Black	X	X	X			X	X		18-3/8"	4-1/2"
61-67573 **NEW!**	Black	X	X	X			X		X	18-3/8"	4-1/2"
61-6766 **NEW!**	Black	X	X	X	X	X				16-7/8"	4-1/2"
61-6767 **NEW!**	Black	X	X	X	X		X			16-7/8"	4-1/2"

TECH TIP:
Incorrectly tightening a pressure gauge can cause failure. A 9/16" wrench on the tee/jam nut on the back of the gauge helps support the torque transferred to the gauge when tightening lines.



GAUGE VISORS NEW!

Part No.	Description
61-216	2-1/16" Gauge Visor **NEW!**
61-258	2-5/8" Gauge Visor **NEW!**



ELECTRONIC GAUGE SERIES ACCESSORIES

ACCESSORIES FOR OUR DIGITAL SERIES AND REDLINE SERIES GAUGE PANELS

FIREWALL SENSOR JUNCTIONS

- Black anodized billet aluminum.
- Connects pressure lines to pressure transducers.
- Essential for stepper motor gauges.
- Typically mounted on firewall.
- Features 1/8" NPT threads for transducers on interior side of firewall.
- Pressure lines connect adjacently on engine side of firewall.
- Flexible installation options: available with or without accessory wiring holes.



63-121



63-130



63-132

Part No.	Description
63-120	Two-Terminal Junction
63-121	Two-Terminal Junction with Single Accessory Hole
63-130	Three-Terminal Junction
63-132	Three-Terminal Junction with Two Accessory Holes

ELECTRONIC PRESSURE GAUGE LINE KITS

- Provides easy connection to most electrical pressure gauges and sending units.
- Includes listed length of -4AN braided stainless steel hose with -4AN ends.
- Comes with male and female 1/8" NPT adapters to fit most applications.

Part No.	Description
63-71012	Kit with 12" Line
63-71024	Kit with 24" Line
63-71036	Kit with 36" Line
63-71048	Kit with 48" Line
63-71060	Kit with 60" Line



ELECTRONIC PRESSURE SENDER ADAPTER
63-722

- Black anodized aluminum fitting.
- 1/8" NPT female end to -4AN male end.
- Allows electronic pressure senders to be mounted remotely.
- Helps to avoid excessive exposure to engine heat and vibrations.



PRESSURE & TEMPERATURE SENDERS



TWO-WIRE TEMP SENDER
63-225

- Measures oil and water temperature.
- Works in conjunction with Digital or Redline stepper gauges.
- Internally grounded temperature sender features 1/8" NPT thread.

OIL/WATER PRESSURE SENDER
63-230

- Oil/water pressure sender/ transducer.
- Reads 0-100 PSI.
- 1/8" NPT thread.





FUEL PRESSURE SENDER
63-240

- Fuel pressure sender/transducer.
- Reads 0-15 PSI.
- 1/8" NPT thread.



REDLINE 2-1/16" BOOST GAUGE SENSOR *NEW!*
63-280

- Sensor for Redline 2-1/16" Boost Gauge.

ELECTRIC PRESSURE SENDER
63-270

- Brake Pressure sender/transducer.
- Reads 0-1600 PSI.
- 1/8" NPT thread.



*Please contact QuickCar sales/tech team to assure proper sending unit and gauge compatibility.

MECHANICAL GAUGE SERIES ACCESSORIES

ACCESSORIES FOR OUR LEGEND AND EXTREME SERIES GAUGE PANELS.



LED BULBS



61-691



61-692



61-693



61-694

LED BULBS

- Bulbs fit into backlighting of Legend QuickCar gauges.
- Provides bright and reliable illumination.
- Offers improved gauge readability while using less power.
- Perfect for 16V applications.

Part No.	Description
61-691	Red, Pair
61-692	Blue, Pair
61-693	Amber, Pair
61-694	Green, Pair
61-698	White, 4-Pack
61-699	White, Each



61-698

GAUGE PANEL ACCESSORIES



REPLACEMENT LIGHT/SOCKET FOR LEGEND SERIES GAUGES
611-33

- Bright white LED interior light.
- Replacement light/socket, sold each.

MINI FUEL PRESSURE GAUGES

- Ideally mounted to fuel pressure regulators or fuel logs.
- Mini 1-1/2" diameter fuel pressure gauges.
- Liquid-filled for added durability.



611-90100



611-9015

Part No.	Description
611-9015	0-15PSI
611-90100	0-100PSI

PRESSURE GAUGE FITTINGS & ADAPTERS



61-720



61-721



61-722



61-723



61-724



61-725

Part No.	Description
61-720	1/8" NPT "T"-Fitting, (2) Female Ports, (1) Male Port
61-721	1/8" NPT "T"-Fitting, (3) Female Ports
61-722	Aluminum Tee Fitting, 1/8" NPT ports to -4AN
61-723	Black Anodized Aluminum, 90° Fitting, -4AN to 1/8" NPT
61-724	1/8" NPT Female to -4AN Male Gauge Adapter
61-725	1/8" NPT Male to -4AN Male Gauge Adapter

1/8" NPT PRESSURE GAUGE LINE KITS

- Designed to connect mechanical pressure gauges.
- Available with copper or nylon tubing.
- Each kit includes the required fittings.

Part No.	Kit Type
61-710	Nylon Gauge Line Kit
61-7101	Copper Gauge Line Kit





TEMPERATURE ADAPTERS

Adapters used to connect mechanical/electric water/oil temperature gauges to engine.

Part No.	Description
611-900	1/2" NPT Brass Adapter
611-902	3/8" NPT Aluminum Adapter
611-903*	3/8" NPT Extended Aluminum Adapter
611-904	1/8" NPT to 1/2" NPT Brass Adapter
611-905	1/8" NPT to 3/8" NPT Brass Adapter
611-908*	1/2" NPT M to 5/8"-18 F Extended Aluminum Adapter

* Denotes adapter for use on applications where the temperature probe contacts the inside of the cylinder head before tightening. This is typically required for most aluminum heads.


611-900


611-902


611-904


611-903


611-905


611-908

EXTREME SERIES PRESSURE / TEMPERATURE WARNING KITS *NEW!*

Part No.	Description
61-611	Oil Pressure Warning Kit 20PSI **NEW!**
61-615	Oil Pressure Warning Kit 30PSI **NEW!**
61-614	Oil Temperature Warning Kit 280°F **NEW!**
61-617	Water Temperature Warning Kit 200°F **NEW!**
61-612	Water Temperature Warning Kit 235°F **NEW!**
61-613	Water Pressure Warning Kit 4PSI **NEW!**
61-619	Fuel Pressure Warning Kit 4PSI **NEW!**


61-611


61-612

FUEL PRESSURE ISOLATOR
61-300

Our Fuel Pressure Isolator helps to eliminate hazards associated with driver's compartment-mounted fuel pressure gauges. Typically mounted to the engine side firewall, the isolator is plumbed with a pressure source on the inlet side and an anti-freeze/water mix on the outlet, which connects to the gauge.

- Compatible with gasoline, alcohol, or methanol fuels.
- Made from black anodized, billet 6061-T6 aluminum for durability.
- Capable of monitoring pressures up to 80 PSI.
- Sold complete with -4AN adapter fittings, mounting bracket, and necessary hardware.





MECHANICAL PRESSURE GAUGE LINE KITS

- Includes two 1/8" NPT to -4AN adapter fittings.
- Comes with -4AN stainless steel braided line for hooking up pressure gauges.

Part No.	Description
61-71012	Kit with 12" Line
61-71024	Kit with 24" Line
61-71036	Kit with 36" Line
61-71048	Kit with 48" Line
61-71060	Kit with 60" Line

PRESSURE & TEMPERATURE SWITCHES



FUEL/WATER PRESSURE SWITCH
61-730

- Activates warning light when fuel pressure drops below 4 PSI.
- Switch has 1/8" NPT.

OIL PRESSURE SWITCH

- Switches are offered to activate oil pressure warning light at 20 or 30 PSI.
- Switches have 1/8" NPT.



Part No.	Activation Pressure
61-733	Activates at 30 PSI
61-735	Activates at 20 PSI

WATER TEMPERATURE SWITCHES

- Activates warning light when water temperature rises to 235°F.
- Offered with 3/8" or 1/2" NPT.



Part No.	Thread Size
61-740	1/2" NPT
61-748	3/8" NPT



OIL TEMPERATURE SWITCH
61-750

- Activates warning light when oil temperature rises above 280°F.
- Switch has 1/2" NPT thread.

3-PACK OF SWITCHES
61-751

Oil Pressure/Water Temperature/Fuel Pressure



4-PACK OF SWITCHES
61-752

Oil Pressure/Water Temperature/Fuel Pressure /Oil Temperature



LED WARNING LIGHTS



61-701



61-702



61-704



61-709

STANDARD 3/4" WARNING LIGHTS

- Simple snap-in design.
- Designed for QuickCar gauge panels.

Part No.	Description
61-701	Red
61-702	Blue
61-704	Amber
61-709	Green
61-706	4-Piece Warning Light Kit



61-801



61-802



61-803



61-804



61-809

COMPACT 3/8" WARNING LIGHTS

- Smaller, more compact design.
- Threaded body for secure installation.

Part No.	Color
61-801	Red
61-802	Blue
61-803	White
61-804	Amber
61-809	Green

RED LED LIGHT STRIP
61-790

- Typically mounted to dashboard and wired to a warning light for quick driver alerts.
- 18" long red LED strip.
- Can be trimmed to the desired length.
- Sold complete with necessary wiring.



EXAMPLE OF LED STRIP W/ PANEL (PANEL NOT INCLUDED)



61-757

1" AND 1-1/4" HOSE ADAPTERS

- Designed to splice into radiator hose.
- Allows temp sender or bleeder valve to be installed where space is an issue.

Part No.	Adapter
61-756	1" Hose with 1/8" NPT port
61-757	1-1/4" Hose with 1/2" NPT port

LEGEND WARNING LIGHT KITS

QuickCar Warning Light Kits are designed to immediately alert the driver of low pressure or high temperature, helping to prevent engine damage and maintain optimal performance. Features of these kits include:

- High-visibility warning light.
- Pressure/temperature switch.
- Pre-terminated wiring.
- Sold as complete, ready-to-install kit.



OIL PRESSURE KIT
61-711

- Warning light color: Red
- Sending unit activation: Oil pressure drops below 20 PSI
- Additional components: Brass in-line tee.



WATER TEMPERATURE KIT
61-712

- Warning light color: Blue.
- Sending unit activation: Water temperature exceeds 235°F.

WATER PRESSURE KIT
61-713

- Warning light color: Blue.
- Sending unit activation: Water pressure drops below 4 PSI.
- Additional features: Instant notice of coolant pressure loss; sending unit can be installed anywhere in the cooling system.





OIL TEMPERATURE KIT
61-714

- Warning light color: Amber.
- Sending unit activation: Oil temperature exceeds 280°F.
- Sending unit can be installed anywhere in the cooling system.

WATER PRESSURE KIT
61-719

- Warning light color: Green.
- Sending unit activation: Fuel pressure drops below 4 PSI.
- Additional components: Brass in-line tee.
- sending unit can be installed anywhere in the cooling system.





WATER PRESSURE KIT WITH 2-1/16" DIA. GAUGE
61-716

Monitor critical water pressure levels to prevent engine damage with this comprehensive kit. Similar to kit 61-713, but includes Legend Series water pressure gauge.

- Includes 2-1/16" Diameter QuickCar mechanical water pressure gauge, 0-35 PSI.
- Warning light color: Blue.
- Sending unit activation: Water pressure drops below 4 PSI.
- Additional components: Brass in-line tee.

Part No.	Description
61-697	Replacement LED Bulb
611-6008	Replacement Gauge, 0-35 PSI




4
5
6
7
8
9
10
RPM
X 1000
RECALL
CLEAR
240
200
260
180
280
140
WATER
TEMP
°F

TACHOMETERS

QuickCar tachometers are sold individually, or found in our pre-assembled, ready-to-install panels.



3-3/8" TACH
611-6002
3-3/8" Diameter

- Made in the USA.
- 3-3/8" diameter tachometer with an aluminum case.
- Displays a 0-10,000 RPM range on a silver dial face with a bright orange pointer.
- Designed for in-dash mounting.
- Features bright white LED backlighting.
- Memory recall switch for the highest RPM achieved in previous session.
- Compliant with all sanctioning bodies - fully analog design with no microprocessor.



REMOTE RECALL SWITCH
611-096

- Included with the 3-3/8" Tach.
- Recalls and Erases memory from 3-3/8" Tach.



REDLINE TACH
69-001
2-5/8" Diameter

- Compact 2-5/8" diameter tachometer, ideal for installation in tight spaces.
- Reads up to 10,000 RPM and includes a single high-RPM recall feature.
- Equipped with an adjustable warning/shift light.
- Compatible with various engine and cylinder combinations.



5" TACH
611-6001
5" Diameter

- Made in the USA.
- Bright white LED backlighting.
- Silver dial face with bright orange pointer.
- Displays a 0-10,000 RPM range.
- Memory recall for the highest RPM achieved in previous session.
- Compliant with all sanctioning bodies—fully analog design with no microprocessor.

TACHOMETERS



EXTREME DIGITAL TACH
611-7010
2-5/8" Diameter

- Compact 2-5/8" diameter digital tachometer.
- Works with 12V-16V car battery power.
- Can function as an RPM indicator or a shift light.
- RPM settings adjustable by simply touching the lens.
- Memory recall for the highest RPM achieved in previous session.



DIGITAL TACH
67-001
2-1/16" Diameter

- Lightweight 2-1/16" diameter tachometer.
- Bright blue, easy-to-read digital display.
- Features a 0-10,000 RPM range.
- High-RPM recall function.
- Adaptable to various engine and cylinder configurations.





63-002



63-001

REDLINE MULTI-RECALL TACH
3-1/8"" Diameter

- Precise and dependable 3-1/8" diameter tach with stepper motor.
- Built-in multi-recall function.
- Recall four highest (straightaway) and four lower (corner) RPM readings.
- Programmable shift light assists.
- Bright LED-lit, 0-10,000 RPM range.
- Available with black or white dial faces.

TACHOMETERS

HIGH/LOW TACHOMETER
611-106

- Compact display, 4" wide x 2-1/2" high.
- Features easy-to-read digital backlit display.
- Programmable RPM warning/shift light for enhanced performance.
- Displays ten (10) highest and ten (10) lowest RPM readings after engine is shut off.
- RPM graph allows for scrolling, selecting, and replaying all RPM events.
- Compatible with multiple engine and cylinder configurations.









611-099



611-100

QUICKTACH LCD RECALL TACH

- Compact LCD digital display, 1-3/4" wide x 3/4" high.
- Recalls the highest RPM attained during the last session.
- Recalls RPM for up to 15 minutes after the engine is shut down.
- Reset button allows users to clear the RPM recall during event.
- Lightweight unit with a waterproof aluminum case.
- Not compatible with magneto systems.
- Powered by a 9-volt battery.







QUICKTACH 2
611-102

- Made in the USA.
- Recalls the four (4) highest and four (4) lowest RPM readings from the previous session.
- Bright white LED readout for quick and easy reading.
- Compact 3" x 3" size for easy mounting.

OPEN WHEEL/SPRINT CAR COMPONENTS

DELUXE SPRINT GAUGE PANELS



61-6005

- Self-contained low oil pressure warning system.
- 2-5/8" gauges.
- Lightweight aluminum panel.
- Sold complete with quick fasteners and battery.

Part No.	Description
61-6005	Sprint 2-5/8" Gauge Panel w/ Low Oil Warning
61-6005-1	Sprint 2-5/8" Gauge Panel w/ Low Oil Warning, Magneto Switch

PRO SPRINT GAUGE

61-6004



61-6006



Part No.	Description
61-6004	Sprint 2-5/8" Gauge Panel
61-6006	Sprint 2-5/8" Gauge Panel w/ Vertical Dzus Mount

- Lightweight and durable.
- 2-5/8" gauges.
- Lightweight aluminum panel.
- Sold complete with quick fasteners and battery.

REPLACEMENT GAUGES

Part No.	Description
611-6004	Sprint 2-5/8" Oil Pressure Gauge, 0-100 PSI, 1/8" NPT
611-6005	Sprint 2-5/8" Water Temperature Gauge, 100°F - 280° F, 48" Lead

Part No.	Description
611-6204	Sprint 2-1/16" Oil Pressure Gauge, 0-100 PSI, -4AN
611-6205	Sprint 2-1/16" Water Temperature Gauge, 100°F - 250° F, 42" Lead



611-6004



611-6005



611-6204



611-6205

OPEN WHEEL GAUGE PANELS

61-2204



61-2205



- Specifically designed for use with open-wheel race cars such as midgets and sprint cars.
- 2-1/16" short sweep gauges. Mounted in black aluminum panels.
- Lightweight design with no backlighting.

Part No.	Description
61-2204	Micro/Midget 2-1/16" Gauge Panel
61-2205	Sprint 2-1/16" Gauge Panel w/ Switch

EXTREME SPRINT CAR PANEL WITH BATTERY

61-7705

- Extreme 2-5/8" diameter mechanical gauges.
- Includes activation switch.
- LED-lit gauges powered by built-in compact 12-volt battery.
- Switches automatically from white to designated color if a problem arises.



CARBON FIBER SPRINT CAR PANEL W/ OIL PRESURE WARNING LIGHT

61-7205

- Lightweight, carbon fiber panel with rubber mounting grommets.
- Features a bright LED warning light for oil pressure.
- Fully self-contained with a replaceable 9V battery (included).
- Sold pre-wired, with Dzus fasteners, for easy installation.





SPRINT CAR WIRING HARNESS
50-7220



EXTENDED TEMPERATURE ADAPTER BUNG
611-903
Extended aluminum fitting for temperature gauge. Long Temp adapter for when temperature probe is unable to be tightened because of interference inside the port.

- Straight 5/8”-18 female to 3/8” NPT male.
- Black anodized aluminum.
- Sold individually.



61-717

61-718



OIL PRESSURE WARNING KITS

- Self-contained kits.
- Powered by a 9-volt battery.
- Indicates immediate warning of oil pressure loss.
- Completely pre-wired and ready to install.
- Includes switch, tee fitting, oil pressure sending unit, and battery.
- Deluxe kit features aluminum tee fitting and weatherproof switch.

Part No.	Description
61-717	Oil Pressure Warning Kit
61-718	Deluxe Oil Pressure Warning Kit



DIGITAL

OPEN WHEEL GAUGE PANELS

- Digital 2-1/16" diameter gauges with bright blue readout and graduated scale.
- Built-in warning lights can be preset to flash in the event of a problem.
- Weather-resistant and self-contained.
- Powered by a compact 12-volt rechargeable battery pack, charger included.
- Also available for vehicles with existing 12-volt power.

67-2004



67-2005



Part No.	Description
67-2004	Digital 2-1/16" Micro/Midget Gauge Panel
67-2005	Digital 2-1/16" Sprint Gauge Panel *Includes Battery and Charger





67-003



67-006



Part No.	Description
67-003	OP Gauge 0-100 PSI
67-006	WT Gauge 100ºF - 280ºF

REDLINE

OPEN WHEEL GAUGE PANELS

- Redline 2-5/8” stepper gauges.
- Gauges pre-programmed to change colors and flash when a problem arises.
- Warning levels adjustable using a button on the gauge face.
- Panels sold pre-assembled, pre-wired for easy installation.
- All necessary senders included.
- Also available in self-contained format with a 12-volt rechargeable battery and charger.

Part No.	Description
69-2004	*Redline 2-5/8" Micro/Midget Gauge Panel*
69-2005	*Redline 2-5/8" Sprint Gauge Panel* **Includes Battery and Charger.*



69-2004



69-2005

REDLINE 2 1/16

OPEN WHEEL GAUGE PANELS NEW!

- Lightweight Redline 2-1/16” stepper gauges.
- Gauges pre-programmed to change colors and flash when a problem arises.
- Panels sold pre-assembled, pre-wired for easy installation.
- All necessary senders included.
- Warning levels adjustable.


Part No.	Description
65-2004	Redline 2-1/16" Micro/Midget **NEW!**
65-2005	Redline 2-1/16" Sprint Gauge Panel **NEW!** *Includes Battery and Charger.



65-2004



65-2005



OFFSET SPRINT GAUGE GROMMET
61-727

- Grommet secures 2-5/8" diameter gauges into mounting panel.
- Replaces traditional saddle brackets.
- Offsets gauges toward the driver for better visibility.
- Reduces gauge vibration for easier reading.

** 61-728 secures 2-1/16" gauges.*


61-727


61-728

REPLACEMENT PARTS FOR OPEN WHEEL GAUGE PANELS W/ ELECTRONIC GAUGES

Part No.	Description
63-225	Water Temperature Sender 2-Wire
63-230	Oil Pressure Sender
63-604	Battery Charger
63-605	Battery Pack


63-225



63-230


63-604



63-605

NORTHEAST MODIFIED DASH PANELS

These dash panels are plug-and-play solutions, compatible with our Northeast Mod Wiring Harness.
(QuickCar Part No. 50-2038)

- Designed to fit most Northeast dirt modifieds.
- Measures 18" wide and 7-1/2" high.
- Includes flanges for easy mounting.
- Includes weatherproof start, ignition, 3-wheel brake, and 2 accessory switches.
- Custom gauge options available upon request.

EXTREME SERIES / NORTHEAST MOD DASH
61-812-038

- Extreme gauges offer exceptional accuracy and long-lasting durability.

SEE ADDITIONAL EXTREME GAUGE PANEL OPTIONS ON PAGE 43-47



REDLINE SERIES / NORTHEAST MOD DASH
69-812-038

- Redline gauges offer an all-electronic solution to keep harmful fluids away from the cockpit.


SEE ADDITIONAL REDLINE GAUGE PANEL OPTIONS ON PAGE 31-40






START
IGNITION

QUICKCAR SWITCH PANELS



QuickCar has become the industry leader in pre-wired electrical solutions utilizing heavy-duty wire and connectors for improved conductivity and reliability. These panels connect directly to our wiring harnesses.

Refer to the Plug-n-Play section to find the proper wiring harness for each switch panel.

*Find compatible wiring harness for desired switch panel in Plug-n-Play section

SWITCH PANELS

COMPACT SWITCH PANELS

50-020



50-820



Switch Panel	Width	Height	Momentary Component	Accessory Switches	Wired for
50-020 / 50-820	4-5/8"	2-1/2"	Button	x1	Stock Wiring Harness (Page 102)
50-033 / 50-833	4-5/8"	2-1/2"	Button	-	Single Ignition Box / HEI (Pages 97-100)
50-031	4-5/8"	2-1/2"	Button	x1	Single Ignition Box / HEI (Pages 97-100)

KEY: Checkered Panel / Checkered or Solid Black / Solid Black

SWITCH PANELS WITH IGNITION TOGGLE AND MOMENTARY BUTTON

50-802



50-053



- Available with or without ignition switch flip cover.
- Plug-n-Play installation.

Switch Panel	Width	Height	Momentary Component	Ignition Switch Cover	Red Ignition Light	Wired for
50-102 / 50-802	3-3/8"	3-5/8"	Button	Boot	-	Stock Wiring Harness (Page 102)
50-103 / 50-803	3-3/8"	3-5/8"	Button	Flip Cover	-	Stock Wiring Harness (Page 102)
50-052 / 50-852	3-3/8"	4-1/4"	Button	Boot	x1	Stock Wiring Harness (Page 102)
50-053 / 50-853	3-3/8"	4-1/4"	Button	Flip Cover	x1	Stock Wiring Harness (Page 102)



SWITCH PANELS WITH ACCESSORIES

50-025




50-823



- *Available with or without ignition switch flip cover.*
- *Plug-n-Play installation.*

Switch Panel	Width	Height	Momentary Component	Accessory Switches	Ignition Cover	Red Ignition Light	Green Accessory Light(s)	Wired for
50-022 / 50-822 ◪	4-5/8"	4-3/8"	Button	x1	Boot	x1	x1	Stock Wiring Harness (Page 102)
50-023 / 50-823 ◪	4-5/8"	4-3/8"	Button	x1	Flip Cover	x1	x1	Stock Wiring Harness (Page 102)
50-025 / 50-825 ◪	4-5/8"	4-3/8"	Button	x2	Boot	x1	x2	Stock Wiring Harness (Page 102)
50-826 ■	5-1/2"	4-3/8"	Button	x3	Boot	X1	x3	Stock Wiring Harness (Page 102)

KEY: ◪ Checkered Panel / ◪ Checkered or Solid Black / ■ Solid Black



SWITCH PANELS

KEY: Checkered Panel / Checkered or Solid Black / Solid Black

50-165



50-865





COMPACT SWITCH PANELS

Switch Panel	Width	Height	Momentary Component	Accessory Switches	Wired for
50-165 / 50-865	6-7/8"	2"	Button	x5	No Harness Needed

50-166



50-866





SWITCH PANEL WITH LIGHTS

Switch Panel	Width	Height	Momentary Component	Accessory Switches	Red Ignition Light	Green Accessory Light(s)	Wired for
50-166 / 50-866	6-7/8"	3-1/4"	Button	x5	x1	x5	No Harness Needed

50-163



50-863





FUSED SWITCH PANELS


Switch Panel	Width	Height	Momentary Component	Accessory Switches	Wired for
50-163 / 50-863	6-7/8"	3-1/4"	Button	x5	No Harness Needed

50-164



50-864





FUSED SWITCH PANEL WITH LIGHTS

Switch Panel	Width	Height	Momentary Component	Accessory Switches	Red Ignition Light	Green Accessory Light(s)	Wired for
50-164 / 50-864	6-7/8"	4-1/8"	Button	x5	x1	x5	No Harness Needed

WEATHERPROOF SWITCH PANELS

FUSED SWITCH PANEL W/ LIGHTS

Switch Panel	Width	Height	Accessory Switches	Red Ignition Light	Green Accessory Light(s)	Wired for
50-7164	6-7/8"	4-1/8"	x5	x1	x5	-

50-7164





50-750

2 SWITCH PANELS WEATHERPROOF

Switch Panel	Width	Height	Wired for
50-750	3-3/8"	3-5/8"	Stock Wiring Harness (Page 102)
50-7531	3-3/8"	3-5/8"	Single Ignition Box / HEI (Pages 97-100)

3 SWITCH PANELS WEATHERPROOF

50-720



Switch Panel	Width	Height	Accessory Switches	Wired for
50-790	2-1/2"	4-1/2"	x1	Stock Wiring Harness (Page 102)
50-7911	2-1/2"	4-1/2"	-	Dual Ignition Box (Page 104)
50-7931	2-1/2"	4-1/2"	x1	Single Ignition Box / HEI (Pages 97-100)
50-720	4-5/8"	2-1/2"	x1	Stock Wiring Harness (Page 102)
50-711	4-5/8"	2-1/2"	-	Dual Ignition Box (Page 104)
50-731	4-5/8"	2-1/2"	x1	Single Ignition Box / HEI (Pages 97-100)



50-790

4 SWITCH PANELS
WEATHERPROOF

50-740




50-718



Switch Panel	Width	Height	Accessory Switches	Wired for
50-740	4-1/8"	3"	x2	Stock Wiring Harness (Page 102)
50-7411	4-1/8"	3"	x1	Dual Ignition Box (Page 104)
50-7414	4-1/8"	3"	x1	Single Ignition Box w/ Dual Magnetic Pick-up (Page 103)
50-7431	4-1/8"	3"	x2	Single Ignition Box / HEI (Pages 97-100)

Switch Panel	Width	Height	Accessory Switches	Green Accessory Light(s)	Wired for
50-718	4-1/8"	3"	x4	x4	No Harness Needed
50-719	4-1/8"	3"	x4		No Harness Needed



5-SWITCH KIT W/ DECAL
50-7739
Dimensions: 3-3/4" wide x 1-1/4" high

- One (1) momentary start switch.
- One (1) ignition switch.
- Three (3) accessory weatherproof switches.
- All switches are prewired for easy integration.

50-1714



50-7714



5 SWITCH PANELS
WEATHERPROOF

Switch Panel	Width	Height	Accessory Switches	Wired for
50-7711 / 50-1711	4-1/8"	3"	x2	Dual Ignition Box (Page 104)
50-7713 / 50-1713	4-1/8"	3"	x1	Dual Ignition Box (Page 104)
50-7714 / 50-1714	4-1/8"	3"	x2	Single Ignition Box w/ Dual Magnetic Pick-up (Page 103)
50-7731 / 50-1731	4-1/8"	3"	x3	Single Ignition Box / HEI (Pages 97-100)


KEY: Checkered Panel / Checkered or Solid Black / Solid Black



50-7611

6 SWITCH PANELS
WEATHERPROOF

Switch Panel	Width	Height	Accessory Switches	Wired for
50-7611	3-1/4"	4-1/2"	x3	Dual Ignition Box (Page 104)
50-7614	3-1/4"	4-1/2"	x3	Single Ignition Box w/ Dual Magnetic Pick-up (Page 103)
50-7631	3-1/4"	4-1/2"	x4	Single Ignition Box / HEI (Pages 97-100)



KEY: Checkered Panel / Checkered or Solid Black / Solid Black



52-165 52-865

ROCKER SWITCH PANELS

Switch Panel	Width	Height	Accessory Switches	Wired for
52-165 / 52-865	7"	3"	x3	Stock Wiring Harness (Page 102)



52-166 52-866

ILLUMINATED ROCKER SWITCH PANELS

Switch Panel	Width	Height	Accessory Switches	Wired for
52-166 / 52-866	7"	3"	x3	Stock Wiring Harness (Page 102)



52-163 52-863

FUSED ROCKER SWITCH PANELS

Switch Panel	Width	Height	Accessory Switches	Wired for
52-163 / 52-863	7"	3-1/2"	x3	Stock Wiring Harness (Page 102)



52-164 52-864

FUSED & ILLUMINATED ROCKER SWITCH PANELS

Switch Panel	Width	Height	Accessory Switches	Wired for
52-164 / 52-864	7"	3-1/2"	x3	Stock Wiring Harness (Page 102)



ACCESSORY ROCKER

Four (4) 25-amp capacity rocker switches.
Dimensions: 5-3/4" wide x 3" high.

Part No.	Description
52-716	Four Rocker Switch Panel, Non-Lighted
52-717	Four Rocker Switch Panel, Lighted



ROCKER SWITCH W/ WINCH CONTROL *NEW!*
52-870
Dimensions: 5-3/4" wide x 3" high.



52-500



52-601



52-402

ACCESSORY ROCKER SWITCHES


Part No.	Description
52-402 **NEW!**	On/Off/On Rocker Switch w/ Red Lights
52-500	On/Off Rocker Switch
52-510	Momentary Start Rocker Switch
52-512	Momentary/On/Off Rocker Switch
52-515	On/Off/On Rocker Switch
52-601	Lighted On/Off Rocker Switch, Red
52-602	Lighted On/Off Rocker Switch, Blue
52-604	Lighted On/Off Rocker Switch, Amber
52-609	Lighted On/Off Rocker Switch, Green
52-615	Lighted On/Off/On Rocker Switch, Green

CIRCUIT BREAKER PANELS

- Gloss black, sleek appearance.
- Includes premium 20-amp circuit breakers.
- Easily reset at the touch of a button.
- Main power and starter wire professionally crimped, soldered, and heat shrunk.
- Completely pre-wired and ready to install.
- Route wires from ignition and accessories, crimp into attached spade connectors on each breaker to complete install.



50-868



50-869

Switch Panel	Width	Height	Momentary Component	Accessory Switches	Red Ignition Light	Green Accessory Light(s)	Wiring Harness
50-868	6-7/8"	4"	Button	x5	-	-	No Harness Needed
50-869	6-7/8"	5"	Button	x5	x1	x5	No Harness Needed

REPLACEMENT RESETTABLE CIRCUIT BREAKERS

Part No.	Description
50-9715	15 Amp
50-9720	20 Amp
50-9725	25 Amp
50-9730	30 Amp

50-9715



50-9725



CLEAR CIRCUIT BREAKER BOOT
50-700

- Clear protective boot.
- Protects circuit breaker from dirt and moisture.



IGNITION PANELS W/ BATTERY SWITCH

55-7330



50-8022



Switch Panel	Width	Height	Momentary Component	Accessory Switches	Screw-In Handle	Removable Red Key	Wiring Harness
55-7330	7"	3-1/2"	Switch	x1	-	x1	Stock Wiring Harness (Page 102)
55-8022	7"	3-1/2"	Button	-	x1	-	Stock Wiring Harness (Page 102)



SWITCH PANEL ACCESSORIES


50-500


50-501


50-503


50-504


50-505


50-506


50-508


50-510


50-512


50-610


50-519

Part No.	Description
50-500	Single-Pole Switch
50-501	Red Flip Guard
50-503	Magneto Switch, 6-Post
50-504	Black Toggle Switch Boot
50-505	Bridged Double-Pole Switch
50-506	Ignition w/ Start Switch
50-508	Long Handle Single-Pole Switch
50-510	Push-to-Start Momentary Button
50-512	Momentary Toggle Switch
50-519	50-Amp Alternator Toggle Switch
50-601	Red Pilot Light
50-602	Blue Pilot Light
50-604	Amber Pilot Light
50-609	Green Pilot Light
50-610	Black Switch Boot




50-601


50-602


50-604


50-609

WEATHERPROOF MICRO-SWITCHES & CIRCUIT BREAKERS

SWITCH PANEL ACCESSORIES



50-400



50-401



50-402



50-415



50-410



50-417



50-420



50-422



50-424

Part No.	Description
50-400	Momentary Start Switch
50-401	Momentary-Off-Momentary Single-Pole Switch
50-402	Momentary-Off-Momentary Double-Pole Switch
50-410	On-Off Single Pole Switch
50-415	On-Off-On Switch
50-417	On-On Switch
50-420	On-On Double-Pole Crossover Switch
50-422	20-Amp Circuit Breaker
50-424	40-Amp Circuit Breaker



RED ENGINE START BUTTON
50-515

Red light illuminates.



SINGLE POLE SWITCH W/ RED FLIP GUARD
50-520

Heavy-duty switch includes aircraft-type flip switch cover.



SINGLE POLE TOGGLE SWITCH W/ BLACK BOOT
50-522

Heavy-duty switch includes weatherproof black switch boot.



ROLL BAR-TO-PANEL MOUNTING BRACKETS
66-939 / 66-940 / 66-945

Specialized brackets designed to allow quick and easy mounting of gauge or switch panels onto a roll bar.

- Mounts virtually any height panel.
- Trim extra bracket length for desired arm length.
- Available bracket sizes for 1-1/2", 1-5/8", or 1-3/4" roll bars.
- Sold in pairs.

Part No.	Description
66-939	1-1/2" Roll Bar
66-940	1-3/4" Roll Bar
66-945	1-5/8" Roll Bar





SWITCH PANEL STICKER KITS



50-003

50-004





50-526



50-524

TOGGLE SWITCH EXTENSIONS

- Push-on.
- Sold in pairs of red or black.


50-905


50-910


50-915


50-920


50-925


50-930

ATC FUSES

Our ATC fuses are offered in a variety of amp ratings. ATC fuses are used in QuickCar fused switch panels such as 50-864.

Part No.	Description
50-905	5 Amp - 5 Pack
50-910	10 Amp - 5 Pack
50-915	15 Amp - 5 Pack
50-920	20 Amp - 5 Pack
50-925	25 Amp - 5 Pack
50-930	30 Amp - 5 Pack
50-960	Fuse Assortment, 5 of each (30 pk)



12-GAUGE IN-LINE ATC FUSE HOLDER
50-955

- Install in a power wire to protect valuable electrical components.
- Includes 1 of each: 5 amp, 10 amp, 15 amp, 20 amp, 25 amp, 30 amp.

LINE CLAMPS

Clamp Size	Steel	Aluminum	Nylon
1/8"	-	-	66-809
1/4"	66-850	66-830	66-810
3/8"	66-852	66-832	66-812
1/2"	66-854	66-834	66-814
5/8"	66-856	66-836	66-816
3/4"	66-858	66-838	66-818
1"	66-860	66-840	66-820

Professionally secure fuel lines, electrical wiring, and more. Choose from rubber-coated steel, aluminum, or nylon. Sold in packs of 10.

NYLON



ALUMINUM



STEEL



WIRING SYSTEM





SWITCH PANELS TO IGNITION WIRING HARNESS

PLUG-N-PLAY

QuickCar offers a wide variety of wiring harnesses, each designed exclusively for use with our popular switch panels. Each harness includes the necessary terminals and direct plug-in connector for easy installation.

Choose your harness and a corresponding switch panel based on your ignition systems.



TECH TIP:
Almost all QuickCar switch panels require the purchase of a separate wiring harness to ease wiring. Please choose the harness that fits your application best.

We can custom build harnesses to fit your needs. Give us a call!

WIRING HARNESS QUICK REFERENCE

Pre-Built Wiring Harnesses for Use w/ QuickCar Switch Panels



SINGLE IGNITION BOX WIRING HARNESSES

These harnesses are a plug-and-play wiring solution that fit most rules packages across the U.S. from Street Stocks to Late Models, and tailored for common racing electronics with one ignition box, coil, distributor lead, tachometer, starter solenoid, and QuickCar single ignition box/HEI switch panel.

WIRING HARNESS	PART NO	CONNECTORS	SEE PANELS
Universal Wiring Harness	50-2031	Ignition Box, Distributor, Switch Panel, Coil, Starter Solenoid, Tach	Page 98
Modified Wiring Harness	50-2033	Ignition Box, Distributor, Switch Panel, Coil, Starter Solenoid, Tach	Page 98
Dirt Late Model Harness	50-2035	3-Wheel Brake, Distributor, Switch Panel, Ignition Box, Coil, Starter Solenoid, Tach	Page 99
NE Modified Wiring Harness	50-2038	Ignition Box, Distributor, Switch Panel, Coil, Starter Solenoid, Tach	Page 99
Crane/FAST Wiring Harness	50-2051	Ignition Box, Distributor, Switch Panel, Coil, Starter Solenoid, Tach	Page 99
Pavement Late Model Spec Wiring Harness	50-2053	Ignition Box, Distributor, Switch Panel, Coil, Starter Solenoid, Tach	Page 99

SINGLE IGNITION BOX W/ DUAL MAGNETIC PICK-UP WIRING HARNESS

Harness allows the swap between distributor / crank trigger at the flip of a switch. Connections for ignition box, coil, 2 distributor leads (one commonly used for crank trigger), tachometer, starter solenoid, and QuickCar single ignition box w/ magnetic pick-up switch panel.

WIRING HARNESS	PART NO	CONNECTORS	SEE PANELS
Single Ignition Box w/ Dual Magnetic Pick-up	50-2034	Ignition Box, Coil, Distributor, Crank Trigger, Starter Solenoid, Tach, Switch Panel	Page 103

STOCK WIRING HARNESSES

Everything needed to make the engine turn over, additional wiring may be required.

WIRING HARNESS	PART NO	CONNECTORS	SEE PANELS
Stock Ignition Wiring Harness	50-200	Switch Panel, Starter Solenoid, Accessory	Page 101
Stock HEI Wiring Harness	50-201	Switch Panel, Starter Solenoid, HEI Distributor, Accessory	Page 101

HIGH-ENERGY IGNITION (HEI) WIRING HARNESSES

Designed for HEI systems. Includes connections for the distributor, tachometer, starter solenoid, and QuickCar single ignition box / HEI switch panel.

WIRING HARNESS	PART NO	CONNECTORS	SEE PANELS
HEI Wiring Harness	50-2032	HEI Distributor, Starter Solenoid, Switch Panel, Tach	Page 100
Soft-Touch HEI Wiring Harness	50-2039	MSD Rev Box 64316, Starter Solenoid, Switch Panel, Tach	Page 100

DUAL IGNITION BOX WIRING HARNESS

Harness designed for racecars utilizing 2 ignition boxes, 2 coils, 2 distributor leads (one commonly used for crank trigger), tachometer, starter solenoid, and QuickCar dual ignition box switch panel.

WIRING HARNESS	PART NO	CONNECTORS	SEE PANELS
Dual Ignition Box Wiring Harness	50-2021	(2) Ignition Boxes, (2) Coils, Distributor, Crank Trigger, Switch Panel, Starter Solenoid, Tach	Page 104

WIRING HARNESSES FOR SINGLE IGNITION BOX

Our single ignition wiring harnesses are made for the most commonly utilized racing electronics applications with one (1) ignition box, coil, and distributor lead. These harnesses can be used from Street Stocks to Late Models and fit most rules packages across the United States. These weatherproof harnesses and switch panels are pre-built and pre-assembled, offering a plug-n-play solution for wiring the ignition into the car that performs in the most extreme racing conditions.



TECH TIP:
Chassis grounds from the battery are common to all cars; adding another ground wire at the starter solenoid will improve the life of the starter.


SWITCH PANELS COMPATIBLE WITH WIRING HARNESSES FOR:

- SINGLE IGNITION BOX SYSYEMS
- HIGH-ENERGY IGNITION (HEI) SYSTEMS

Each switch panel includes momentary component for starter switch.

	SWITCH PANEL	WIDTH	HEIGHT	STARTER SWITCH	SWITCHES	3-WHEEL BRAKE	ACCESSORY SWITCHES
■	50-031	4-5/8"	2-1/2"	Button	3	-	1
■	50-033 / 50-833	4-5/8"	2-1/2"	Button	3	1	-
■	50-731	4-5/8"	2-1/2"	Toggle	3	-	1
■	50-7431	4-1/8"	3"	Toggle	4	-	2
■	50-7531	3-3/8"	3-5/8"	Toggle	2	-	-
■	50-7631	3-1/4"	4-1/2"	Toggle	6	-	4
■	50-7731	4-1/8"	3"	Toggle	5	-	3
■	50-7739	3-3/4"	1-1/4"	Toggle	5	-	3
■	50-7931	2-1/2"	4-1/2"	Toggle	3	-	1

KEY: ■ Checkered Panel / ■ Checkered or Solid Black / ■ Solid Black





UNIVERSAL WIRING HARNESS
50-2031
Universal Weatherpack harness for race cars utilizing single ignition box systems.

HARNESS ATTACHES TO
- Ignition Box
- Coil
- Distributor
- Starter Solenoid
- Switch Panel
- Tach



MODIFIED WIRING HARNESS
50-2030 / 50-2033 / 50-2037
- Universal harness for UMP/IMCA Mods.
- Will connect all ignition components.
- Includes switch panel, weatherproof switches.

HARNESS ATTACHES TO
- Ignition Box
- Coil
- Distributor
- Starter Solenoid
- Switch Panel
- Tach

PART NO	MODIFIED IGNITION WIRING HARNESS KITS	
50-2030	Wiring Harness Kit w/ Switch Panel	■
50-2033	Wiring Harness Only	
50-2037	Wiring Harness Kit w/ Switch Panel	■

WIRING HARNESSES FOR SINGLE IGNITION BOX

** Compatible with switch panels in table on Page 97.*

DIRT LATE MODEL WIRING HARNESS
50-2035

- Universal Weatherpack harness.
- Specialized solution for Dirt Cars utilizing single-box ignition system with 3-wheel brake solenoid.





NORTHEAST MOD WIRING HARNESS
50-2038

- Specialized plug-n-play harness for Northeast style Modifieds using MSD DIRTCAR ignition box.



CRANE/FAST WIRING HARNESS
50-2051

- Specialized wiring harness for race cars utilizing single Crane/FAST HI-6RC Ignition System.



PAVEMENT LATE MODEL SPEC WIRING HARNESS
50-2053

Legal for most asphalt late model series, this harness is plug-n-play for FAST 6700-6701, JMS Daytona Sensors 6000-6701k Ignition Box, and many QuickCar Switch Panels.

- Constructed of Tefzel (mil-spec) wire.
- Gold-Plated ring terminals.
- Weatherproof connectors.
- Serial numbered.
- Comes standard with 3-pin Deutsch distributor lead.

WIRING HARNESSES FOR HIGH-ENERGY IGNITION (HEI)

** Compatible with switch panels in table on Page 97.*



SOFT-TOUCH HEI WIRING HARNESS
50-2039

- Designed for cars utilizing MSD 8727CT digital soft touch rev control limiter.
- Attaches rev limiter to QuickCar switch panel, tachometer, and starter solenoid.





HEI WIRING HARNESS
50-2032

- Universal wiring harness designed for applications using HEI ignition system.

HARNESS ATTACHES TO
- Distributor
- Starter Solenoid
- Switch Panel
- Tach

STOCK WIRING HARNESS

ABOUT STOCK WIRING HARNESSES

These ignition and accessory wiring harnesses are designed for use with cars utilizing either remote ignition boxes like MSD or FAST systems (50-200), or HEI ignition systems (50-201). Stock harnesses connect their corresponding switch panels, or switch panels that require no harness, supplying 12 volts of power to an ignition box/module/computer. These harnesses do not hook up complete ignition systems like our other wiring harnesses do. Harnesses include a molded connector and generic wire. Additional wiring may be required.

SIMPLY PUT, THE STOCK HARNESS PLUGS INTO THE BACK OF A STOCK SWITCH PANEL

A.) Hooks up to the starter, allowing the engine to turn over at the push of a button.
B.) Provides a +12V to an Ignition System.
C.) Comes with an accessory wire for a helmet fan or other accessories.

INCLUDES FOUR WIRES:

***Red** and **Yellow** together: Starter solenoid.*

***Red/Black** stripe: Ignition system (MSD/FAST or the BAT terminal of the HEI Distributor).*

***White**: Accessories.*

Complete wiring instructions are included.

SWITCH PANELS COMPATIBLE WITH STOCK WIRING HARNESSES

	SWITCH PANEL	Width	Height	Start Switch	Switches	Indicator Lights	Ignition Safety Cover	Battery Switch
▩	50-020 / 50-820	4-5/8"	2-1/2"	Button	3	-	-	-
▩	50-022 / 50-822	4-5/8"	4-3/8"	Button	3	Yes	-	-
▩	50-023 / 50-823	4-5/8"	4-3/8"	Button	3	Yes	Yes	-
▩	50-025 / 50-825	4-5/8"	4-3/8"	Button	4	Yes	-	-
▩	50-052 / 50-852	3-3/8"	4-1/4"	Button	2	Yes	-	-
▩	50-053 / 50-853	3-3/8"	4-1/4"	Button	2	Yes	Yes	-
▩	50-102 / 50-802	3-3/8"	3-5/8"	Button	2	-	-	-
▩	50-103 / 50-803	3-3/8"	3-5/8"	Button	2	-	Yes	-
■	50-826	5-1/2"	4-3/8"	Button	5	-	-	-
■	50-720	4-5/8"	2-1/2"	Toggle	3	-	-	-
■	50-740	4-1/2"	3"	Toggle	4	-	-	-
■	50-750	3-3/8"	3-5/8"	Toggle	2	-	-	-
■	50-790	2-1/2"	4-1/2"	Toggle	3	-	-	-
▩	52-163 / 52-863	7"	3-1/2"	Rocker	5	-	-	-
▩	52-164 / 52-864	7"	3-1/2"	Rocker	5	Yes	-	-
▩	52-165 / 52-865	7"	3"	Rocker	5	-	-	-
▩	52-166 / 52-866	7"	3"	Rocker	5	Yes	-	-
■	55-7330	7"	3-1/2"	Toggle	3	-	-	Yes
■	55-8022	7"	3-1/2"	Button	2	-	-	Yes

KEY: ▩ Checkered Panel / ▩ Checkered or Solid Black / ■ Solid Black

STOCK IGNITION WIRING HARNESS
50-200
STOCK HEI WIRING HARNESS
50-201

- Ready to install.
- 5-foot length.
- Connects switch panel to starter.
- Accessory wires included.







WIRING HARNESS FOR SINGLE IGNITION BOX W/ DUAL MAGNETIC PICKUP

SWITCH PANELS COMPATIBLE WITH WIRING HARNESSES FOR:
• SINGLE IGNITION BOX W/ DUAL MAGNETIC PICKUP SYSTEMS

Switch Panel	Width	Height	Start Switch	Switches	Accessory Switches	Crossover
50-1714 / 50-7714	4-1/8"	3"	Toggle	5	2	1
50-7414	4-1/8"	3"	Toggle	4	1	1
50-7614	3-1/4"	4-1/2"	Toggle	6	3	1

KEY: Checkered Panel / Checkered or Solid Black / Solid Black

Harness designed for cars using one ignition box but running both a crank trigger and distributor.
- Plug-N-Play Solution.
- Weatherproof harness and switch panels perform in the most extreme racing conditions.
- Crimped and soldered terminals for durability in extreme conditions.



SINGLE IGNITION BOX W/ DUAL MAGNETIC PICK-UP WIRING HARNESS
50-2034
- Universal Weatherpack wiring harness.
- Solution for cars utilizing single ignition box dual magnetic pickup distributor or crank trigger/distributor combination.

WIRING HARNESS FOR DUAL IGNITION SYSTEMS

SWITCH PANELS COMPATIBLE WITH WIRING HARNESSES FOR:
• DUAL IGNITION BOX SYSTEMS

Wiring Harness designed for cars that utilize two (2) ignition boxes. This harness enables the entire backup ignition system to power up at the flip of a switch, which is why it's popular among top-performing teams who require rapid backup systems to avoid losing time on-track.

Switch Panel	Width	Height	Start Switch	Accessory Switches	Crossover Switch	3-Wheel Brake Harness
50-1711 / 50-7711	4-1/8"	3"	Toggle	2	1	-
50-1713 / 50-7713	4-1/8"	3"	Toggle	1	1	1
50-711	4-5/8"	2-1/2"	Toggle	-	1	-
50-7411	4-1/8"	3"	Toggle	1	1	-
50-7611	3-1/4"	4-1/2"	Toggle	3	1	-
50-7911	2-1/2"	4-5/8"	Toggle	-	1	-

KEY: Checkered Panel / Checkered or Solid Black / Solid Black



DUAL IGNITION BOX WIRING HARNESS
50-2021
- Universal Weatherpack harness for race cars utilizing dual ignition box system.

IGNITION SYSTEM ACCESSORIES



THREE-PIECE RUBBER GROMMET SET
50-008
- Protects wires when routing through sheet metal & keeps dirt out of the cockpit.
- Includes three (3) cone-shaped grommets.
- Grommet sizes 5/8", 1-1/8", and 1-1/2".



HEI DISTRIBUTOR LEAD
50-2009
- Four (4) foot long lead.
- Easily connects HEI distributor to ignition switched power and tachometer signal wire.



DEUTSCH WEATHERPACK ADAPTER
50-2007
- Eases installation of MSD HVC ignitions.
- Adapts Deutsch square 6-pin connector to 6-pin flat male Weatherpack connector.




3-WHEEL BRAKE PANEL
50-035
- Isolated 3-wheel brake switch.
- Improves ease of activation.
- Includes light to indicate when activated.
- Harness included (50-034).



MSD 6AL-2 BOX ADAPTER
50-2005
- Designed exclusively for use with MSD Digital Programmable 6AL-2 6530 ignition.
- Adapts unit's Deutsch connectors to popular Weatherpack style.
- Includes connections for magnetic pickup, ignition coil, and power leads.



3-WHEEL BRAKE HARNESS
50-034
- Wiring harness with Weatherpack connector.
- Supplies power from 3-wheel brake switch to solenoid.



TECH TIP:
To avoid potential wire damage caused by sharp edges, it is important to use a good grommet when routing wires through a firewall.



FEMALE WEATHERPACK TO MSD DISTRIBUTOR
50-207




NEW! PLUG FOR MSD DISTRIBUTOR WITH PINS
50-222



3-PIN DEUTSCH DT RECEPTACLE TO MSD DISTRIBUTOR
50-208



FEMALE WEATHERPACK TO CRANE/FAST 3-PIN DT PLUG
50-2008



3-PIN DEUTSCH DT RECEPTACLE TO 2-PIN FEMALE WEATHERPACK
50-2015



NEW! RECEPTACLE FOR MSD DISTRIBUTOR WITH PINS
50-223



12" MSD Magnetic Pickup to 3-pin Deutsch DT Receptacle
50-2018

Part No.	Description
50-207	*Female Weatherpack to MSD Distributor*
50-208	*3-pin Deutsch DT Receptacle to MSD Distributor*
50-222	*Plug for MSD Distributor w/ Pins **NEW!***
50-223	*Receptacle for MSD Distributor w/ Pins **NEW!***
50-2004	*Digital MSD to Weatherpack Harness Adapter **NEW!***
50-2008	*Female Weatherpack to Crane/FAST 3-pin DT Plug*
50-2015	*3-pin Deutsch DT Receptacle to 2-pin Male Weatherpack*
50-2016	*12" 3-pin Deutsch DT Receptacle to 2-pin Female Weatherpack*
50-2017	*2-Pin MSD Magnetic Distributor Connectors*
50-2018	*12" MSD Magnetic Pickup to 3-pin Deutsch DT Receptacle*



NEW! DIGITAL MSD TO WEATHERPACK HARNESS ADAPTER
50-2004



HELMET FAN HARNESS
50-001
Connects a helmet fan installed in the driver's cockpit to the switch panel.

- All terminals soldered with heat shrink seals for added durability and reliability.
- Professionally soldered and heat shrink-wrapped wires.
- Preinstalled #8 eyelet for connection to a toggle switch/ circuit breaker.
- 5/16" eyelet for ground connection.
- 2-pin Weatherpack connector with opposite end ready for installation on the fan.




DIGITAL MSD ADAPTER
50-2006

- Pigtail harness adapts MSD Digital 6-Ignition connector to standard 6-pin flat male Weatherpack connector.



RADIATOR FAN HARNESS
50-2010

- Eases fan installation.
- Specialized for use with most popular electric fans.
- Includes power leads with Weatherpack connectors.



HARNESS ADAPTER FOR QUICKCAR MSD TO SPEC HARNESS
50-2013

- Pigtail harness adapts MSD 6427 ignition boxes to the late model spec harness.



CRANK TRIGGER WIRING HARNESS EXTENSION
50-206

- Extends common MSD purple/green wires by 2-1/2 feet.
- Designed for connections to the crank trigger on the front of the engine.



7AL-2 PLUS ADAPTER
50-7222

- Adapts wiring connector of popular 7AL-2 Plus ignition to 6-pin Weatherpack connector.



WEATHERPACK SWITCH PANEL PIGTAIL
50-900

- Wiring harness adapter for switch panel to 3-pin Weatherpack connector.
- For switch panels plugging into stock wiring harnesses.



SWITCH PANEL PIGTAIL
50-9110

- Pigtail adapter for standard QuickCar switch panels.
- For switch panels plugging into stock wiring harnesses.



LED UNDER-CAR LIGHT KIT
61-795

- Easy Installation.
- Perfect for dark pit areas, urgent under-car repairs.
- Bright white LED light strip.
- 18-inch length.



Part No.	Description
61-791	Yellow
61-792	Blue
61-793	Green

Part No.	Description
61-794	Purple
61-790	Red
61-9795	White



REPLACEMENT LED STRIP WITH CONNECTORS

- Place virtually anywhere light is desired.
- Offered in a variety of colors.





57-450



57-460



57-461



57-462



57-463



57-464



57-465



57-466



57-467



57-468



57-470



57-471



57-472



57-473



57-474



57-475



57-476



57-477



57-478



57-479



57-481



57-490

RING & SPADE TERMINALS

- Ideal for custom wiring tasks.
- 24k-gold/tin-plated to reduce corrosion and enhance conductivity.
- Available in a variety of sizes.
- Sold in pairs, complete with heat-shrink.

Part No. Pair	Part No. 50 Pack	Description	Wire Range (Gauge)	Stud Size	Tab Width
57-450	57-450-50	Ring Terminal (Pair/Pack) with Heat Shrink	#12-10	#6 (0.148")	-
57-460	57-460-50	Ring Terminal (Pair/Pack) with Heat Shrink **NEW!**	#22-18	1/4"	-
57-461	57-461-50	Ring Terminal (Pair/Pack) with Heat Shrink **NEW!**	#22-18	5/16"	-
57-462	57-462-50	Ring Terminal (Pair/Pack) with Heat Shrink **NEW!**	#12-10	1/4"	-
57-463	57-463-50	Ring Terminal (Pair/Pack) with Heat Shrink **NEW!**	#12-10	5/16"	-
57-464	57-464-50	Ring Terminal (Pair/Pack) with Heat Shrink **NEW!**	#12-10	3/8"	-
57-465	57-465-50	Ring Terminal (Pair/Pack) with Heat Shrink **NEW!**	#8	#8 (0.174")	-
57-466	57-466-50	Ring Terminal (Pair/Pack) with Heat Shrink **NEW!**	#16-14	#6 (0.148")	-
57-467	57-467-50	Ring Terminal (Pair/Pack) with Heat Shrink **NEW!**	#22-18	3/8"	-
57-468	57-468-50	Ring Terminal (Pair/Pack) with Heat Shrink **NEW!**	#12-10	#8 (0.174")	-
57-470	57-470-50	Ring Terminal (Pair/Pack) with Heat Shrink	#12-10	#10 (0.200")	-
57-471	57-471-50	Ring Terminal (Pair/Pack) with Heat Shrink	#16-14	#8 (0.174)	-
57-472	57-472-50	Ring Terminal (Pair/Pack) with Heat Shrink	#16-14	#10 (0.200")	-
57-473	57-473-50	Ring Terminal (Pair/Pack) with Heat Shrink	#16-14	3/8"	-
57-474	57-474-50	Ring Terminal (Pair/Pack) with Heat Shrink	#8-10	3/8"	-
57-475	57-475-50	Ring Terminal (Pair/Pack) with Heat Shrink	#8-10	#10 (0.200")	-
57-476	57-476-50	Ring Terminal (Pair/Pack) with Heat Shrink	#22-16	#6 (0.148")	-
57-477	57-477-50	Ring Terminal (Pair/Pack) with Heat Shrink	#22-16	#10 (0.200")	-
57-478	57-478-50	Ring Terminal (Pair/Pack) with Heat Shrink	#16-14	1/4"	-
57-479	57-479-50	Ring Terminal (Pair/Pack) with Heat Shrink	#16-14	5/16"	-
57-481	57-481-50	Ring Terminal (Pair/Pack) with Heat Shrink	#8	1/4"	-
57-490	57-490-50	Ring Terminal (Pair/Pack) with Heat Shrink	#8	5/16"	-
57-942	-	Female Spade (Pair) with Heat Shrink	#16-14	-	0.259"
57-943	-	Male Spade (Pair) with Heat Shrink	#12-10	-	0.250"
57-944	-	Female Spade (Pair) with Heat Shrink	#12-10	-	0.259"
57-945	-	Male Spade (Pair) with Heat Shrink	#16-14	-	0.250"

WIRING ACCESSORIES



GOLD RING TERMINAL ASSORTMENT KIT
57-499
This kit is a must-have for any shop, suitable for wire sizes ranging from 8 to 16 AWG.

- Includes 180 ring terminals.
- Gold and tin plated ring terminals for corrosion resistance.
- Ring terminals: #6, #8, #10, 1/4", 5/16", and 3/8" eyelets.
- Adhesive lined heat shrink provides professional finish.



IMPACT CRIMPER
64-020

Ideal for crimping standard power rings onto battery cables for permanent termination.



LABELED HEAT-SHRINK KIT
50-705

- Eight-piece kit.
- Includes labeled shrink for: Switch Panel, Gauge Panel, Ground, Master Switch, Distributor, Tachometer, Solenoid, and Coil.
- Protects wiring connections from moisture and contaminants.

SHIELDED DISTRIBUTOR WIRE
57-200-10

- Shielded and twisted pair of purple and green colored wire.
- Shielded with drain wire to eliminate electromagnetic interference from trigger lead.
- Sold in pre-cut 10-foot lengths.



WEATHERPACK TERMINALS

A secure, virtually bulletproof wire termination with a waterproof cable seal for connecting ignition or accessories throughout the race car.

- Features waterproof cable seal.
- Available in 1-, 2-, 3-, 4-, and 6-pin male (M) and female (F) connectors.
- Rated up to 20A at 12 volts DC.
- All connectors include pins and seals.
- Sold individually or in a kit (50-380).

Part No.	Description
50-300-20	Female Weatherpack Pin, 20-Pack **NEW!**
50-301-20	Male Weatherpack Pin, 20-Pack **NEW!**
50-302-20	Green Cable Seal, 20-Pack **NEW!**
50-303-20	Blue Cable Seal, 20-Pack **NEW!**
50-304-20	Red Cable Seal, 20-Pack **NEW!**
50-305-20	Green Cavity Plug, 20-Pack **NEW!**
50-310	Female Weatherpack Connector, 1-Pin
50-311	Male Weatherpack Connector, 1-Pin
50-312	Weatherpack Connector, 1-Pin Kit
50-320	Female Weatherpack Connector, 2-Pin
50-321	Male Weatherpack Connector, 2-Pin
50-322	Weatherpack Connector, 2-Pin Kit
50-330	Female Weatherpack Connector, 3-Pin
50-331	Male Weatherpack Connector, 3-Pin
50-332	Weatherpack Connector, 3-Pin Kit
50-340	Female Weatherpack Connector, 4-Pin
50-341	Male Weatherpack Connector, 4-Pin
50-342	Weatherpack Connector, 4-Pin Kit
50-360	Female Weatherpack Connector, 6-Pin
50-361	Male Weatherpack Connector, 6-Pin
50-362	Weatherpack Connector, 6-Pin Kit



50-311 50-310



50-321 50-320



50-331 50-330



50-341 50-340



50-300-20 50-301-20



50-361 50-360



50-302-20 50-303-20 50-304-20 50-305-20

WIRING ACCESSORIES

WEATHERPACK KIT
50-380

Our 230-piece Weatherpack kit includes a wide variety of connectors, housing cable seals, and contact pins, all organized in a plastic carrying case.



MSD 6CT IGNITION BOX/COIL/PLATE
50-213
This ignition system uses MSD ignition box 6427 and Coil 8250 mounted on aluminum plate, utilizing the same slotted bolt pattern as other ignition box options for easy installation.

- Easy installation.
- Coil lead pre-installed.
- Legal under United Late Model Rules Alliance.
- Simply connects to Late Model Spec harness 50-2053




PIN REMOVAL TOOL
50-399

Specialty tool required to remove pins from Weatherpack housing.




QUICKCAR

WIRING KITS



QuickCar continues to set the industry standard with our premium battery cables and wiring solutions. Our copper-constructed, fine-stranded wires deliver the absolute best in current-carrying performance, while the 220°F+ insulation is designed to endure the extreme temperatures and fluids common in racing environments. We provide a wide range of dependable, long-lasting, and cost-effective battery cable kits and accessories.



50-053



50-022



50-020



50-102


















CHECKERED PANELS

Wiring Kit Part Number	Switch Panel	Wiring Harness	Wire Type	Battery Cable Kit	Battery Switch	Starter Solenoid
50-230	50-053	50-201	2-Gauge	57-010	55-009	50-430
50-231	50-022	50-200	4-Gauge	57-009	55-009	50-430
50-232	50-020	50-200	4-Gauge	57-009	55-009	50-430
50-234	50-102	50-200	2-Gauge	57-009		50-430
50-235	50-102	50-201	4-Gauge	57-009	55-009	50-430
50-236	50-102	50-200	4-Gauge	57-009		50-430

**ALL KITS INCLUDE Ring Terminals, Heat Shrink, and Battery Cable Mounting Clamps*





50-853 50-822 50-820 50-802

BLACK PANELS

Wiring Kit Part Number	Switch Panel	Wiring Harness	Wire Type	Battery Cable Kit	Battery Switch	Starter Solenoid
50-830	50-853	50-201	2-Gauge	57-010	55-010	50-430
50-831	50-822	50-200	4-Gauge	57-009	55-010	50-430
50-832	50-820	50-200	4-Gauge	57-009	55-010	50-430
50-834	50-802	50-200	2-Gauge	57-009		50-430
50-835	50-802	50-201	4-Gauge	57-009	55-010	50-430
50-836	50-802	50-200	4-Gauge	57-009		50-430

*ALL KITS INCLUDE Ring Terminals, Heat Shrink, and Battery Cable Mounting Clamps

COIL WIRES

Our premium-quality coil wires offer quick energy transfer, containing flexible and high-strength wire with a Kevlar core and nickel-copper alloy-wound conductor, covered by two full layers of silicone. Wires contain fiberglass insulation, with high-temperature silicone boots attached. Posi-snap terminals offer a secure connection.

- Compatible with most ignition systems.
- Consists of 11.5mm O.D. premium-quality wire.
- Quick energy transfer, less than 40 ohms/ft. of resistance.
- Fiberglass insulation provides up to 1,400°F of heat resistance.
- High-temperature silicone boots resist temperatures up to 600°F.
- High EMI (Electro Magnetic Interference) and RFI (Radio Frequency Interference) suppression.

Part No.	Description
40-121	Red Coil Wire, 12" HEI/HEI
40-123	Black Coil Wire, 12" HEI/HEI
40-125	Red Coil Wire, 12" HEI/Socket
40-127	Black Coil Wire, 12" HEI/Socket
40-181	Red Coil Wire, 18" HEI/HEI
40-183	Black Coil Wire, 18" HEI/HEI
40-185	Red Coil Wire, 18" HEI/Socket
40-187	Black Coil Wire, 18" HEI/Socket
40-241	Red Coil Wire, 24" HEI/HEI
40-243	Black Coil Wire, 24" HEI/HEI
40-245	Red Coil Wire, 24" HEI/Socket
40-247	Black Coil Wire, 24" HEI/Socket
40-303	Black Coil Wire, 30" HEI/HEI
40-361	Red Coil Wire, 36" HEI/HEI
40-363	Black Coil Wire, 36" HEI/HEI
40-365	Red Coil Wire, 36" HEI/Socket
40-367	Black Coil Wire, 36" HEI/Socket
40-421	Red Coil Wire, 42" HEI/HEI
40-423	Black Coil Wire, 42" HEI/HEI
40-425	Red Coil Wire, 42" HEI/Socket
40-427	Black Coil Wire, 42" HEI/Socket
40-481	Red Coil Wire, 48" HEI/HEI
40-483	Black Coil Wire, 48" HEI/HEI
40-485	Red Coil Wire, 48" HEI/Socket
40-487	Black Coil Wire, 48" HEI/Socket
40-601	Red Coil Wire, 60" HEI/HEI
40-603	Black Coil Wire, 60" HEI/HEI
40-605	Red Coil Wire, 60" HEI/Socket
40-607	Black Coil Wire, 60" HEI/Socket



40-121


40-127



40-303




29
81
REC
RACING ELECTRONICS
SUNOCO
HOOSIER
Hoosier
SUNOCO
RACE FUELS

ELECTRICAL SYSTEM ACCESSORIES

IGNITION / START SWITCH W/ HARNESS
50-507

- Pre-wired kit combines starter switch and ignition switch into one unit.
- Includes a 50-506 ignition switch for reliable operation.
- Comes with a 50-201 HEI wiring harness for seamless integration with HEI systems.
- Includes a 50-501 switch flip cover for added protection





REMOTE START BUTTON
50-434

- Heavy-duty leads.
- Ideal for performing valve lash adjustments
- Equipped with gator clamps for easy connection to starter solenoid.
- Allows engine to be easily turned over.

REMOTE START BUTTON
50-433

- Allows for engine roll-over from the engine compartment.
- Ideal for setting valve lash without needing to reach into the cockpit.
- Includes wiring for easy connection to the starter solenoid.





71-327



71-337



71-347



71-367

DEUTSCH CONNECTORS

- Durable, precise connectors.
- Plastic male and female housing ends.
- Indexed locks provide secure connection and seal out dirt and moisture.
- Kits include terminals, silicone rubber seals, wedgelocks, pins, and strong crimp tabs.
- Suitable for 14-18 gauge wires.
- Sold as complete kits.

Part No.	Description
71-320	2-Pin DT Deutsch Plug
71-321	2-Pin DT Deutsch Receptacle
71-322	2-Pin Deutsch Connector Kit
71-330	3-Pin DT Deutsch Plug
71-331	3-Pin DT Deutsch Receptacle
71-332	3-Pin Deutsch Connector Kit
71-340	4-Pin DT Deutsch Plug
71-341	4-Pin DT Deutsch Receptacle
71-342	4-Pin Deutsch Connector Kit
71-360	6-Pin DT Deutsch Plug
71-361	6-Pin DT Deutsch Receptacle
71-362	6-Pin Deutsch Connector Kit
71-380	8-Pin DT Deutsch Plug
71-381	8-Pin DT Deutsch Receptacle
71-382	8-Pin Deutsch Connector Kit
FLANGED DEUTSCH RECEPTACLES	
71-327	Flanged 2-Pin DT Deutsch Receptacle
71-337	Flanged 3-Pin DT Deutsch Receptacle
71-347	Flanged 4-Pin DT Deutsch Receptacle
71-367	Flanged 6-Pin DT Deutsch Receptacle



71-320



71-321



71-330



71-331



71-340



71-341



71-360



71-361



71-380



71-381

DEUTSCH DT TERMINAL KIT *NEW!*
71-306

149 piece kit all included inside the hard-plastic case.



12-POINT BUSS BAR

- Glass-filled nylon Buss Bar with 12 connection terminals.
- Each terminal handles up to 15 amps continuously.
- Includes a 1/4" stainless steel terminal post.
- Comes with twelve #8-32 stainless steel attaching screws.

Part No.	Description
57-801	Red Buss Bar
57-802	Black Buss Bar
57-8012	Red Terminal Buss Bar with Covers
57-8022	Black Terminal Buss Bar with Covers



TECH TIP:
When installing switch panels, if a longer screw is needed to stack more terminals on the back of a toggle switch, consider using a buss bar/distribution post instead. Overloading a switch can lead to failure.



8-Terminal Power Distribution Post

- Maximum rating: 180 amps, with 20 amps per connection max.
- Glass-filled nylon base.
- Nickel-plated copper connection plate.
- 5/16" stainless steel connection post.
- Includes eight (8) #8-32 stainless steel screws.
- Available in black or red.

Part No.	Description
57-805	Red Eight-Point Power Post
57-806	Black Eight-Point Power Post



57-805



57-806

POWER DISTRIBUTION STUD
57-807

- Maximum rating of 160 amps.
- Connects two or more voltage cables together.
- Glass-filled nylon base for durability.
- Features a 3/8" stud.



BATTERY SWITCHES

- Required by most sanctioning bodies for emergency cut-off switches.
- Includes red epoxy-coated handle.
- Mounting plate dimensions 2-1/2" x 2-1/2".
- Easy installation.



55-009



55-010



55-021



55-030

Part No.	Description
55-001	Switch w/o Plate, 250 Amp, 2-Post
55-002	Switch w/o Plate, 250 Amp, 4-Post (20-Amp Alternator)
55-005	Switch w/o Plate, 250 Amp, 4-Post (120-Amp Alternator)
55-006	Replacement Red Handle for 55-030
55-008	Switch w/ Flag Plate, 250 Amp, 4-Post (120-Amp Alternator)
55-009	Switch w/ Flag Plate, 250-Amp, 2-Post
55-010	Switch w/ Black Plate, 250-Amp, 2-Post
55-011	Switch w/ Black Plate, 250 Amp, 4-Post (20-Amp Alternator)
55-012	Switch w/ Flag Plate, 250 Amp, 4-Post (20-Amp Alternator)
55-013	Switch w/ Black Plate, 250 Amp, 4-Post (120-Amp Alternator)
55-021	Switch w/ Silver Plate, 250-Amp, 2-Post
55-022	Switch w/ Silver Plate, 250 Amp, 4-Post (20-Amp Alternator)
55-023	Switch w/ Silver Plate, 250 Amp, 4-Post (120-Amp Alternator)
55-030	Weatherproof Switch w/ Black Plate, 300-Amp, 3-Post (Red Key)
55-031	Weatherproof Switch w/ Black Plate, 300-Amp, 3-Post (Silver Key)
55-040	Push/Twist Battery Switch with Light
55-120	Jumper Wire, 3" Long Wire for Use with 55-002, 55-011, 55-012, or 55-022
55-121	Jumper Wire, 3" Long Wire for Use with 55-005, 55-008, 55-013, or 55-023
55-55	Bolt-on Handle for Battery Switch

BATTERY SWITCH BOOTS

Protects battery switch terminals from being accidentally shorted.

Part No.	Description
57-601	Red, Pair
57-602	Black, Pair



PLASTIC BATTERY SWITCH W/ REMOVABLE KEY
55-003

Removable key adds a measure of safety and security while limiting switch access.

REPLACEMENT KEY
55-004





PUSH / TWIST BATTERY SWITCH W/ LIGHT
55-040



STUD FEED-THROUGH

Designed for use where a 12-volt power source must pass through a panel (i.e. firewall).

Part No.	Description
57-700	Black
57-800	Red





STARTER SOLENOID
50-430

- Durable solenoid.
- Impervious to dirt, heat, and vibration.
- Will still function when others fail.

STARTER JUMPER WIRES

- Used in conjunction with a remote solenoid.
- Connects power from the solenoid to the starter when engaged.
- Available with either spade or ring-style terminal ends.





Part No.	Description
50-2001	Spade-Type Jumper Wire, Allstar Performance or Tilton Starters
50-2002	Ring Terminal Jumper Wire, Bert, or Brinn Starters

REMOTE BATTERY CHARGE KIT

- Eliminates need for hood or deck lid removal.
- Quickly connect and disconnect.
- Includes necessary connectors, terminals, and dust cover.

Part No.	Description
57-71424	24" Battery Charge Cable
57-71436	36" Battery Charge Cable
57-714	72" Battery Charge Kit, Unterminated



57-71424



57-71436



57-714



REMOTE OUTLET KITS

- Attaches to chassis or runs through a body panel
- Provides quick, plug-in access for battery chargers or oil pre-heaters.
- Kits include a 5' long wiring harness and necessary terminals.
- Available in options with or without outlet cover.

Part No.	Description
57-711	Remote Outlet Kit
57-723	Weatherproof Remote Outlet Kit



57-711



57-723

ACCESSORY PLUG-INS

Part No.	Description
57-710	Male Recessed Outlet
57-720	110V, 3-Prong Female Socket, Each
57-721	Male Recessed Outlet, Weatherproof

57-720





57-721



57-710

ALTERNATOR WIRE KIT W/ QUICK DISCONNECT
57-105
- Universal alternator wire kit.
- Includes 9 ft. of 8-gauge wire for flexibility in installation.
- Includes ring terminals, a boot, and quick disconnects.
- Easy installation and disassembly.



ALTERNATOR WIRE KIT
57-106
- Universal alternator wire kit.
- Includes 9 ft. of 8-gauge wire.
- Includes ring terminals and a boot.



ALTERNATOR WIRE KIT W/ WEATHERPROOF QUICK DISCONNECT
57-107
- Universal alternator wire kit.
- Includes 9 ft. of 8-gauge wire.
- Comes with ring terminals and boot.
- Features waterproof 1-pin Deutsch connectors.
- Easy installation and disassembly.



ALTERNATOR WIRE BOOT
57-605
- Designed to work with 8-gauge wire.
- Sold individually.



FIREWALL GROMMETS

- Grommets mount securely to firewall.
- Lock onto wire passing through the bushing.
- Provide waterproof seal.
- Offer vibration-proof feed-through.



Part No.	Description
57-810	8-12 AWG
57-820	2-4 AWG
57-830	1/0 AWG



2 - GAUGE		
Part No.	Stud Size	Pack Size
57-540	5/16"	Pair
57-540-20	5/16"	20 Pack
57-550	3/8"	Pair
57-550-20	3/8"	20 Pack
57-560	1/2"	Pair
57-560-20	1/2"	20 Pack

4 - GAUGE		
Part No.	Stud Size	Pack Size
57-520	5/16"	Pair
57-520-20	5/16"	20 Pack
57-525	1/4"	Pair
57-525-20	1/4"	20 Pack
57-530	3/8"	Pair
57-530-20	3/8"	20 Pack
57-535	1/2"	Pair
57-535-20	1/2"	20 Pack

6 - GAUGE		
Part No.	Stud Size	Pack Size
57-580	1/4"	Pair
57-580-20	1/4"	20 Pack
57-581	5/16"	Pair
57-581-20	5/16"	20 Pack
57-582	3/8"	Pair
57-582-20	3/8"	20 Pack
57-583	1/2"	Pair
57-583-20	1/2"	20 Pack

8 - GAUGE		
Part No.	Stud Size	Pack Size
57-570	1/4"	Pair
57-570-20	1/4"	20 Pack
57-571	5/16"	Pair
57-571-20	5/16"	20 Pack
57-572	3/8"	Pair
57-572-20	3/8"	20 Pack
57-573	1/2"	Pair
57-573-20	1/2"	20 Pack

BATTERY CABLE ENDS

- Heavy-duty tin-plated copper ring terminals
- Includes heat-shrink tubing.
- Sold in pairs ***or 20-packs!*** ***NEW!***

57-540



57-550



57-560



57-520



57-525



57-530



57-535



57-581



57-580



57-582



57-583



57-573



57-570



57-571



57-572



TOP-MOUNT BATTERY TERMINALS

- Solid brass terminals designed for attaching battery cables to top-mount batteries.
- Available with 24k gold or nickel plating.
- Gold-plated 57-620 features two extra ports for accessory wires.
- Sold in pairs.

Part No.	Description
57-607	Battery Terminal Covers
57-610	Top-Mount Terminals, Nickel Plated
57-620	Top-Mount Terminals, Gold Plated
57-627	Battery Terminal Covers
57-630	Bolt-on Top-Mount Terminals, 2 Gauge, Nickel Plated
57-640	Solder-on Top-Mount Terminals, 4 Gauge, Nickel Plated

57-627



57-607





57-610



57-620



57-630



57-640

TECH TIP:
Make cleaning battery posts and chassis grounds a part of your routine maintenance. Dirty terminal connections can cause unnecessary drain on power and prevent a battery from getting a full charge.



TOP-POST BATTERY MASTER DISCONNECT
57-650

- Solid brass terminal.
- Allows for quick power disconnection.
- Easy installation, connects to negative post.
- Loosen knob to disconnect power; tighten to reconnect.
- Rated for 125 amps on standard 12VDC systems.



BATTERY CHARGING POSTS

- Provides remote access to battery.
- Insulated terminal covers help prevent accidental contact with parts of opposing polarity.

Part No.	Description
57-701	Red
57-702	Black
57-703	Red and Black, Pair



BATTERY CHARGING POSTS

- Flat Style: For mounting to a flat surface.
- Bent Style: For mounting on a firewall or inside of a trunk.
- Helps to professionally mount 57-703 remote charging posts.
- Machined aluminum with a durable black anodized finish.
- Brackets feature two holes to accept red and black remote charging posts.
- Option available to purchase brackets complete with charging posts.

Part No.	Description
57-708	Flat Mounting Bracket
57-709	Bent Mounting Bracket
57-718	Flat Mounting Bracket with Charging Posts
57-719	Bent Mounting Bracket with Charging Posts



57-708

57-709

57-718





57-719

SIDE-MOUNT BATTERY TERMINALS

- 24k gold-plated battery terminals for optimum conductivity.
- Designed for attaching cables to GM-style side-mount batteries.
- Long bolt/stud allows use of multiple or thick power ring connectors.
- Sold in pairs.



57-660

Part No.	Description
57-660	Side-Mount Terminals with Stud
57-665	Side-Mount Terminals with Bolt





57-665



BATTERY CABLE BOOTS
57-604

- Cover battery terminals on small terminal batteries or starter solenoid connections.
- Compatible with up to 2-gauge cable.
- Sold as a pair: Includes one (1) red boot and one (1) black boot.

GATOR CLAMPS
50-435

- Heavy-duty gator clamps, sold in pairs.
- Ideal for repairing or customizing battery charger connectors, remote starters, etc.
- One (1) red and one (1) black, rubber coated.







PASS-THROUGH POSTS

- Neatly run electrical wires through firewalls or other metal surfaces.
- Nickel-plated 3/8" studs.
- Rated for a maximum of 250 amps.

Part No.	Description
57-803	Red Pass-Through Post
57-804	Black Pass-Through Post

BATTERY QUICK DISCONNECTS

- Change batteries fast.
- Useful for battery charging and quick disconnect applications.
- Sold individually, all required connectors included.
- Typically used as follows: one (1) for the battery end, one (1) for the car end, and one (1) for a spare battery or battery charger.

Part No.	Description
50-513	6-AWG Connector Holster
50-514	6-AWG Connector Pin
57-704	8-Gauge, 50-Amp Quick Disconnect
57-705	2-Gauge, 175-Amp Quick Disconnect
57-706	4-Gauge, 120-Amp Quick Disconnect
57-707	Black Cover for 57-704 Connector



57-707

57-704 / 57-705 / 57-706



50-513






50-514

BATTERY CABLE KITS

Part No.	Description
57-001	Short 4-Gauge Battery Cable Kit
57-002	Short 2-Gauge Battery Cable Kit
57-005	Long 4-Gauge Battery Cable Kit
57-006	Long 2-Gauge Battery Cable Kit



PRE-TERMINATED BATTERY CABLE KITS

- Top post battery terminals soldered on.
- Includes 6 ring terminals with heat shrink.
- Battery ground terminal disconnect and terminal covers included.
- Short cable kits offer 6 feet of red and 3 feet of black premium battery cable.
- Long cable kits offer 15 feet of red and 2 feet of black premium battery cable.



57-001













Included in kits: 57-009 & 57-010

Included in kits: 57-008 & 57-011

Part No.	Description
57-008	Side Posts 4-Gauge Battery Cable Kit
57-009	Top Posts 4-Gauge Battery Cable Kit
57-010	Top Posts 2-Gauge Battery Cable Kit
57-011	Side Posts 2-Gauge Battery Cable Kit
57-014	Top Posts 4-Gauge Battery Cable Kit * Includes 55-009 Battery Switch (Page 125)

BOLT ON CABLE KITS

- Includes 8 ring terminals with heat shrink.
- 15 feet of red power cable.
- 2 feet of black ground cable.
- Top mount kits include nickel plated brass battery top posts.
- Side mount kits include gold plated brass battery side posts.



57-014



BATTERY CABLE KITS

DRAG KIT
57-012

- Twenty-five (25) feet of 2-gauge red power cable
- Eight (8) feet of 2-gauge black ground cable
- Two (2) pairs of nickel-plated brass marine-type battery terminals
- Fourteen (14) tin-plated power ring terminals
- Heat-shrink tubing for secure connections





BATTERY GROUND CABLES

- Pre-terminated with tin-plated copper terminals.
- Eighteen (18) inches long.
- Available in 2-gauge or 4-gauge options.

Part No.	Description
57-1809	4-Gauge
57-1810	2-Gauge




RACE WIRE

- Used by many racing teams and chassis builders.
- Constructed with very fine-stranded rope-lay copper wire for high flexibility.
- Provides superior power flow.
- Insulation capable of withstanding extreme temperatures.



Description	1'	5'	15'	125' Roll
2-GAUGE				
Red	57-101	57-321	57-1521	57-102
Black	57-103	57-323	57-1523	57-104
4-GAUGE				
Red	57-091	57-341	57-1541	57-092
Black	57-093	57-343	57-1543	57-094

TECH TIP:
When deciding between a 2-gauge wire and 4-gauge wire, consider 4-gauge is lighter, but may not start the car as well. A bigger cable will generally start the car easier, especially when the car is up to temperature.



Description	1'	10'
6-GAUGE NEW!		
Red	57-260	57-2601
Black	57-270	57-2701
8-GAUGE		
Red	57-240	57-2401
Black	57-250	57-2501
14-GAUGE		
Red	57-201	57-2011
Black	57-203	57-2031
White	57-236	57-2361

ALUMINUM SUSPENSION TUBES

- Manufactured in the USA.
- Rigid 6061 aluminum.
- Up to 35% stronger than traditional hex or round suspension tubes.
- Precision-machined ends for accurate fitment.
- Corrosion-resistant black anodized finish.
- Left-hand threaded end marked for easy identification.
- Unique design allows for adjustment by hand or with a wrench.



Length	21/32" O.D. 5/16"-24 Thread	21/32" O.D. 3/8"-24 Thread
6"	31-060	-
6.5"	31-065	-
7"	31-070	-
7.5"	31-075	-
8"	31-080	38-080
8.5"	31-085	38-085
9"	31-090	38-090
9.5"	31-095	38-095
10"	31-100	38-100
10.5"	31-105	38-105
11"	31-110	38-110
11.5"	31-115	38-115
12"	31-120	38-120
12.5"	31-125	38-125
13"	31-130	38-130
13.5"	31-135	38-135
14"	31-140	38-140
14.5"	31-145	38-145
15"	31-150	38-150
15.5"	31-155	38-155
16"	31-160	38-160
16.5"	31-165	38-165
17"	31-170	38-170
17.5"	31-175	38-175
18"	31-180	38-180
18.5"	31-185	38-185
19"	31-190	38-190
19.5"	31-195	38-195
20"	31-200	38-200
20.5"	31-205	-
21"	31-210	38-210
21.5"	31-215	
22"	31-220	38-220
22.5"	31-225	-
23"	31-230	38-230
23.5"	31-235	-
24"	31-240	38-240
24.5"	31-245	-
25"	31-250	38-250
25.5"	31-255	-
26"	31-260	38-260
27"	-	38-270
28"	-	38-280

Length	1-1/8" O.D. 5/8"-18 Thread	1-1/4" O.D. 3/4"-16 Thread
6.5"	-	75-065
7"	62-070	75-070
7.5"	62-075	75-075
8"	62-080	75-080
8.5"	62-085	75-085
9"	62-090	75-090
9.5"	62-095	75-095
10"	62-100	75-100
10.5"	62-105	75-105
11"	62-110	75-110
11.5"	62-115	75-115
12"	62-120	75-120
12.5"	62-125	75-125
13"	62-130	75-130
13.5"	62-135	75-135
14"	62-140	75-140
14.5"	62-145	75-145
15"	62-150	75-150
15.5"	62-155	75-155
16"	62-160	75-160
16.5"	62-165	75-165
17"	62-170	75-170
17.5"	62-175	75-175
18"	62-180	75-180
18.5"	62-185	75-185
19"	62-190	75-190
19.5"	62-195	75-195
20"	62-200	75-200
20.5"	62-205	75-205
21"	62-210	75-210
21.5"	62-215	75-215
22"	62-220	75-220
22.5"	62-225	75-225
23"	62-230	75-230

Length	1-1/8" O.D. 5/8"-18 Thread	1-1/4" O.D. 3/4"-16 Thread
23.5"	62-235	75-235
24"	62-240	75-240
24.5"	62-245	-
25"	62-250	75-250
26"	-	75-260
27"	62-270	75-270
27.5"	62-275	
28"	62-280	75-280
29"	-	75-290
30"	-	75-300
31"	62-310	75-310
32"	62-320	75-320
33"	62-330	75-330
34"	-	75-340
35"	-	75-350
36"	-	75-360
37"	-	75-370
38"	-	75-380
39"	62-390	75-390
40"	62-400	75-400
41"	-	75-410
42"	-	75-420
43"	-	75-430
44"	-	75-440
45.7"	62-457	-
46.5"	62-465	-
47.5"	62-475	
47.7"	62-477	-
48"	62-480	-
48.5"	62-485	
48.7"	62-487	-
49"	62-490	-
50"	62-500	-
51"	62-510	-
72"	62-600	75-600



DOUBLE-ENDED SUSPENSION TUBE WRENCH
66-6275

- Heavy-duty, double-ended steel wrench.
- Make quick adjustments to QuickCar 5/8" or 3/4" threaded suspension tubing.
- Durable construction for long-lasting use.



SUSPENSION TUBE RULER
66-100

- Measures nearly any suspension component fitted with rod ends.
- Ideal for use with suspension tubes and tie rods.
- Black powder-coated ruler.
- Locking thumb screw holds ruler adapters in place.
- Allows for precise measurements, up to 36".
- Includes aluminum adapters for measuring components with 1/2", 5/8", or 3/4" rod ends.



TORQUE ABSORBERS

- Track-proven: Increase forward bite out of turns, sustain traction down straightaways.
- IMCA-legal.
- Lighter than spring-style units.
- CNC-machined construction with internal brass bushing and grease fittings prevents binding.
- Specially threaded cap allows for easy biscuit changes.
- Softer or harder durometer biscuits available separately.

66-500
Standard: 13-1/2" long, uses two interior biscuits.



66-400
Intermediate: 14-1/2" long, uses three interior biscuits.



66-499
Long: 17" long, uses four interior biscuits.





TRAVEL INDICATOR
66-512

- Specialized tool for measuring travel of small O.D. torque absorbers.
- Useful for monitoring travel during acceleration and braking.
- Installs easily for convenience.
- Includes indicator rod, two (2) mounting brackets, and required hardware for installation.

TORQUE ABSORBER BISCUITS

- Available in a variety of hardnesses.
- Great for tuning to different track conditions.
- Biscuits can be purchased individually or as a kit.

Part No.	Description
66-501	Extra Soft Blue Biscuit, Each
66-509	Extra Soft/Soft Green Biscuit, Each
66-502	Soft Yellow Biscuit, Each
66-503	Medium/Soft Orange Biscuit, Each
66-504	Medium Red Biscuit, Each
66-506	Hard Black Biscuit, Each
66-508	Kit Includes Blue (2), Yellow (2), Red (2), Black (2)





SMART TOOL DIGITAL LEVEL
56-163

- Ensures chassis tubing, driveshaft angles, and suspension components are level and plumb.
- Particularly useful during chassis fabrication.
- Emits an audible beep when level and plumb are achieved.
- Automatic shut-off feature for battery conservation.

A-ARM SHIM KIT
56-124

- Kit includes one of each aluminum upper A-arm shims with 6" centers.
- Includes installation tabs.
- Shims also available separately.

Part No.	Description
56-120	1/16" Shim
56-121	1/8" Shim
56-122	1/4" Shim
56-123	1/2" Shim



CASTER / CAMBER GUAGE KITS

Part No.	Description
56-830	Caster/Camber Gauge with Magnetic Adapter
56-831	Caster/Camber Gauge, No Adapter
56-833	Caster/Camber Gauge with Wide 5 Adapter
56-834	Caster/Camber Gauge with Kart Adapter
56-835	Caster/Camber Gauge with GM Adapter
56-836	Caster/Camber Gauge with Small Ford Adapter
56-837	Magnetic Adapter Only
56-838	GM Adapter Only, 3/4"-20
56-843	Small Ford Adapter Only, 3/4"-16
56-844	Wide 5 Adapter Only, 1.813"-16

56-830



56-838





56-844

TIRE MANAGEMENT

Tire prep and selection are major keys to winning races, which is why QuickCar offers a variety of tools to closely monitor, measure, and adjust tires.

CHROME VALVE STEMS

Part No.	Description
56-115	Chrome Valve Stem, Each
56-116	Chrome Valve Stems, Four Pack





ALUMINUM VALVE CORE TOOL
56-100

- Pocket-sized tool.
- Ideal for quick removal or replacement of valve cores.
- Durable billet aluminum.
- Red anodized finish for corrosion resistance and durability.

VALVE CORE REMOVER
56-119

- Compact, convenient tool.
- Allows quick valve core replacement and valve stem repair.





ALUMINUM TOE PLATES
64-704

- Simple and accurate tool for determining toe-in/toe-out.
- Lean plates against each front tire to measure the distance between them.
- Includes two 12' tape measures.

64-703
12' TAPE MEASURE



TIRE MARKER KIT
64-401

- Ideal for marking sizes, notes, and locations on tires.
- Kit includes silver tire pen and white tire marker.



Part No.	Description
64-400	White Tire Marker
64-403	Silver Tire Pen



ALUMINUM STAGGER GAUGE
64-706

- Lightweight aluminum tire caliper.
- Measure circumference quickly and accurately.
- Measuring range from 65" to 115".



TIRE MANAGEMENT KIT
56-105

All-in-one kit for tire measurement and maintenance includes

- Deluxe tire durometer (56-155) for measuring tire hardness.
- Tire tread depth gauge (56-104) for checking tread depth.
- Tire tape (56-110) for measuring tire circumference.
- Foam-lined plastic storage case for secure and organized storage.

DIGITAL TIRE TREAD DEPTH GAUGE
56-102

- Measure tire tread depth quickly and effectively.
- Precision gauge features digital display for reading in decimals or fractions.
- Non-rocking billet aluminum base.





TIRE TREAD DEPTH GAUGE
56-104

- Monitor tire wear, ensure tire patch has maximum track contact.
- Durable gauge with aluminum housing.
- Easy-to-read, professional scale graphics.
- Measures tread depth in 1/32" increments.
- Sold complete with convenient carrying pouch.



TIRE TEMP GAUGE
56-200

- Place sensor within 24" of a tire on the vehicle.
- Measures tire temps in real time.
- Peak temperature recall for tracking maximum temperatures.
- Compatible with 12V and 16V electrical systems.
- Includes all necessary mounting hardware.



DELUXE TIRE DUROMETER
56-155

- Determine tire hardness effectively and accurately.
- Gauge range of 0-100 points for precise measurement.
- Sold complete with convenient carrying pouch.

TIRE TAPE

- Hawk-tip tire/stagger tape grabs onto the edge of virtually any surface.
- Easy, one-person measurements.
- Magnetic back for easy storage.
- Measures up to 10 feet.

Part No.	Description
56-110	Tire Tape
56-111	Tire Tape, Carded
56-112	Hawk-Tip Tire Tape, (6) Carded



TIRE GAUGES

The QuickCar 2-1/2" diameter tire pressure gauge is regarded as the most reliable in the industry. Available with a choice of Dry, Glow, or Liquid-Filled face. High-quality gauges include:

- Pressure-relief valves.
- Rubber shock rings.
- 14" long hoses with strain reliefs on each end.
- 45° air chuck for easy access to tire valves.

DRY

56-020 | 0-20 PSI



56-040 | 0-40 PSI



56-060 | 0-60 PSI



GLOW

56-022 | 0-20 PSI



56-042 | 0-40 PSI



56-062 | 0-60 PSI



LIQUID FILLED

56-021 | 0-20 PSI



56-041 | 0-40 PSI



56-061 | 0-60 PSI





ECONOMY DIGITAL TIRE PRESSURE GAUGE 0-100 PSI
56-070

- Economically priced digital tire pressure gauge.
- Measures 0-100 PSI in 1/2 lb. increments.
- Features auto-off function for extended battery life.
- More shock-resistant than analog-style gauges.
- Includes a 14" long hose with a 45° air chuck for easy access to tire valves.
- Equipped with a bleeder for quick pressure adjustments.



DIGITAL TIRE PRESSURE GAUGE 0-60 PSI
56-085

- Most accurate tire pressure gauge offered by QuickCar, calibrated to 0.5% accuracy.
- Reads in PSI, Bar, Kg, or KPA.
- Easy-to-read backlit screen.
- Auto shut-off function for extended battery life.
- Comes with premium 14" long hose and 45° angled air chuck for easy access to tire valves.
- 0-60 lb. gauge for precise pressure measurements.

TIRE INFLATORS

Precision tire inflators allow checking tire pressures while inflating or deflating. Available with Dry, Glow, or Liquid-Filled gauge heads. High-quality inflators include:

- Includes air-release buttons.
- Stainless steel braided air hoses for durability.
- Chrome-plated angle chucks.
- Gauge head options include 0-20 PSI, 0-40 PSI, and 0-60 PSI versions.



DIGITAL TIRE INFLATOR 0-100 PSI
56-270

- Includes steel braided flexible hose, 45° chuck, and brass relief valve.
- Features 0-100 PSI digital gauge.



DIGITAL TIRE INFLATOR 0-60 PSI
56-285

- Includes steel braided flexible hose, 45° chuck, and brass relief valve
- Features 0-60 PSI digital gauge.
- Reads PSI, Bar, KG, or KPA (air fittings not included).
- Accurate within 0.01-lb increments (default PSI setting).
- Features backlit screen with auto shut-off function.

56-240 | 0-40 PSI 56-260 | 0-60 PSI



DRY

56-220 | 0-20 PSI



56-242 | 0-40 PSI 56-262 | 0-60 PSI



GLOW

56-222 | 0-20 PSI



56-241 | 0-40 PSI 56-261 | 0-60 PSI



LIQUID FILLED

56-221 | 0-20 PSI



TIRE PRESSURE GAUGE REPLACEMENT PARTS

Part No.	Description
56-001	18" Flex Hose with Pressure Relief
56-002	Gauge Head, Dry 0-20 PSI
56-004	Gauge Head, Dry 0-40 PSI
56-006	Gauge Head, Dry 0-60 PSI
56-0022	Gauge Head, Glow 0-20 PSI
56-0042	Gauge Head, Glow 0-40 PSI
56-0062	Gauge Head, Glow 0-60 PSI
56-0021	Gauge Head, Liquid-Filled 0-20 PSI
56-0041	Gauge Head, Liquid-Filled 0-40 PSI
56-0061	Gauge Head, Liquid-Filled 0-60 PSI
56-003	Rubber Shock Ring



56-006



56-0042



56-0021



ANGLE-STYLE AIR CHUCK
56-9001

- 45° angle air chuck designed to access hard-to-reach areas.
- Ideal when making tire pressure adjustments in tight spaces.
- 1/4" NPT threads.



56-003



BALL-STYLE AIR CHUCK
56-9002

- Compact 90° air chuck designed for the tightest, hard-to-reach areas.
- Ideal when making tire pressure adjustments in tight spaces.
- 1/4" NPT threads.



56-001

TECH TIP:
Tire gauges should never be used on a tire with more pressure than the max of the gauge. This will cause inaccurate readings.

CARBURETOR ACCESSORIES

THROTTLE STOP BRACKETS

- Designed for popular Holley carburetors.
- Rigid construction, fully CNC-machined black anodized aluminum.
- Includes adjustable throttle stop.

Part No.	Description
64-157	For Holley 4bbl.
64-158	For Holley 2bbl.





THROTTLE RETURN SPRING KIT
65-096

- Carb mount bracket.
- Four (4) return springs.
- Includes required hardware.

TALL ALUMINUM CARBURETOR NUT W/ O-RING SEAL
64-149

- Carb nut includes 5/16" threads.
- Made from aluminum.
- Includes O-ring.



ALUMINUM CARBURETOR HAT
64-146

- Protects engine from dirt and debris when air cleaner has been removed.



THROTTLE RETURN SPRINGS
64-169

- Includes (2) throttle return springs.



CARBURETOR BOX
64-140

- Protect expensive carburetors from dirt and debris.
- Ideal for storage or transport.
- Container accepts popular Holley 4150/4160 4bbl. carburetors.
- Includes locking lid.



BRAKES & COOLING SYSTEM

DIGITAL BRAKE BIAS GAUGE KIT W/ SENDERS
67-101

- Ideal solution for setting brake bias, determining how much brake pressure is being used.
- Ultra-lightweight digital 2-1/16" brake bias gauge.
- Includes two (2) 1600 PSI senders for front and rear brake pressure.
- Gauge displays either PSI or percentage.
- Features a high-PSI recall function.



DIGITAL BRAKE BIAS REPLACEMENT PARTS
67-015 | Brake Bias Gauge Only
63-270 | Replacement 1600 PSI Sender (each)

BRAKE BIAS GAUGE PANELS

- Allows driver to track pressure at both front and rear calipers.
- Panels fitted with two 1-1/2" diameter liquid-filled pressure gauges.
- Gauges read from 1-1,500 PSI.
- Includes bleeders to evacuate air from the system.

VERTICAL MINI BRAKE BIAS GAUGE
61-101 / 61-105

- Checkered panel / Black panel
- 2-3/4" wide x 4-1/2" high.







HORIZONTAL MINI BRAKE BIAS GAUGE
61-103

- Checkered panel.
- 4-1/2" wide x 2-3/4" high.

TECH TIP:
Like Legend and Extreme gauges, brake bias gauges can be damaged due to over torquing when tightening lines to the gauge. Use a wrench on the base of the gauge when tightening to prevent damage to the gauge.

BRAKE CALIPER PRESSURE TEST KITS

- Brake system troubleshooting tool.
- Allows checking brake pressure at the caliper, quickly and accurately.
- Each kit packed in a neat, foam-lined case.

Part No.	Description
64-510	Threads Are 1/4"-28 tapered, Fit Most Aftermarket Calipers
64-511	10mm-1.50, Fit GM Metric Calipers
611-90	Replacement Gauge





BRAKE BLEEDER SCREWS
61-9101

- 3/8”-24 thread.
- 1” length.
- Sold in pairs.







RELAY
57-750


- Compact, modular, general-purpose relay.
- Tailor your vehicle's power box for compatibility.
- Usable for Lighting, Starting, Horn, Heating and Cooling, Fan Control.

ELECTRIC FAN RELAY KIT
60-039

- 40-amp relay.
- Water temperature switch.
- Wiring harness.

ELECTRIC FAN MOUNTING KIT
60-032

- Secures electric fan onto a radiator.
- Push-through radiator style.
- Uses four (4) black nylon ties.





200° TEMPERATURE SWITCH
60-040

- Single-wire water temp switch.
- Preset to turn on at 200°F.
- Sender has 1/2"NPT threads.

NACA DUCTS

- Provides airflow to driver, brakes, rear end cooler, etc.
- Mount on virtually any flat surface.
- Accepts 3" diameter hose for easy connection.

Part No.	Description
60-000	Single Clear
60-003	Single Black
60-010	Dual Clear



BUMPER DUCTS

- Bumper ducts direct airflow to the brakes.
- Help to prevent overheating and prolong brake life.
- Durable construction.
- Easy to install.

Part No.	Description
60-008	Single
60-009	Dual
60-005	Headlight Duct





TIMING SYSTEMS

Track and improve performance with QuickCar timing systems. Everything you need to stay organized and competitive.

DUAL TIMING SYSTEMS

- Two Robic SC505 stopwatches.
- Acrylic clipboard (multiple color options).
- Five qualifying sheets.
- Five lap chart sheets.

Part No.	Description
51-051	Red
51-052	Black
51-070	Aluminum



ROBIC SC505 STOP WATCHES

- Digital stop watches.
- 12-lap memory.
- Auto lap counter.

Part No.	Description
51-037	Red
51-038	Black
51-040	Blue



CLIPBOARDS

- Comfortable to hold.
- Durable and unique design.
- Acrylic or satin aluminum.


Part No.	Description
51-041	Red Acrylic
51-043	Black Acrylic
51-048	Aluminum



LAP CHART PADS

- Used to record lap times for practice & races.
- Includes 50 Sheets.

Part No.	Description
51-201	1 Chassis Set-Up
51-210	Before Race
51-215	After Race
51-230	50-Lap
51-235	100-Lap
51-236	Qualifying Organizer
51-237	Race Day Check List



51-201



51-210



51-235



51-237


GAUGES
BOX

SAFETY EQUIPMENT

MOLDED STEERING WHEEL PAD
58-244

- Pad fits flat or dished three-spoke steering wheels.
- Secures with three hook-and-loop straps.



STEERING WHEEL PAD
58-245

- Adds driver protection in the event of a crash.
- Black vinyl-covered foam pad.
- Compatible with most three-spoke racing steering wheels.
- Dimensions: 5-3/4" diameter x 2" thick.
- Attaches securely with three hook-and-loop straps.



Part No.	Description
58-231	Red
58-221	Red, Case of 12
58-232	Blue
58-222	Blue, Case of 12
58-233	Black
58-223	Black, Case of 12
58-234	Yellow
58-224	Yellow, Case of 12
58-235	Orange
58-225	Orange, Case of 12

ROLL BAR PADDING

- Closed-cell foam construction for effective shock absorption.
- Foam increases in density as it is compressed for enhanced protection.
- Offset inside diameter allows for thicker padding facing toward driver.
- Sold in 3-foot lengths.



58-211

58-212

SFI-APPROVED ROLL BAR PADDING

- Fire-resistant roll bar padding meets SFI 45.1 specifications.
- Will not melt in the event of a fire.
- Provides 180° coverage to roll bar tubing for enhanced protection.
- Sold in 3-foot lengths.
- Available in black only.

Part No.	Description
58-211	1-5/8" to 2" O.D. Roll Bar Padding
58-212	1-1/4" to 1-3/4" O.D. Roll Bar Padding

SECURE PADDING WITH QUICKCAR PREMIUM CABLE TIES, SEE: QUICKCAR EXTRAS.

STEERING WHEELS

QuickCar offers options for dished aluminum- or steel-spoked steering wheels. Available in red, blue, or black grips - choose from a 15" or 17" diameter.



68-0031



68-001



68-0012

15" STEERING WHEELS

Steel	Color	Aluminum
68-003	Black	68-001
68-0031	Red	68-0011
68-0032	Blue	68-0012



68-002



68-004

17" STEERING WHEELS

Steel	Color	Aluminum
68-004	Black	68-002

LIGHTWEIGHT STEERING WHEELS

- Lightweight 15" diameter aluminum steering wheels.
- Drilled and shot-peened to reduce weight and enhance grip.
- Weighs less than 1 lb.
- Includes a 1-1/2" dish for ergonomic handling.
- Available in natural or black powder-coated finishes.

Part No.	Description
68-005	Natural Finish Steering Wheel
68-006	Black Finish Steering Wheel

68-005



68-006





STEERING WHEEL DISCONNECTS

QuickCar steering wheel disconnects allow quick removal or replacement of the steering wheel.

- Durable and lightweight.
- Anodized aluminum construction.
- Compatible with popular 3-bolt steering wheels.
- Designed for use with 3/4" diameter steering shafts.
- Sold complete with weld-on steel hub adapter.

HEX HUB BUTTON-STYLE ALUMINUM DISCONNECT
68-010



HEX HUB 360 DEGREE ALUMINUM DISCONNECT
68-012

- Sold complete with hardware and fasteners.



WELD-ON HUB STEEL ADAPTERS

- Also available separately.
- Specifically made for QuickCar disconnects.
- Welds to 3/4" O.D. steering shaft.
-

Part No.	Description
68-0109	Fits Hex-Hub Button-Style (68-010)
68-0129	Fits Hex-Hub 360° Style (68-012)
68-0159	Fits Fine Spline-Hub 360° Style (68-015)

SPLINED HUB 360 DEGREE ALUMINUM DISCONNECT
68-015

- Sold complete with hardware and fasteners.





68-0109



68-0129



68-0159


HIELD

ALUMINUM 6-PUMP PIT JACK
64-087

- Lightweight, high-quality aluminum.
- Six-pump design.
- 3,000-lb. capacity.
- Low-profile design.
- Maximum lifting height of 17-1/2”



DIRT WING
64-088

- Provides sturdy platform for pit jack.
- For use with 64-087 pit jack on soft or uneven surfaces.





64-078



64-077

PIT SOCKETS

- Steel 1/2" drive sockets
- Used by many top racing teams.

Part No.	Description
64-077	Pro 1" Socket, 3-1/4" Long
64-078	Pro 1" Socket, 2-1/4" Long

DUST CAPS & PLUGS
64-225

- Plastic caps and plugs.
- -3AN to -16AN Kit.



RACHETING CRIMPER PLIERS
50-395

- Tool for ensuring consistent, professional-quality crimps on various electrical terminals.
- Use for insulated, non-insulated, Weatherpack, small gauge, and spark plug wires.
- Quick-change jaw design.
- Heavy-duty, rigid construction.
- Adjustable crimping pressure.



HEAVY-DUTY AUTOMATIC WIRE STRIPPER PLIERS
50-393

- Heavy-duty 6" pliers.
- Suitable for 8-18 gauge wires.
- Features a bolt-on depth adjustment guide.
- Allows for consistent and reliable strip length.



WEATHERPACK TERMINAL TOOL
50-399

- Tool for removing pin terminals from Weatherpack connectors.
- Use for male and female pins.



VALVE CORE TOOL
56-100

- Compact and portable design.
- Quick valve core removal and replacement.
- Durable billet aluminum.
- Red anodized finish.



IMPACT CRIMPER
64-020

- Designed for crimping standard power rings onto battery cables for a permanent termination.



SAFETY WIRE
64-015

- Includes 1 lb. of 0.032" diameter safety wire.



SAFETY WIRE PLIERS
64-010

- Rugged pliers designed for durability and performance.
- Includes end bearing for smoother, faster twisting.
- Ideal for tight areas where a second pull is often needed.



12' TAPE MEASURE
64-703

- Expands up to 12 feet in length.
- 3/4" wide.
- Sold individually.



RIDE HEIGHT GAUGE
56-108

- Pocket-sized ride height gauge.
- Place under the frame, press the button, etched stem pops out.
- Measures ride heights from 3-1/2" to 6".



ALUMINUM ANGLE-HEAD AN WRENCH SET
64-709

- Angled head design for improved fitting access.
- Five-piece set includes -6AN, -8AN, -10AN, -12AN, and -16AN.



ALUMINUM AN WRENCH SET
64-708

- Five-piece set includes -6AN, -8AN, -10AN, -12AN, and -16AN.



QUICKCAR EXTRAS



HELMET HOOK

- Lightweight anodized aluminum.
- Hooks clamp directly to roll bar.
- Provides anchor for helmet strap.



Part No.	Description
66-920	1-3/4" Tube Mount
66-936	1-1/2" Tube Mount

ALUMINUM COIL CLAMPS
66-925

- Anodized aluminum bracket.
- Allows mounting of ignition coil directly to firewall.



VENT CLAMPS

- Clamp-on breather.
- Ideal for use with transmissions, rear ends, etc.
- Clamps directly to chassis tubing.



Part No.	Description
66-937	1-3/4"
66-938	1-1/2"
66-9381	Replacement Filter

CONVEX MIRRORS

- Convex mirrors provide a wide rear view of the competition.
- Choose from 14" or 17" wide mirrors.



Part No.	Description
66-754	14" Wide Mirror Only
66-757	17" Wide Mirror Only

ROLL BAR CLAMP REDUCER
66-908

- Lightweight aluminum reducer.
- Used to adapt existing radio boxes, drink bottle holders, etc.
- Reduces from 1-3/4" to 1-1/2" diameter.





PREMIUM BLACK CABLE TIES
58-250

- Black 15" long cable ties made from weather-resistant nylon.
- Metal locking barbs.
- Domed-top design with smooth edges.
- High-strength, low-thread force.
- Sold in packs of 50.



MSD BOX QUICK RELEASE
50-442

- Raised platform mounting plate for MSD 6000-series ignition systems.
- Quick fasteners included for rapid ignition unit changes in case of failure.
- Compatible with any flat surface.



MSD IGNITION BOX MOUNTING PLATE
50-810

- Specialized adapter for MSD ignition boxes.
- Eliminates the need to cut MSD magnetic pickup wires when converting primary ignition.





Product Index

BATTERY CABLE KITS
- Battery Cable Kits ... 135, 136, 137
- Battery Cable Ends ... 131
- Battery Terminal Covers ... 132, 134
- Battery Terminal Top Posts ... 132
- Battery Charging Posts ... 133
- Battery Terminal Side Posts ... 134
- Battery Quick Disconnects ... 134
- Pass-Through Posts ... 134
- Gator Clamps ... 134

BRAKES & COOLING
- Brake Bias Gauge Panel ... 151
- Brake Bias Gauges ... 151
- Brake Bias Liquid Filled Gauge ... 152
- Brake Caliper Pressure Test Kit ... 152
- Brake Bleeders ... 152
- Fan Relay Kit ... 152
- Fan Mounting Kit ... 152
- Temperature Switch ... 152
- Relay ... 152
- NACA Ducts ... 153

CARBURETOR ACCESSORIES
- Air Cleaner Thumb Screw ... 150
- Carb Hat ... 150
- Storage Case ... 150
- Throttle Stop Brackets ... 150
- Throttle Return Springs ... 150

CHASSIS SET-UP
- Torque Absorber Travel Indicator ... 142
- Caster/CamberAdapters ... 143
- A-Arm Shims ... 143
- Digital Level ... 143

COIL WIRES ... 117, 118

DASH PANELS
- Redline Dash Panels ... 40
- Extreme Northeast Mod ... 76
- Redline Northeast Mod ... 76

ELECTRICAL SYSTEM ACCESSORIES
- Starter Jumper Wires ... 102, 127
- Remote Start Buttons ... 120
- Start Switch with Harness ... 120
- Deutsch Connectors ... 121, 123
- Buss Bar, 12-Point ... 123
- Distribution Post, 8-Terminal ... 124
- Distribution Stud ... 124
- Battery Switches ... 125, 126
- Battery Switch Boots ... 125
- Jumper Wires ... 125
- Stud Feed Throughs ... 126
- Starter Solenoid ... 126
- Battery Cable ... 127
- Accessory Plug-Ins ... 128
- Remote Outlet Kits ... 128
- Alternator Wire Boot ... 129
- Alternator Wires ... 129
- Firewall Grommets ... 130

GAUGE PANEL ACCESSORIES
- Fittings AN/NPT ... 57, 59, 60, 61, 62
- Firewall Junctions ... 57
- Gauge Line Kits Electronic ... 57, 59, 61
- Gauge Visors ... 57
- Boost Sensor, Redline 2-1/16 ... 58
- LED Light Bulbs ... 58, 64
- Sending Units Temperature ... 58
- Fuel Pressure Gauges ... 59
- Legend Light/Socket ... 59
- Fuel Pressure Isolator ... 60
- Warning Light Kits ... 60, 63, 64
- Warning Lights, LED Switches ... 61
- Warning Lights ... 62, 63
- Water Pressure Gauges ... 64

GAUGE PANELS
- Digital Gauge Panels ... 21, 22, 23
- Redline 2-5/8 Gauge Panels ... 31, 32, 33
- Redline 2-1/16 Gauge Panels ... 37, 38, 39
- Extreme Gauge Panels ... 44, 45, 46
- Legend Gauge Panels ... 53, 54, 55

GAUGES
- Digital Gauges ... 19, 20
- Redline 2-5/8 Gauges ... 28
- Redline 2-1/16 Gauges ... 36
- Extreme Gauges ... 43
- Legend Gauges ... 51

IGNITION SYSTEM ACCESSORIES
- Wheel Brake Harness ... 105
- Switch Panel, 3-Wheel Brake ... 105
- Wiring Adapters ... 105, 106, 107
- Ignition Kit ... 106
- Pigtail Adapters ... 106, 107, 108
- MSD Plug and Receptacle ... 106, 113
- Radiator Fan Harness ... 107
- LED Light Strips ... 108
- Helmet Fan Harness ... 117

OPEN WHEEL / SPRINT CAR COMPONENTS
- Sprint Gauge Panel ... 69, 70, 72, 74
- Sprint Gauges Oil Pressure ... 69
- Sprint/Open Wheel Gauge Panel ... 70
- Sprint Car Wiring Harnesses ... 71
- Midget/Micro Gauge Panel ... 72, 73, 74
- Sprint Redline Gauge Panel ... 73
- Battery Chargers ... 75
- Shock Rings ... 75
- Rechargeable Battery ... 75

PLUG-N-PLAY WIRING HARNESSES
- Universal Wiring Harness ... 96, 98
- HEI Wiring Harness ... 96, 100
- Dual Magnetic Pickup Harness ... 96, 103
- Northeast Mod Wiring Harness ... 96, 99
- Spec Late Model Wiring Harness ... 96, 99
- Modified Wiring Harness ... 96, 98
- Soft Touch HEI Harness ... 96, 100
- CRANE/FAST Harness ... 96, 99
- Stock Ignition Harness ... 96, 101
- Stock HEI Harness ... 96, 101
- Dirt Late Model Wiring Harness ... 96, 99
- Dual Ignition Box Harness ... 96, 104

QUICKCAR EXTRAS
- Aluminum Coil Clamp ... 162
- Mirrors, Convex ... 162
- Roll Bar Clamps ... 162
- Vent Clamps ... 162
- MSD Ignition Mounting Plate ... 163
- Cable Ties ... 163

SAFETY EQUIPMENT
- Roll Bar Padding ... 156
- Steering Wheel Pads ... 156

STEERING
- Steering Wheels, Aluminum ... 157
- Steering Wheel Disconnects ... 158

SUSPENSION TUBES ... 139, 140

SWITCH PANEL ACCESSORIES
- Circuit Breaker Boot ... 87
- Circuit Breakers ... 87, 90
- Rocker Switches ... 87
- Toggle Switches ... 89, 90
- Flip Cover, Toggle Switch ... 89
- Push to Start Button ... 89
- Rubber Boot, Toggle Switch ... 89
- Pilot Lights ... 89
- Toggle Switches, Weatherproof ... 90
- Switch Panel Labels ... 91
- Grommets ... 91
- Roll Bar Mounting Brackets ... 91
- Toggle Switch Extensions ... 91
- ATC Fuses ... 92
- Line Clamps ... 92

SWITCH PANELS
- Switch Panels ... 79, 81, 82, 88, 101
- Switch Panels, Weatherproof ... 81, 83, 84, 85, 97, 101
- Fused Switch Panels ... 82
- Rocker Switch Panels ... 86
- Circuit Breaker Panels ... 87

TACHOMETERS
- Legend ... 66
- Redline ... 66
- Remote Recall Switch ... 66
- Digital ... 67, 68
- Extreme ... 67

TIMING SYSTEMS
- Clip Boards ... 154
- Lap Chart Pads ... 154
- Qualifying Organizer ... 154
- Race Day Checklist ... 154
- Robic 505 Stop Watches ... 154
- Dual Timing Systems ... 154

TIRE GAUGES / INFLATORS
- Tire Pressure Gauges ... 147
- Tire Pressure Inflators ... 148
- Tire Pressure Gauge Accessories ... 149

TIRE MANAGEMENT
- Toe Plates ... 144
- Valve Stem Tools ... 144
- Valve Stems ... 144
- Stagger Gauge ... 145
- Tire Markers ... 145
- Tire Tool Kit ... 145
- Tire Tread Depth Gauges ... 145
- Tire Temp Gauge ... 146
- Tire Tape ... 146
- Tire Durometer ... 146
- Tape Measure ... 162

TOOLS
- Dust Caps and Plugs ... 160
- Pit Jack, 6-Pump Aluminum ... 160
- Pit Jack Dirt Wing ... 160
- Pit Sockets ... 160
- Wire Crimpers & Stripping Tools ... 160, 161
- Ride Height Gauge ... 161
- Safety Wire ... 161
- Safety Wire Pliers ... 161
- AN Wrench Sets ... 161

WIRING ACCESSORIES
- Ring Terminals ... 110, 111
- Distributor Wire ... 111
- Labeled Heat Shrink ... 111
- Weatherpack Connectors ... 112, 113

WIRING KITS
- 2-Gauge Kits ... 115, 116
- 4-Gauge Kits ... 115, 116

Part No. Index

Part No. .....
31-060 139
31-065 139
31-070 139
31-075 139
31-080 139
31-085 139
31-090 139
31-095 139
31-100 139
31-105 139
31-110 139
31-115 139
31-120 139
31-125 139
31-130 139
31-135 139
31-140 139
31-145 139
31-150 139
31-155 139
31-160 139
31-165 139
31-170 139
31-175 139
31-180 139
31-185 139
31-190 139
31-195 139
31-200 139
31-205 139
31-210 139
31-215 139
31-220 139
31-225 139
31-230 139
31-235 139
31-240 139
31-245 139
31-250 139
31-255 139
31-260 139
38-080 139
38-085 139
38-090 139
38-095 139
38-100 139
38-105 139
38-110 139
38-115 139
38-120 139
38-125 139
38-130 139
38-135 139
38-140 139
38-145 139
38-150 139
38-155 139
38-160 139
38-165 139
38-170 139
38-175 139
38-180 139
38-185 139
38-190 139
38-195 139
38-200 139
38-210 139
38-220 139
38-230 139
38-240 139
38-250 139
38-260 139
38-270 139
38-280 139
40-121 117
40-123 117
40-125 117
40-127 117
40-181 117
40-183 117
40-185 117
40-187 117
40-241 117
40-243 117
40-245 117
40-247 117
40-303 117
40-361 117
40-363 117
40-365 117
40-367 117
40-421 117
40-423 117
40-425 117
40-427 117
40-481 117
40-483 117
40-485 117
40-487 117
40-601 117
40-603 117
40-605 117
40-607 117
50-001 107
50-003 91
50-004 91
50-008 91
50-020 79
50-022 .....80, 101
50-023 .....80, 101
50-025 .....80, 101
50-031 .....79, 101
50-033 97
50-034 105
50-035 105
50-052 79
50-053 .....79, 101
50-102 .....79, 101
50-103 .....79, 101
50-163 .....82, 101
50-164 82
50-165 82
50-166 81
50-1711 81
50-1713 .....85, 104
50-1714 .....85, 104
50-1731 .....85, 103
50-200 .....96, 101
50-2001 127
50-2002 127
50-2004 106
50-2005 .....14, 106
50-2006 105
50-2007 105
50-2008 105
50-2009 106
50-201 .....96, 101
50-2010 107
50-2013 107
50-2015 107
50-2016 106
50-2017 106
50-2018 106
50-2021 .....96, 104
50-2030 .....96, 104
50-2031 .....96, 98
50-2032 .....96, 98
50-2033 .....96, 100
50-2034 .....96, 98
50-2035 .....96, 103
50-2037 .....96, 99
50-2038 .....96, 98
50-2039 .....96, 99
50-2051 .....96, 100
50-2053 .....96, 99
50-206 107
50-207 106
50-208 106
50-213 106
50-222 .....14, 106
50-223 .....14, 106
50-230 115
50-231 115
50-232 115
50-234 115
50-235 115
50-236 115
50-300-20 .....14, 112
50-301-20 .....14, 112
50-302-20 .....14, 112
50-303-20 .....14, 112
50-304-20 .....14, 112
50-305-20 112
50-310 112
50-311 112
50-312 112
50-320 112
50-321 112
50-322 112
50-330 112
50-331 112
50-332 112
50-340 112
50-341 112
50-342 112
50-360 112
50-361 112
50-362 112
50-380 113
50-393 160
50-395 160
50-399 .....113, 161
50-400 90
50-401 90
50-402 90
50-410 90
50-415 90
50-417 90
50-420 90
50-422 90
50-424 90
50-430 126
50-433 120
50-434 120
50-435 134
50-442 163
50-500 89
50-501 89
50-503 89
50-504 89
50-505 89
50-506 89
50-507 120
50-508 89
50-510 89
50-512 89
50-513 134
50-514 134
50-515 90
50-519 89
50-520 90
50-522 90
50-524 91
50-526 91
50-601 89
50-602 89
50-604 89
50-609 89
50-610 89
50-700 87
50-705 111
50-711 .....83, 104
50-7164 83
50-718 84
50-719 84
50-720 .....83, 101
50-7220 71
50-7222 107
50-731 .....83, 97
50-740 .....84, 101
50-7411 .....84, 104
50-7414 .....84, 103
50-7431 .....84, 97
50-750 .....83, 101
50-7531 .....83, 97
50-7611 .....85, 104
50-7614 .....85, 103
50-7631 .....85, 97
50-7711 .....85, 104
50-7713 .....85, 104
50-7714 .....85, 103
50-7731 .....85, 97
50-7739 .....84, 97
50-790 .....83, 101
50-7911 .....83, 104
50-7931 .....83, 97
50-802 .....79, 101
50-803 .....79, 101
50-810 163
50-820 .....79, 101
50-822 .....80, 101
50-823 .....80, 101
50-825 .....80, 101
50-826 .....80, 101
50-830 116
50-831 116
50-832 116
50-833 97
50-834 116
50-835 116
50-836 116
50-852 .....79, 101
50-853 .....79, 101
50-863 82
50-864 82
50-865 81
50-866 81
50-868 87
50-869 87
50-900 108
50-905 92
50-910 92
50-9110 108
50-915 92
50-920 92
50-925 92
50-930 92
50-955 92
50-960 92
50-9715 87
50-9720 87
50-9725 87
50-9730 87
51-037 154
51-038 154
51-040 154
51-041 154
51-043 154
51-046 154
51-048 154
51-051 154
51-052 154
51-070 154
51-201 154
51-210 154
51-215 154
51-230 154
51-235 154
51-236 154
51-237 154
52-163 .....86, 101
52-164 .....86, 101
52-165 .....86, 101
52-166 .....86, 101
52-402 .....14, 87
52-500 87
52-510 87
52-512 87
52-515 87
52-601 87
52-602 87
52-604 87
52-609 87
52-615 87
52-716 86
52-717 86
52-863 .....86, 101
52-864 .....86, 101
52-865 .....86, 101
52-866 .....86, 101
52-870 .....14, 86
55-001 125
55-002 125
55-003 126
55-004 126
55-005 125
55-006 125
55-008 125
55-009 125
55-010 125
55-011 125
55-012 125
55-013 125
55-021 125
55-022 125
55-023 125
55-030 125
55-031 125
55-040 .....125, 126
55-120 125
55-121 125
55-55 125
55-7330 .....88, 101
55-8022 .....88, 101
56-001 149
56-002 149
56-0021 149
56-0022 149
56-003 149
56-004 149
56-0041 149
56-0042 149
56-006 149
56-0061 149
56-0062 149

56-020 147
56-021 147
56-022 147
56-040 147
56-041 147
56-042 147
56-060 147
56-061 147
56-062 147
56-070 147
56-085 147
56-100 ..... 144, 161
56-102 145
56-104 145
56-105 145
56-108 161
56-110 146
56-111 146
56-112 146
56-115 144
56-116 144
56-119 144
56-120 143
56-121 143
56-122 143
56-123 143
56-124 143
56-155 146
56-163 143
56-200 146
56-220 148
56-221 148
56-222 148
56-240 148
56-241 148
56-242 148
56-260 148
56-261 148
56-262 148
56-270 148
56-285 148
56-830 143
56-831 143
56-833 143
56-834 143
56-835 143
56-836 143
56-837 143
56-838 143
56-843 143
56-844 143
56-9001 149
56-9002 149
57-001 135
57-002 135
57-005 136
57-006 136
57-008 136
57-009 136
57-010 136
57-011 136
57-012 137
57-014 136
57-091 138
57-092 138
57-093 138
57-094 138
57-101 138
57-102 138
57-103 138
57-104 138
57-105 129
57-106 129
57-107 129
57-1521 138
57-1523 138
57-1541 138
57-1543 138
57-1809 137
57-1810 137
57-200-10 111
57-201 138
57-2011 138
57-203 138
57-2031 138
57-236 138
57-2361 138
57-240 138
57-2401 138
57-250 138
57-2501 138
57-260 ..... 15, 138
57-2601 ..... 15, 138
57-270 ..... 15, 138
57-2701 ..... 15, 138
57-321 138
57-323 138
57-341 138
57-343 138
57-450 110
57-450-50 110
57-460 110
57-460-50 110
57-461 110
57-461-50 110
57-462 110
57-462-50 110
57-463 110
57-463-50 110
57-464 110
57-464-50 110
57-465 110
57-465-50 110
57-466 110
57-466-50 110
57-467 110
57-467-50 110
57-468 110
57-468-50 110
57-470 110
57-470-50 110
57-471 110
57-471-50 110
57-472 110
57-472-50 110
57-473 110
57-473-50 110
57-474 110
57-474-50 110
57-475 110
57-475-50 110
57-476 110
57-476-50 110
57-477 110
57-477-50 110
57-478 110
57-478-50 110
57-479 110
57-479-50 110
57-481 110
57-481-50 110
57-490 110
57-490-50 110
57-499 111
57-520 131
57-520-20 131
57-525 131
57-525-20 131
57-530 131
57-530-20 131
57-535 131
57-535-20 131
57-540 131
57-540-20 131
57-550 131
57-550-20 131
57-560 131
57-560-20 131
57-570 131
57-570-20 131
57-571 131
57-571-20 131
57-572 131
57-572-20 131
57-573 131
57-573-20 131
57-580 ..... 15, 131
57-580-20 ..... 15, 131
57-581 ..... 15, 131
57-581-20 ..... 15, 131
57-582 ..... 15, 131
57-582-20 ..... 15, 131
57-583 ..... 15, 131
57-583-20 ..... 15, 131
57-601 125
57-602 125
57-604 134
57-605 129
57-607 132
57-610 132
57-620 132
57-627 132
57-630 132
57-640 132
57-650 133
57-660 134
57-665 134
57-700 126
57-701 133
57-702 133
57-703 133
57-704 134
57-705 134
57-706 134
57-707 134
57-708 133
57-709 133
57-710 128
57-711 128
57-714 127
57-71424 127
57-71436 127
57-718 133
57-719 133
57-720 128
57-721 128
57-723 128
57-750 152
57-800 126
57-801 123
57-8012 123
57-802 123
57-8022 123
57-803 134
57-804 134
57-805 124
57-806 124
57-807 124
57-810 130
57-820 130
57-830 130
57-942 110
57-943 110
57-944 110
57-945 110
58-211 156
58-212 156
58-221 156
58-222 156
58-223 156
58-224 156
58-225 156
58-231 156
58-232 156
58-233 156
58-234 156
58-235 156
58-244 156
58-245 156
58-250 163
60-000 153
60-003 153
60-005 153
60-008 153
60-009 153
60-010 153
60-032 152
60-039 152
60-040 152
61-101 151
61-103 151
61-105 151
611-096 66
611-099 68
611-100 68
611-102 68
611-106 68
611-33 59
611-6000 51
611-6001 66
611-6002 66
611-6003 51
611-6004 69
611-6005 69
611-6006 51
611-6007 51
611-6008 64
611-6009 51
611-6018 ..... 11, 51
611-6204 69
611-6205 69
611-7000 43
611-7003 43
611-7006 43
611-7007 43
611-7008 43
611-7009 43
611-7010 67
611-90 152
611-900 60
611-90100 59
611-9015 59
611-9017 20
611-902 60
611-903 71
611-903* 60
611-904 60
611-905 60
611-908 ..... 13, 60
61-216 ..... 13, 57
61-2204 70
61-2205 70
61-258 ..... 13, 57
61-300 60
61-6001 53
61-6004 69
61-6005 69
61-6005-1 69
61-6006 69
61-6011 53
61-6012 53
61-6016 ..... 11, 53
61-6021 54
61-6031 53
61-60313 53
61-6041 54
61-60413 54
61-6042 54
61-60423 54
61-6051 55
61-60513 55
61-611 ..... 12, 60
61-612 ..... 12, 60
61-613 ..... 12, 60
61-614 ..... 12, 60
61-615 ..... 12, 60
61-617 ..... 12, 60
61-619 ..... 12, 60
61-6701 53
61-6711 53
61-6712 53
61-6716 ..... 11, 53
61-6717 53
61-6721 54
61-6723 ..... 11, 54
61-6726 ..... 11, 54
61-6727 ..... 11, 54
61-6731 53
61-67313 53
61-6741 54
61-67413 54
61-6742 54
61-67423 54
61-6746 ..... 11, 54
61-67463 ..... 11, 54
61-6747 ..... 11, 54
61-67473 ..... 11, 54
61-6751 55
61-67513 55
61-6756 ..... 12, 55
61-67563 ..... 12, 55
61-6757 ..... 12, 55
61-67573 ..... 12, 55
61-6766 ..... 12, 55
61-6767 ..... 12, 55
61-691 58
61-692 58
61-693 58
61-694 58
61-697 64
61-698 58
61-699 58
61-7001 44
61-701 62
61-7011 44
61-7012 44
61-7016 44
61-7017 44
61-702 62
61-7021 45
61-7023 45
61-7026 45
61-7027 45
61-7031 44
61-704 62
61-7041 45
61-7042 45
61-7046 ..... 8, 45
61-7047 ..... 8, 45
61-7051 46
61-7052 ..... 9, 46
61-7056 46
61-7057 ..... 9, 46
61-706 62
61-7067 ..... 8, 46
61-709 62
61-710 59
61-7101 59
61-71012 61
61-71024 61
61-71036 61
61-71048 61
61-71060 61
61-711 63
61-712 63
61-713 63
61-714 63
61-716 64
61-717 71
61-718 71
61-719 63
61-720 59
61-7205 70
61-721 59
61-722 59
61-723 59
61-724 59
61-725 59
61-727 75
61-728 75
61-730 61
61-733 61
61-7331 ..... 9, 44
61-7341 ..... 10, 45
61-7342 ..... 10, 45
61-7346 ..... 10, 45
61-7347 ..... 10, 45
61-735 61
61-7351 ..... 10, 46
61-7356 ..... 10, 46
61-7357 ..... 10, 46
61-740 61
61-748 61
61-750 61
61-751 61
61-752 61
61-756 62
61-757 62
61-7705 70
61-7731 44

61-77313 44
61-7741 45
61-77413 45
61-7742 45
61-77423 45
61-7746 45
61-77463 45
61-7747 45
61-77473 45
61-7751 46
61-77513 46
61-7756 ..... 8, 46
61-77563 ..... 8, 46
61-7757 ..... 8, 46
61-77573 ..... 8, 46
61-790 ..... 62, 108
61-791 108
61-792 108
61-793 108
61-794 108
61-795 108
61-801 62
61-802 62
61-803 62
61-804 62
61-809 62
61-812-038 76
61-821-011 47
61-821-031 47
61-821-034 47
61-823-011 47
61-823-031 47
61-823-034 47
61-826-011 47
61-826-031 47
61-826-034 47
61-9101 152
61-9795 108
62-070 140
62-075 140
62-080 140
62-085 140
62-090 140
62-095 140
62-100 140
62-105 140
62-110 140
62-115 140
62-120 140
62-125 140
62-130 140
62-135 140
62-140 140
62-145 140
62-150 140
62-155 140
62-160 140
62-165 140
62-170 140
62-175 140
62-180 140
62-185 140
62-190 140
62-195 140
62-200 140
62-205 140
62-210 140
62-215 140
62-220 140
62-225 140
62-230 140
62-235 140
62-240 140
62-245 140
62-250 140
62-270 140
62-275 140
62-280 140
62-310 140
62-320 140
62-330 140
62-390 140
62-400 140
62-457 140
62-465 140
62-475 140
62-477 140
62-480 140
62-485 140
62-487 140
62-490 140
62-500 140
62-510 140
62-600 140
63-001 67
63-002 ..... 29, 67
63-120 57
63-121 57
63-130 57
63-132 57
63-225 ..... 58, 75
63-230 ..... 58, 75
63-240 58
63-270 ..... 58, 151
63-280 58
63-604 75
63-605 75
63-71012 57
63-71024 57
63-71036 57
63-71048 57
63-71060 57
63-722 57
64-010 161
64-015 161
64-020 ..... 111, 161
64-077 160
64-078 160
64-087 160
64-088 160
64-140 150
64-146 150
64-149 150
64-157 150
64-158 150
64-169 150
64-225 160
64-400 145
64-401 145
64-403 145
64-510 152
64-511 152
64-703 ..... 144, 161
64-704 144
64-706 145
64-708 161
64-709 161
65-000 ..... 6, 36
65-003 ..... 6, 36
65-005 ..... 6, 36
65-006 ..... 6, 36
65-007 ..... 6, 36
65-008 ..... 6, 36
65-009 ..... 6, 36
65-012 ..... 6, 36
65-096 150
65-2001 ..... 6, 37
65-2004 ..... 13, 74
65-2005 ..... 13, 74
65-2031 ..... 6, 37
65-3011 ..... 6, 37
65-3012 ..... 6, 37
65-3016 ..... 6, 37
65-3017 ..... 6, 37
65-3018 ..... 6, 37
65-3041 ..... 7, 38
65-3042 ..... 7, 38
65-3046 ..... 7, 38
65-3047 ..... 7, 38
65-3048 ..... 7, 38
65-4021 ..... 7, 38
65-4022 ..... 7, 38
65-4023 ..... 7, 38
65-4026 ..... 7, 38
65-4027 ..... 7, 38
65-4028 ..... 7, 38
65-4051 ..... 7, 39
65-4052 ..... 7, 39
65-4056 ..... 7, 39
65-4057 ..... 7, 39
65-4058 ..... 7, 39
65-5032 ..... 7, 39
65-5036 ..... 7, 39
65-5037 ..... 7, 39
65-5038 ..... 7, 39
66-100 141
66-400 142
66-499 142
66-500 142
66-501 142
66-502 142
66-503 142
66-504 142
66-506 142
66-508 142
66-509 142
66-512 142
66-6275 141
66-754 162
66-757 162
66-809 92
66-810 92
66-812 92
66-814 92
66-816 92
66-818 92
66-820 92
66-830 92
66-832 92
66-834 92
66-836 92
66-838 92
66-840 92
66-850 92
66-852 92
66-854 92
66-856 92
66-858 92
66-860 92
66-908 162
66-920 162
66-925 162
66-936 162
66-937 162
66-938 162
66-9381 162
66-939 91
66-940 91
66-945 91
67-000 19
67-001 ..... 19, 67
67-003 ..... 19, 72
67-005 19
67-006 ..... 19, 72
67-007 19
67-008 19
67-009 19
67-015 151
67-101 ..... 20, 151
67-107 20
67-2001 21
67-2004 72
67-2005 72
67-2031 21
67-3011 21
67-3012 21
67-3016 21
67-3017 21
67-3018 ..... 3, 21
67-3041 22
67-3042 22
67-3046 22
67-3047 22
67-3048 ..... 3, 22
67-4021 22
67-4022 ..... 3, 22
67-4023 ..... 3, 22
67-4026 22
67-4027 22
67-4028 ..... 3, 22
67-4051 23
67-4052 ..... 4, 22
67-4056 23
67-4057 23
67-4058 ..... 4, 23
67-5032 ..... 4, 23
67-5036 23
67-5037 23
67-5038 ..... 4, 23
68-001 157
68-0011 157
68-0012 157
68-002 157
68-003 157
68-0031 157
68-0032 157
68-004 157
68-005 157
68-006 157
68-010 158
68-0109 158
68-012 158
68-0129 158
68-015 158
68-0159 158
69-000 28
69-001 ..... 29, 66
69-003 28
69-005 ..... 4, 28
69-006 28
69-007 28
69-008 28
69-009 28
69-2001 31
69-2004 73
69-2005 73
69-2031 31
69-2231 31
69-3011 31
69-3012 31
69-3016 31
69-3017 31
69-3018 ..... 4, 31
69-3041 32
69-3042 32
69-3046 32
69-3047 32
69-3048 ..... 5, 32
69-3241 32
69-3242 32
69-3246 32
69-3247 32
69-3248 ..... 5, 32
69-4021 32
69-4022 ..... 5, 32
69-4023 ..... 5, 32
69-4026 32
69-4027 32
69-4028 ..... 5, 32
69-4051 33
69-4052 ..... 5, 33
69-4056 33
69-4057 33
69-4058 ..... 5, 33
69-4251 33
69-4252 ..... 5, 33
69-4256 33
69-4257 33
69-4258 ..... 5, 33
69-5032 33
69-5036 33
69-5037 33
69-5038 ..... 5, 33
69-812-038 76
69-821-011 34
69-821-031 34
69-821-034 34
69-823-011 34
69-823-031 34
69-823-034 34
69-826-011 34
69-826-031 34
69-826-034 34
71-306 ..... 15, 123
71-320 121
71-321 121
71-322 121
71-327 121
71-330 121
71-331 121
71-332 121
71-337 121
71-340 121
71-341 121
71-342 121
71-347 121
71-360 121
71-361 121
71-362 121
71-367 121
71-380 121
71-381 121
71-382 121
75-065 140
75-070 140
75-075 140
75-080 140
75-085 140
75-090 140
75-095 140
75-100 140
75-105 140
75-110 140
75-115 140
75-120 140
75-125 140
75-130 140
75-135 140
75-140 140
75-145 140
75-150 140
75-155 140
75-160 140
75-165 140
75-170 140
75-175 140
75-180 140
75-185 140
75-190 140
75-195 140
75-200 140
75-205 140
75-210 140
75-215 140
75-220 140
75-225 140
75-230 140
75-235 140
75-240 140
75-250 140
75-260 140
75-270 140
75-280 140
75-290 140
75-300 140
75-310 140
75-320 140
75-330 140
75-340 140
75-350 140
75-360 140
75-370 140
75-380 140
75-390 140
75-400 140
75-410 140
75-420 140
75-430 140
75-440 140
75-600 140


POWER
OFF ON
QUICKCAR
IGNITION CONTROL PANEL
ON
ON
ON
ACC.
ACC.

TERMS AND CONDITIONS

RETURNS POLICY

Returns To make sure that the item(s) get quickly processed, please follow these simple steps.

1. Call 800-997-7333 and request an RMA number for the merchandise you wish to return. All products must be in an unaltered/unchanged state from its original condition. Products must be no older than one year old. New parts returned for credit must be completely unaltered, and in new condition. Warranty parts will also be inspected to see if failure was caused by misuse of the parts, and possible deemed not returnable.
2. Include your contact information, and the problem with the part in a note INSIDE the box. Please write the RMA number on the outside of the box.
3. Custom parts are not returnable for credit but can sometimes be repaired.

PRINTING DISCLAIMER

QuickCar Racing Products reserves the right to update, change or modify any product or policy deemed necessary without notice. Every effort has been made to avoid printing errors, in this catalog and previous versions. We disclaim any responsibility for application or specifications.

DISCLAIMER OF WARRANTY

QuickCar Racing Products makes no warranties... QuickCar Racing Products makes no written, oral, expressed, or implied statement of warranty or guarantee on any product sold, other than for defects in materials or workmanship as stated previously. QuickCar Racing Products will not assume liability for personal or property damage resulting from the use or misuse of any product we manufacture or sell, whether on the street or on the race track. Purchase and/or use of these products implies recognition and acceptance of this entire warranty and disclaimer by customer.

WARRANTY

Parts are backed by a full one-year warranty against factory defects in workmanship and materials. All warranty parts will be inspected upon arrival for misuse. Scales are backed by a two-year warranty against factory defects in workmanship and materials. QuickCar Racing Products reserves the right to decline any warranty items if it appears that the item has failed due to misuse, or lack of care taken while the product was in use.

ORDERING INFORMATION:

To Order by Phone: Monday Through Friday
8:00 to 5:00 Central Time
800-99-Speed (800-997-7333) or 615-453-2120
By Fax 24 Hours a Day: 615-453-2130
By E-Mail: Sales@Quickcar.com
Web: www.quickcar.com
To Locate a Dealer Near You, Please Call 800-99-Speed

SHIPPING OPTIONS:

FedEx Ground (1-6 working days)
FedEx 2-Day (2 working days)
FedEx Overnight (1 working day)

WARNING! CANCER AND REPRODUCTIVE HARM. WWW.P65WARNINGS.CA.GOV/

Some products in this catalog contain materials listed under California Proposition 65.
For additional details on specific products, visit the QuickCar website at quickcar.com.
For additional information on Proposition 65, visit www.p65warnings.ca.gov/

QUICKCAR®

BUYERS *guide*

QUICKCAR RACING PRODUCTS

170 BUSINESS PARK DRIVE,
LEBANON TN 37090
1-800-99-SPEED
WWW.QUICKCAR.COM

QRP100